



MARKSUSA

2023/2024

Price List

Mortise Locksets

**Cylindrical, Tubular & Electronic
Access Control Locksets**

Exit Devices



July 2023

MORTISE LOCKSET PRICE LIST • EFFECTIVE SEPTEMBER 2016

TABLE OF CONTENTS

Required Information	6
Backset	6
Door Thickness	6
Handing	6
Mounts & Displays	6
Mortise Lock Trim Information	7
Leverset/Knobset Trim	7
How To Order Mortise Locksets & Handlesets	8-10
Plate Designs	11-20
Classic - CL	11-12
Capitol - CP	13-14
Crown - CR	15-16
Drake - DR	17-18
New Yorker - NY	19-20
Rose Designs	21-22
Rose with Ring - RR	21-22
Plain Rose - RW	21-22
Small Rose with Ring - RQ	21-22
Small Rose - RS	21-22
Square Rose - RX	21-22
Square Rose - RK	21-22
Square Rose - RL	21-22
Ornamental Iron	23-24
Series 21 Unilock™	23
Series 22	23
Series 9215 Unilock™	23
Series 9225	23
THINLINE® Series 2750	23
Knob & Lever Kits	24
Accessories	24
Cylinders	24

MORTISE LOCKSET PRICE LIST

Mortise Parts & Trim	25-36
Mortise Lock Bodies Series 4 & 45	25
Mortise Lock Bodies Series 5 & 55	25
Mortise Lock Bodies Series 6 & 8	26
Mortise Lock Bodies Series 7 & 9	27
Mortise Deadlocks Series 31, 2, 3, 5 & 55	28
Mortise Lockset Functions	29-30
Mortise Lock Parts: Knob/Lever Rose Kits	31
Mortise Lock Parts: Dummy Cylinder, Collars & Turnpieces, Strikes, Spindles	32
Mortise Lock Parts: Indicators	33
Trim Lock Parts: Plate/Rose Design	34-35
Trim Lock Parts: Knob/Lever Design	36

CYLINDRICAL & TUBULAR LOCKSET PRICE LIST

How To Order Cylindrical Locksets	37
How To Order Example For Cylindrical Locksets	37
1. Series	37
2. Cylindrical Functions	37
3. Finishes	37
4. Options	37
Cylindrical Locksets	38-40
10 Line Grade 2 Cylindrical Knobsets	38
95 Line Grade 1 Cylindrical Survivor Series Leversets	39
75 Line Grade 2 Cylindrical Survivor Series Leversets	40
Cylindrical Lock Accessories	41-42
Latches, Strikes, Spacer Rings, Etc.	41
Cylinders, Cylindrical Lock Tailpieces, Cylindrical IC Core Tailpieces	42
How to order example for Cylindrical Lock Cylinders & Tailpieces	42
Cylindrical Knob/Lever Functions	43
How To Order Tubular Locksets	44
How To Order Example For Tubular Locksets	44
1. Series	44
2. Roses	44
3. Knob/Lever	44
4. Tubular Function	44
5. Finishes	44
6. Options	44
Tubular Knob & Lever Functions	44
Rose Designs	45
Rose with Ring - RR	45
Plain Rose - RW	45
Small Rose with Ring - RQ	45
Small Rose - RS	45
Square Rose - RX	45
Square Rose - RK	45
Square Rose - RL	45
Residential Interior Tubular Locksets	46
150 Series American Lever (<i>tubular leversets for interior use</i>)	46
250 Series Crescent Lever (<i>tubular leversets for interior use</i>)	46
450 Series Titan Lever (<i>tubular leversets for interior use</i>)	46
Tubular Lockset Accessories	47
Strikes, Latches, Support Housing	47
Turnpieces	47
Latches & Cylindrical Cartridge	47
How To Order For Defender Locksets	48
How To Order Example For Defender Locksets	48
1. Series	48
2. Tubular Functions	48
3. Finishes	48
Deadbolt/Deadlatch Functions	48

CYLINDRICAL & TUBULAR LOCKSET PRICE LIST

Defender Series Tubular Deadbolts & Cylindrical Cartridge Deadlatches	49
130 Series Grade 1 Defender Tubular Deadbolts	49
145 Series Grade 1 Defender Cylindrical Cartridge Deadlatches	49
Defender Series Accessories	50
Strikes, Latches & Spacers	50
Latches & Cylindrical Cartridge	50
Tailpieces & Cylinders	50
i-Qwik/i-Que Electronic Access Control Locksets	51-53
i-Qwik LITE ² Series Electronic Access Control & How To Order Example	51
i-Qwik Series Options	52
i-Qwik Series Accessories, Tailpieces & Cams	53
Request To EXit (REX) Leversets & Electrified Locksets	54-55
Request To EXit (REX) Cylindrical Grade 1 Leversets (EA195, EA295, EA395 & EA495)	54
How To Order Example For REX Leversets	54
195, 295 & 495 Series Grade 1 Electrified Cylindrical Leversets	55
5 Series Grade 1 Electrified Mortise Lockset	55
Gate Locks	56
Swinging Gate Locks	56
Sliding Gate Locks	56
Parts	56
Custom Lockset Division	57-59
Series HA113 Housing Authority Mortise Lockset	57
Series LA318GJ Maximum Security Mortise Lockset	58
Series BE101 & LA118	59
Institutional Life Safety Mortise Locksets	60-64
Series 195BH D-Lig Slide Cylindrical Lockset	60
Series 5BH D-Lig Slide Mortise Lockset	61
Series 195SS Institutional Life Safety Cylindrical Lever Lockset	62
Series 5SS55 & 5SS19 Institutional Life Safety Mortise Knob & Lever Locksets	63
Series 180SS Institutional Life Safety Cylindrical Knobsets & Locksets	64
Series 31SS55 Institutional Life Safety Mortise Deadlock	64
Hospital Locksets	65
Series 180PD Cylindrical Push/Pull Paddlelocks	65
Series 5PD & 55PD Mortise Push/Pull Paddlelocks	65
Mortise Lock Cylinders, Parts & Cams	66
Cylinders, IC Core Cylinder Housings, Cylinder Cams	66
How To Order For Mortise Lock Cylinders	66
KEYS & KEYING	67-72
HI-SECURITY™ Cylinders	67
HI-SECURITY™ Cylinders: NON-UL	68
HI-SECURITY™ Cylinders: UL 437	69
Security-Mate™ Cylinders, Special Application Cylinders	69
How To Order HI-SECURITY™ Cylinders and Keys	70
Keys, Cams & Tailpieces	71
Parts List	72

PANIC DEVICES

Exit Devices	73-78
Series M9900 Exit Device - Rim Mount	73
Series M9900 VR Exit Device - Surface Vertical Rod	73
Series M9900 Exterior Trim	74
Series M8800 Exit Device	74
Series M195	75
Series M99 Night Latch Trim	75
Electric Latch Retraction with Simultaneous Dogging	76
Exit Alarm	76
Electric Dogging	77
Delayed Egress	77
M9900 LITE	78

ArchiTech™ SERIES NETWORK LOCKS

ArchiTech™ Series Network Locks	79-83
ArchiTech Series Features and Specifications	79
ArchiTech Series Cylindrical Locksets	80
How to Order ArchiTech Cylindrical Locksets	81
ArchiTech Series Mortise Locksets	81
How to Order ArchiTech Mortise Locksets	82
ArchiTech Series Network Options	83

Marks USA Antimicrobial Finish: Peace of mind for your hardware application when protected against GERMS and MOLD using Stericoat AM. Marks USA antimicrobial finish is recommended for hospitals, assisted living facilities, schools and childcare facilities. **Use Code - AM**

Lifetime Mechanical Limited Warranty: MARKS USA warrants that its products are free from defects in materials and workmanship. This warranty is limited to the lifetime of the door on which our lock is installed. In the event our product does not conform to this warranty, MARKS USA will repair or replace the product free of charge. This warranty does not cover defects or damage arising from improper installation, lack of or improper maintenance, improper storage, shipping and handling, ordinary wear and tear, misuse, abuse, accident, unauthorized service, or use with unauthorized non-MARKS products or parts. We reserve the right to make changes in materials, components or manufacturing methods. Liability under all warranties expressed or implied is limited to replacement of the defective goods. This warranty does not cover nor provide for the reimbursement or payment of incidental or consequential damages. Additionally, the company will not warrant ANSI A156.2 Grade 2 lever product installed in educational facilities and student housing. Trim not included in warranty.

2 Year Electronic Limited Warranty: MARKS USA warrants to the original purchaser that its products are free from defects in materials and workmanship so long as they occupy the premises.

In the event our product does not conform to this warranty, MARKS USA will repair or replace the product free of charge at its sole discretion. This warranty does not cover defects or damage arising from improper installation, lack of or improper maintenance, improper storage, shipping and handling, improper application or specification, ordinary wear and tear, misuse, abuse, accident, improper voltage, unauthorized service, or use with unauthorized non-MARKS products or parts. We reserve the right to make changes in materials, components or manufacturing methods. Liability under all warranties expressed or implied is limited to replacement of the defective goods. This warranty does not cover nor provide for the reimbursement or payment of incidental or consequential damages or any shipping charges related to exercising of this warranty.

Lifetime Finish Limited Warranty: MARKS USA Locksets with the "3E" finish will be warranted to the original user against tarnishing as long as the user occupies the residential premises upon which the lockset was originally installed. Locksets with this finish, used in commercial applications will be limited to two years. This warranty does not cover scratches, abrasion, abused or misused products. Upon return of a defective product to Marks USA, we will, at our sole discretion, either replace the product or refund the purchase price in exchange for the product.

Due to climatic conditions, chemical or abrasive actions, other finishes are excluded from this warranty. This warranty does not cover nor provide for the reimbursement or payment of incidental or consequential damages arising from the sale of the product.

TERMS & CONDITIONS:

TERMS: Net 30

FREIGHT: Prices are F.O.B. Amityville, New York. Freight allowed on shipments over \$7500 net invoice value within Continental U.S.

RETURNED GOODS: Goods may not be returned without a Returned Goods Authorization (RGA) and are subject to a restocking charge. RGA label must be on all cartons.

MINIMUM CHARGE: Orders for less than \$250 net invoice are subject to a \$25 handling charge.


MINIMUM SALES VOLUME: The company reserves the right to discontinue direct sales to any customer who does not meet the minimum annual sales requirements during any 12 month period. Minimum annual sales volume is determined on the basis of accepted orders during each applicable year. All orders are acknowledged. It is the customers responsibility to check accuracy of the acknowledgment when received.

ArchiTech, Networkx, iLock, LocDown, LifeSaver and Hi-Security are trademarks of Marks USA, a division of NAPCO Security Technologies. All other trademarks listed are properties of their respective companies.

Effective January 2022. All prices published are suggested list prices in US Dollars. Some specifications are preliminary and subject to change without prior notice. Not responsible for typographical errors.

Marks USA is a Division of Napco Security Technologies, Inc. (NASDAQ:NSSC) © Marks USA, 12.21

BACKSET - Required Information




DOOR THICKNESS - Required Information

STANDARD DOOR THICKNESS RANGE:

- Mortise locksets: 1-3/4"
- Cylindrical locksets: 1-5/8" through 1-7/8"
- Ornamental locksets: 1" through 1-1/4"
- Tubular locksets: 1-3/8" through 1-3/4"
- Other door thickness: **Consult factory**


SPECIFY:

- Door thickness (A)
- Lock location (B)



HANDING - Required Information

All locksets supplied 1/2 (LH) and 1/2 (RH) unless otherwise specified




MOUNTS & DISPLAYS AVAILABLE, CONSULT FACTORY




MORTISE LOCK TRIM INFORMATION

LEVERSET/KNOBSET TRIM




Outside Inside

ENTRANCE
Cylinder/Turnpiece




Outside Inside

ENTRANCE
Double Cylinder




Outside Inside

OFFICE/CLASSROOM




Outside Inside

PRIVACY



Outside Inside

EXTERIOR/PATIO



Outside Inside

DUMMY TRIM
Both sides

*Dummy cylinder optional (F17)

HOW TO ORDER MORTISE LOCKSETS & HANDLESETS

1. Select type of lockset.
2. See corresponding pages in the catalogs for information regarding this type of lock.
3. Create the part number for your lock by selecting the information from fields 1 through 6.
Please note dummy trim is Series "0".
4. Options must be listed in Alpha - Numeric order.
5. Note that if Part Number is over 15 characters, it becomes a special number with the option field *1.
(Your options will then be listed separately.)
Please note the standard (default) features of each lock - they do not need to be selected in the options section.
6. Please indicate keying detail or special instructions on each item ordered.
7. Door Templates are available on the website @ www.marksusa.com/support/templates

How To Order Example for Mortise Locksets	7	NY	10	A	/	3	—	G3
	1. Lock Series	2. Plate/Rose Design	3. Knob/Lever Design	4. Marks Function	Slash	5. Finish	Dash	6. Options

How To Order Example for Rose Design	5	RW	92	N	/	10B	—	D1
	1. Lock Series	2. Plate/Rose Design	3. Knob/Lever Design	4. Marks Function	Slash	5. Finish	Dash	6. Options

How To Order Example for Ornamental Iron	9215	AC	/	15	—	G3
	1. Series	2. Marks Function	Slash	3. Finish	Dash	4. Options

How To Order Example for Mortise Lock Bodies	55	JM	/	26D	—	T
	1. Series	2. Marks Function	Slash	3. Finish	Dash	4. Options

HOW TO ORDER MORTISE LOCKSETS & HANDLESETS

OPTION CODES & FINISHES

TRIM MODIFICATIONS	CODE	PRICE	TYPE
Tactile knob/lever, coated ext. only	A1	65	M, C, T
Emergency coinkey	A2	30	M
Tamper-proof screws	A3	16	M
Tactile knob/lever, knurled	A4	65	M, C, T
Handicapped turnpiece	A5	20	M
Hotel indicator	A6	47	M
Pinned knob	A7	38	M
Mushroom knob	A9	6	M
No logo	A10	NC	
Engraved	A11	77	M
Concealed cylinder	A12	29	M
Dummy trim sub-assembly	A13	NC	M
Coinkey w/ rose	A15	76	M
Occupancy Indicator non keyed	A17	98	M
Tactile knob/lever, coated int. & ext.	A18	132	M
Crescent Lever	A22	NC	
Square trim	A23	32	T
Square collar	A23C	12	T
Square turnpiece	A23T	12	T
Small emergency hole	A24	NC	M
Recessed Pull (one side)	A28	77	M,C
Exposed Rose Screws	A29	NC	M,T
Engraved and Filled	A30	87	M
Inside Knob on Lever	A31	38	
No inside turnpiece	A32	NC	M
Red/Green TD Occ ind no ckslot	A40	194	M
A9618-Atascadero	A41	126	M
Red/Green TD Occ ind no ckslot	A42	194	M
SK200/32D Handed	A50	350	M
SK200-CK/32D Handed w/Coin key	A51	350	M
SK200-TP/32D Handed w/Turn Pc	A52	350	M
SK210/32D Handed	A53	350	M
SK200/32D Handed w/Coin key	A54	350	M
SK200/32D Handed w/ Turn Pc	A55	400	M
Phillip Head Screws Only	A56	NC	M,C

CYLINDER	CODE	PRICE	TYPE
IC core housing - 7 Pin	G1	NC	M
Special optional keyway	G2	40	M,C
Less cylinder	G3	Deduct 17	M,C
MARKS "A" keyway	G4	16	M
MARKS "C" keyway	G5	18	O
IC core housing w/9271 Collar - 6 Pin	G6	NC	M
IC core housing, Schlage large format (FOR MORTISE ONLY)	G7	86	M
No Cylinder, no key bypass	G8	NC	A
IC Housing, Sargent Large format	G9	65	M
Corbin Mortise all cyl bores single & db	G10	30	M

MOUNTS	CODE	PRICE	TYPE
M6500 Mounted mort. prep 2-3/4" bs	M1		
M6500 Mounted 2-1/2"	M2		
ME100M Mounted I Que prep	M3		
Mounted 3 hole prep	M4		
M1319 Mounted cyl/deadbolt prep	M6		
M295 Mounted Plastic	M7		
M1900 Mounted 2-1/8" prep	M8		
Mounted Panic Devices	M10		
5001PL Plastic Mortise Cover	M11		

STRIKE	CODE	PRICE	TYPE
4-7/8" ASA strike	S1	15	C,T
Straight lip strike	S2	4	M
2-3/4" "T" strike	S3	NC	C,T
3-5/8" x 1-1/4" Security strike	S4	13	T
2-1/4" Curved lip strike	S5	NC	T
4-7/8" Strikes: 1 Left / 1 Right	S6	15	INT
Strike with 1-1/2" lip	S7	18	M
Radius corner strike	S8	NC	M
4035-1 strike	S9	NC	
1-7/8" Lip Strike	S10	NC	C,T
Sqare coner Full Lip Strike	SQ	NC	T
Use 9035 ASA	S11	NC	M

TURNPIECES	CODE	PRICE	TYPE
TP 1	T1	19	M
TP 2	T2	19	M
TP 3	T3	19	M
TP 4	T4	19	M

LOCK BODY	CODE	PRICE	TYPE
Lever override guard - outside*	B1	47	M
Lever override guard - both sides*	B2	67	M
Hardened pins - deadbolt	B3	20	M
Lever springs	B4	21	M
Pin and lever springs	B5	40	M
Hollow spacer	B6	20	M
8 mm hubs on square	B7	20	M
Turnpiece hub on square	B8	13	M
With deadbolt	B9	20	M
Boxed Lock Body	B10	NC	M
Lever spring outside only	B11	NC	M
Lever spring Inside only	B12	NC	M
Special Deadbolt Un Notched	B12	NC	ORN

LOCK FRONT	CODE	PRICE	TYPE
1-1/16" x 8"	Q	29	M
1-1/16" x 5-5/8"	R	30	M
1-1/16" x 7-5/8"	T	29	M
1-1/4" x 10"	U	118	M
1-1/16" x 7-3/4"	V	29	M
1" x 7-1/8"	W	NC	M
1-1/4" x 8"	X	27	M
1-1/4" x 8-5/8"	Y	118	M
1" x 8"	Z	27	M

DOOR THICKNESS	CODE	PRICE	TYPE
2"	D1	NC	M,C
2-1/4"	D2	81	M, C
1-3/4"	D4	NC	M
1-3/8"	D5	NC	M
Over 2-3/8 - 4" Cylindrical	D9	700	A,C
2-1/4" - 4" Door Thickness	D14	433	M

CYLINDRICAL 18-20 WEEKS

How To ORDER MORTISE LOCKSETS & HANDLESETS

OPTIONS

TRIM CHANGES	CODE	PRICE	TYPE
Lead lined	F1	352	M
Large inside plate	F2	38	M
Less inside trim**	F4	NC	C
Less outside trim**	F5	NC	M
For 1-1/2" bore	F6	22	T
Yale Conventional cylinder	F7	25	M
Sargent Conventional cylinder	F8	25	C
Corbin Conventional cylinder	F9	25	C
Adjustable spring collars	F10	6	M
Corbin 6 pin C core	F12	37	C
Corbin 7 pin IC core	F13	37	C
Yale 6 pin IC core	F14	NC	C
Yale 7 pin IC core	F15	25	C
Less outside knob/lever	F16	NC	M
Less trim with custom escutcheon	F18	NC	M
Schlage 6 pin IC core	F19	925	M,C
Sergent IC core	F20	25	M,C
Medeco IC core large format	F21	25	INT
Blank inside plate/lever	F25	NC	
Blank outside plate/lever	F26	NC	M
Yale 6 pin IC core w/captivated tail	F27	NC	C
Yale 710 IC core w/ captivated tail	F28	NC	C
Screwless interior escutcheon	F29	65	M
TP 5	T5	24	M
TP 5	T6	19	M
TP 5	T7	19	M
TP 9	T9	19	M
TP 15	T15	19	M
TP 16	T16	19	M
SK15	SK15	19	M
TP 17 Screwless TP	TP17	27	M
TP 18 Screwless TP	T18	19	M

LATCH	CODE	PRICE	TYPE
Solid latch	E1	22	M
Open hold open latch	E2	40	M
Auxiliary latch	E3	38	M
2-3/4" backset, 1-1/8" x 2-1/4" face	E4	12	C,T
2-3/8" back set, 1" x 2-1/4" face	E6	NC	C,T
2-3/4" BS, 9/16" throw, Gr. 1 UL	E7	50	C
2-3/4" BS, 9/16" throw, Gr. 1			
UL listed with cylindrical cartridge	E7*	116	T
*E7 option N function only, 2-3/4BS			
2-3/8", 2-3/4", 3-3/4" & 5" Backsets			
5" bs, 9/16" throw, Gr. 1 UL	E9	50	C,T
3-3/4" BS, 9/16" throw Gr. UL	E10	50	C
2-3/8" backset, 1-1/8" x 2-1/4" face	E11	15	C,T
2-3/4" backset, 1" x 2-1/4" face	E12	15	C,T
Adjustable latch 1-1/8" x 2-1/4" face	E13	12	T
Adjustable latch 1" x 2-1/4" face UL	E14	19	T
Radius corners on tubular	E15	NC	T
UL latch, adjustable	E16	17	T
Kick off latch (P) 1834P	E17	NC	C




ELECTRIFIED	CODE	PRICE	TYPE
24V	H1		
12V	H2		
Electrically locked	H9		
Electrically unlocked	H10		

ELECTRONICS	CODE	VALUE	TYPE
Sensor W1 for REX (Cylindrical Archi-Tech)	W1	347	AC
American lever	W2	18	
Monaco lever	W3	22	A,C
Solid exterior handle no cylinder	W4	NC	A,C
Hardwired	W5	28	A,C
Crescent lever	W7	22	A,C
Series 55 Mort Lock Body 2-1/2" BS	W8		
Deadbolt function lock w/ 2101 cam	W9	28	A,C
Request to exit switch	w10	173	A,C
Key sensor	w11	173	A,C
Titan lever	W12	21	ac
REX switch, key, bolt sensor	W13	519	A,C
W13 option for mortise locks			A,C
Bolt sensor	W14	173	A,C
Latch sensor	W15	173	A,C
REX + Latch Sensor	W16	347	A,C

FINISHES	ANSI #
US 3 Polished Brass, Clear Coated	605
US 3E Polished Brass "PVD"	605E
US 4 Satin Brass, Clear Coated	606, 606E
US 5 Antique Brass, Clear Coated	609, 609E
US 10E Satin Bronze "PVD"	612E
US 10 Satin Bronze, Clear Coated	612
US 10B Dark Bronze, Clear Coated	613E
US 14 Bright Nickel Plating, Clear Coated	614
US 15 Satin Nickel	619, 619E
US 19 Flat Black, Powder Coated	622, 622E
US 20A Dark Oxidized Statuary Bronze, Clear Coated	624
US 26 Polished Chrome, Plated	625
US 26D Satin Chrome, Plated	626
US 26 Satin Chrome, Powder Coat	626E
US 32 Polished Stainless Steel	629
US 32D Satin Stainless Steel	630

AM Antimicrobial Finish AM, +40


CLASSIC PLATE DESIGN CL

	ANSI-A156.13 • Grade 1 3 Hour Fire Rating		Series 5 • 2-3/4" Backset Series 55 • 2-1/2" Backset		
	Standard Features		KNOBS	LEVERS	
	<ul style="list-style-type: none"> • Thru-bolted screwless knob/lever plate assemblies • Independent spring loaded captivated spindles • Reversible mortise lock 2-1/2" or 2-3/4" backset • Lever support springs • Lock front: 1-1/4" x 8" • Dimensions: Ext: 8" H x 2-1/2" W, Int: 8" H x 2-1/2" W • Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys • Height: 7/32" Options available on page 9-10 		10, 20	002, 031, 44, 47C, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96,	
	MARKS #		FUNCTION	ANSI #	32D
KEYED SINGLE CYLINDER, NO DEADBOLT					
D	OFFICE VEST.		709.35	875.72	
DW	VESTIBULE				
E	OFFICE	F04			
EW	STOREROOM	F07			
J	CLASSROOM	F05			
JM, JR	HOSPITAL	F06			
GL	INSTIT. PRIVACY	F26			
EL	ELECTRICALLY LOCKED		1075.82	1241.07	
EU	ELECTRICALLY UNLOCKED				
KEYED SINGLE CYLINDER, WITH DEADBOLT					
A	ENTRANCE	F08, F10	725.08	891.46	
B	ENTRANCE	F21			
F	DORMITORY	F12			
FS	DORMITORY				
FW	DORMITORY	F13			
FD	APARTMENT	F20	797.03	962.28	
H	HOTEL	F15			
LH	SPECIAL PRIVACY				
KEYED DOUBLE CYLINDER, NO DEADBOLT					
G	APARTMENT	F09	764.43	929.68	
GC	INTRUDER LATCHBOLT	F32			
GG	CLASSROOM SECURITY				
GR	CLASSROOM SECURITY w/HOLDBACK				
WW	INSTITUTIONAL	F30			
KEYED DOUBLE CYLINDER, WITH DEADBOLT					
AC	ENTRANCE	F35	764.43	929.68	
C	STOREROOM	F14			
FC	INTRUDER DEADBOLT	F34			
FA	DORMITORY	F11			
FX	DORMITORY	F33			
KEYLESS					
N	PASSAGE	F01	595.81	762.18	
L	BATHROOM	F02	727.33	892.58	
LF	PRIVACY	F19			
LJ	PRIVACY	F22	656.51	821.76	
EX	EXIT	F31	656.51	821.76	
DUMMY TRIM					
DI	DUMMY TRIM INSIDE		300.15	382.21	
DO	DUMMY TRIM OUTSIDE				
DT	FULLY DUMMY		596.92	763.30	

KNOBS & LEVERS ARE PACKED 6 PER CASE




NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory

CLASSIC PLATE DESIGN CL

	ANSI-A156.13 • Grade 2		Series 7 • 2-3/4" Backset Series 9 • 2-1/2" Backset	
	Standard Features		KNOBS	LEVERS
	<ul style="list-style-type: none"> • Thru-bolted screwless knob/lever plate assemblies • Independent spring loaded captivated spindles • Reversible mortise lock 2-1/2" or 2-3/4" backset • Lever support springs • Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys • Lock front Series 7: 1-1/4" x 8"; Series 9: 1-1/16" x 7-5/8" • Dimensions: Ext: 8" H x 2-1/2" W, Int: 8" H x 2-1/2" W Options available on page 9-10 		10, 20	031, 037A, 44, 47C, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96, 002
FINISH GROUPS				
MARKS #	FUNCTION	ANSI #	32D	32D
KEYED SINGLE CYLINDER, NO DEADBOLT				
D	OFFICE VEST.		672.25	838.62
DW	VESTIBULE			
KEYED SINGLE CYLINDER, WITH DEADBOLT				
A	ENTRANCE	F08, F10	689.11	854.36
B	ENTRANCE	F21		
F	DORMITORY	F12		
FS	DORMITORY			
FW	DORMITORY	F13		
KEYED DOUBLE CYLINDER, WITH DEADBOLT				
AC	ENTRANCE	F35	728.46	893.71
C	STOREROOM	F14		
FX	DORMITORY	F33		
KEYLESS				
N	PASSAGE	F01	558.71	725.08
L	BATHROOM	F02	690.23	855.49
LF	PRIVACY	F19		
DUMMY TRIM				
DI	DUMMY TRIM INSIDE		300.15	382.21
DO	DUMMY TRIM OUTSIDE			
DT	FULLY DUMMY		596.93	763.31
NOTE: SPLIT DESIGNS AND/OR FINISHES ARE PRICED AT THE HIGHEST DESIGN AND/OR FINISH • SPECIAL FINISHES, CONSULT FACTORY				

KNOBS	Round Knob 10	Ball Knob 20	Commerce Lever 037A	Metropolitan Lever 002
				
	Lucida Lever 47C	Copa Lever 031	Brompton Lever 55	Monaco Lever 57
				
LEVERS	Towne Lever 72	Maxwell Lever 77	Omni Lever 78	Plaza Lever 82 Specify handing
				
	Dayton Lever 83 Specify handing	Crescent Lever 86	American Lever 92	Titan Lever 96
				


CAPITOL PLATE DESIGN CP

		ANSI-A156.13 • Grade 1 3 Hour Fire Rating		Series 5 • 2-3/4" Backset Series 55 • 2-1/2" Backset				
	Standard Features		KNOBS		LEVERS			
	<ul style="list-style-type: none"> • Thru-bolted screwless knob/lever plate assemblies • Independent spring loaded captivated spindles • Reversible mortise lock 2-1/2" or 2-3/4" backset • Lever support springs • Lock front: 1-1/4" x 8" • Dimensions: Ext: 8-1/2" H x 2-3/4" W, Int: 8-1/2" H x 2-3/4" W • Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys • Concealed 5 pin cylinder (option A12) • Thickness: 1/8" Options available on page 9-10		10, 20		002, 031, 037A, 47C, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96,		002, 031, 037A, 47C, 82, 83, 86, 92, 96	
	FINISH GROUPS							
MARKS #	FUNCTION	ANSI #	3, 32D	10, 10B	3, 32D	10, 10B		
KEYED SINGLE CYLINDER, NO DEADBOLT								
D	OFFICE VEST.		738.57	781.29	903.83	951.04		
DW	VESTIBULE							
E	OFFICE	F04						
EW	STOREROOM	F07						
J	CLASSROOM	F05						
JM, JR	HOSPITAL	F06						
GL	INSTIT. PRIVACY	F26						
EL	ELECTRICALLY LOCKED		1105.05	1147.77	1270.30	1313.02		
EU	ELECTRICALLY UNLOCKED							
KEYED SINGLE CYLINDER, WITH DEADBOLT								
A	ENTRANCE	F08, F10	754.31	798.15	920.69	963.41		
B	ENTRANCE	F21						
F	DORMITORY	F12						
FS	DORMITORY							
FW	DORMITORY	F13						
FD	APARTMENT	F20	825.13	867.85	991.51	1035.35		
H	HOTEL	F15						
LH	SPECIAL PRIVACY							
KEYED DOUBLE CYLINDER, NO DEADBOLT								
G	APARTMENT	F09	794.78	837.50	960.03	1002.75		
GC	INTRUDER LATCHBOLT	F32						
GG	CLASSROOM SECURITY							
GR	CLASSROOM SECURITY w/HOLDBACK							
WW	INSTITUTIONAL	F30						
KEYED DOUBLE CYLINDER, WITH DEADBOLT								
AC	ENTRANCE	F35	794.78	837.50	960.03	1002.75		
C	STOREROOM	F14						
FC	INTRUDER DEADBOLT	F34						
FA	DORMITORY	F11						
FX	DORMITORY	F33						
KEYLESS								
N	PASSAGE	F01	626.16	668.88	792.53	835.25		
L	BATHROOM	F02	756.56	799.28	921.81	964.53		
LF	PRIVACY	F19						
LJ	PRIVACY	F22	686.86	729.58	852.11	894.83		
EX	EXIT	F31						
DUMMY TRIM								
DI	DUMMY TRIM INSIDE		686.86	729.58	852.11	894.83		
DO	DUMMY TRIM OUTSIDE		312.52	335.00	395.70	418.19		
DT	FULLY DUMMY		626.16	670.00	793.66	796.55		

KNOBS & LEVERS ARE PACKED 6 PER CASE


NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory

CAPITOL PLATE DESIGN CP

	ANSI-A156.13 • Grade 2		Series 7 • 2-3/4" Backset Series 9 • 2-1/2" Backset			
	Standard Features		KNOBS		LEVERS	
	<ul style="list-style-type: none"> • Thru-bolted screwless knob/lever plate assemblies • Independent spring loaded captivated spindles • Reversible mortise lock 2-1/2" or 2-3/4" backset • Lever support springs • Lock front Series 7: 1-1/4" x 8", Series 9: 1-1/16" x 7-5/8" • Dimensions: Ext: 8-1/2" H x 2-3/4" W, Int: 8-1/2" H x 2-3/4" W • Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys Options available on page 10-12		10, 20		002 031, 037A, 47C, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96	002 031,037A, 47C, 82, 83, 86, 92, 96
FINISH GROUPS						
MARKS #	FUNCTION	ANSI #	3, 32D	10,10B	3, 32D	10, 10B
KEYED SINGLE CYLINDER, NO DEADBOLT						
D	OFFICE VEST.		701.48	744.19	866.73	911.69
DW	VESTIBULE					
KEYED SINGLE CYLINDER, WITH DEADBOLT						
A	ENTRANCE	F08, F10	718.34	761.06	883.59	926.31
B	ENTRANCE	F21				
F	DORMITORY	F12				
FS	DORMITORY					
FW	DORMITORY	F13				
KEYED DOUBLE CYLINDER, WITH DEADBOLT						
AC	ENTRANCE	F35	757.68	800.40	922.94	965.65
C	STOREROOM	F14				
FX	DORMITORY	F33				
KEYLESS						
N	PASSAGE	F01	5890.6	631.78	755.44	798.15
L	BATHROOM	F02	719.46	762.18	884.71	927.43
LF	PRIVACY	F19				
DUMMY TRIM						
DI	DUMMY TRIM INSIDE		312.52	335.00	395.70	418.19
DO	DUMMY TRIM OUTSIDE					
DT	FULLY DUMMY		626.16	670.00	793.66	836.38
NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory						

KNOBS	Round Knob 10 	Ball Knob 20 	Commerce Lever 037A 	Metropolitan Lever 002 
	Lucida Lever 47C 	Copa Lever 031 	Brompton Lever 55 	Monaco Lever 57 
	Towne Lever 72 	Maxwell Lever 77 	Omni Lever 78 	Plaza Lever 82 
	Dayton Lever 83 Specify handing 	Crescent Lever 86 	American Lever 92 	Titan Lever 96 


CROWN PLATE DESIGN CR

		ANSI-A156.13 • Grade 1 3 Hour Fire Rating		Series 5 • 2-3/4" Backset Series 55 • 2-1/2" Backset			
	Standard Features		KNOBS		LEVERS		
	<ul style="list-style-type: none"> • Thru-bolted screwless knob/lever plate assemblies • Independent spring loaded captivated spindles • Reversible mortise lock 2-1/2" or 2-3/4" backset • Lever support springs • Lock front: 1-1/4" x 8" • Dimensions: Ext: 8-1/2" H x 2" W, Int: 8-1/2" H x 2" W • Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys • Height: 13/32" • Square Edges Options available on page 9-10 		10, 20		002, 031,037A, 47C, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96		002, 031,037A, 47C, 82, 83, 86, 92, 96
FINISH GROUPS							
MARKS #	FUNCTION	ANSI #	3, 26D, 32D	10, 10B, 32	3, 15, 26D	4, 10, 10B, 14, 19, 26	32, 32D
KEYED SINGLE CYLINDER, NO DEADBOLT							
D	OFFICE VEST.		763.31	806.02	879.09	964.53	921.81
DW	VESTIBULE						
E	OFFICE	F04					
EW	STOREROOM	F07					
J	CLASSROOM	F05					
JM, JR	HOSPITAL	F06					
GL	INSTIT. PRIVACY	F26					
EL	ELECTRICALLY LOCKED		1128.66	1172.50	1227.58	1313.02	1270.30
EU	ELECTRICALLY UNLOCKED						
KEYED SINGLE CYLINDER, WITH DEADBOLT							
A	ENTRANCE	F08, F10	779.04	821.76	894.83	980.27	937.55
B	ENTRANCE	F21					
F	DORMITORY	F12					
FS	DORMITORY						
FW	DORMITORY	F13					
FD	APARTMENT	F20	803.78	846.49	919.56	1005.00	962.28
H	HOTEL	F15					
LH	SPECIAL PRIVACY						
KEYED DOUBLE CYLINDER, NO DEADBOLT							
G	APARTMENT	F09	813.89	856.61	928.56	1015.12	972.40
GC	INTRUDER LATCHBOLT	F32					
GG	CLASSROOM SECURITY						
GR	CLASSROOM SECURITY w/HOLDBACK						
WW	INSTITUTIONAL	F30					
KEYED DOUBLE CYLINDER, WITH DEADBOLT							
AC	ENTRANCE	F35	813.89	856.61	928.56	1015.12	972.40
C	STOREROOM	F14					
FC	INTRUDER DEADBOLT	F34					
FA	DORMITORY	F11					
FX	DORMITORY	F33					
KEYLESS							
N	PASSAGE	F01	655.39	698.10	771.17	856.61	813.89
L	BATHROOM	F02	779.04	821.76	894.83	980.27	937.55
LF	PRIVACY	F19					
LJ	PRIVACY	F22	712.72	756.56	828.51	915.07	872.35
EX	EXIT	F31					
DUMMY TRIM							
DI	DUMMY TRIM INSIDE		327.13	351.86	388.96	453.04	410.32
DO	DUMMY TRIM OUTSIDE						
DT	FULLY DUMMY		661.01	703.72	776.80	862.23	819.51

KNOBS & LEVERS ARE PACKED 6 PER CASE




NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory

CROWN PLATE DESIGN CR

	ANSI-A156.13 • Grade 2		Series 7 • 2-3/4" Backset Series 9 • 2-1/2" Backset				
	Standard Features		KNOBS		LEVERS		
	<ul style="list-style-type: none"> • Thru-bolted screwless knob/lever plate • Independent spring loaded captivated spindles • Reversible mortise lock 2-1/2" or 2-3/4" backset • Lever support springs • Lock front Series 7: 1-1/4" x 8", Series 9: 1-1/16" x 7-5/8" • Dimensions: Ext: 8-1/2" H x 2" W, Int: 8-1/2" H x 2" W • Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys Options available on page 9-10 		10, 20		002, 031,037A, 47c 55, 57, 72, 77, 78, 82, 83, 86, 92, 96		002, 031,037A, 47C, 82, 83, 86, 92,96
FINISH GROUPS							
MARKS #	FUNCTION	ANSI #	3, 26D, 32D	10, 10B, 32	3, 15, 26D	4, 10, 10B, 14, 19E	32, 32D
KEYED SINGLE CYLINDER, NO DEADBOLT							
D	OFFICE VEST.		727.33	770.05	842.00	927.43	884.71
DW	VESTIBULE						
KEYED SINGLE CYLINDER, WITH DEADBOLT							
A	ENTRANCE	F08, F10	741.95	784.66	857.73	943.17	900.45
B	ENTRANCE	F21					
F	DORMITORY	F12					
FS	DORMITORY						
KEYED DOUBLE CYLINDER, WITH DEADBOLT							
AC	ENTRANCE	F35	766.80	819.51	892.58	978.02	935.30
C	STOREROOM	F14					
FX	DORMITORY	F33					
KEYLESS							
N	PASSAGE	F01	618.29	661.01	734.08	819.51	776.80
L	BATHROOM	F02	741.95	784.66	857.73	943.17	900.45
LF	PRIVACY	F19					
DUMMY TRIM							
DI	DUMMY TRIM INSIDE		327.13	351.86	388.96	453.04	410.32
DO	DUMMY TRIM OUTSIDE						
DT	FULLY DUMMY		661.01	703.72	776.80	862.23	819.51
NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory							

KNOBS	Round Knob 10	Ball Knob 20	Commerce Lever 037A	Metropolitan Lever 002
				
	Lucida Lever 47C	Copa Lever 031	Brompton Lever 55	Monaco Lever 57
				
LEVERS	Towne Lever 72	Maxwell Lever 77	Omni Lever 78	Plaza Lever 82 Specify handing
				
	Dayton Lever 83 Specify handing	Crescent Lever 86	American Lever 92	Titan Lever 96
				


DRAKE PLATE DESIGN DR

	ANSI-A156.13 • Grade 1 3 Hour Fire Rating			Series 5 • 2-3/4" Backset Series 55 • 2-1/2" Backset			
	Standard Features		KNOBS		LEVERS		
	<ul style="list-style-type: none"> • Thru-bolted screwless knob/lever plate • Independent spring loaded captivated spindles • Reversible mortise lock 2-1/2" or 2-3/4" backset • Lever support springs • Lock front: 1-1/4" x 8" • Dimensions: Ext: 11" H x 2-1/2" W, Int: 11" H x 2-1/2" W • Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys • Height: 13/32" • Square Edges Options available on page 9-10 		10, 20		002, 031,037A, 47C, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96		002, 031,037A 47C, 82, 83, 86, 92, 96
MARKS #	FUNCTION	ANSI #	3, 26D, 32D	10, 10B, 32	3, 15, 26D	4, 10E, 10B, 14, 19, 26	32, 32D
KEYED SINGLE CYLINDER, NO DEADBOLT							
D	OFFICE VEST.		843.12	885.84	958.91	1044.35	1001.63
DW	VESTIBULE						
E	OFFICE	F04					
EW	STOREROOM	F07					
J	CLASSROOM	F05					
JM, JR	HOSPITAL	F06					
GL	INSTIT. PRIVACY	F26					
EL	ELECTRICALLY LOCKED		1208.47	1251.19	1307.40	1392.84	1350.12
EU	ELECTRICALLY UNLOCKED						
KEYED SINGLE CYLINDER, WITH DEADBOLT							
A	ENTRANCE	F08, F10	858.56	901.58	974.65	1060.08	1017.37
B	ENTRANCE	F21					
F	DORMITORY	F12					
FS	DORMITORY						
FW	DORMITORY	F13					
FD	APARTMENT	F20	883.59	926.31	998.25	1084.82	1042.10
H	HOTEL	F15					
LH	SPECIAL PRIVACY						
KEYED DOUBLE CYLINDER, NO DEADBOLT							
G	APARTMENT	F09	893.71	936.43	1008.37	1094.93	1051.09
GC	INTRUDER LATCHBOLT	F32					
GG	CLASSROOM SECURITY						
GR	CLASSROOM SECURITY w/HOLDBACK						
WW	INSTITUTIONAL	F30					
KEYED DOUBLE CYLINDER, WITH DEADBOLT							
AC	ENTRANCE	F35	893.71	936.43	1008.37	1050.08	1051.09
C	STOREROOM	F14					
FC	INTRUDER DEADBOLT	F34					
FA	DORMITORY	F11					
FX	DORMITORY	F33					
KEYLESS							
N	PASSAGE	F01	735.20	777.92	850.99	936.43	893.71
L	BATHROOM	F02	858.86	901.58	974.65	1060.08	1017.37
LF	PRIVACY	F19					
LJ	PRIVACY	F22	793.66	836.38	908.32	994.88	952.16
EX	EXIT	F31					
DUMMY TRIM							
DI	DUMMY TRIM INSIDE		370.97	392.33	428.31	493.51	450.79
DO	DUMMY TRIM OUTSIDE						
DT	FULLY DUMMY		740.82	783.54	856.61	942.05	899.33

KNOBS & LEVERS ARE PACKED 6 PER CASE




NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory

DRAKE PLATE DESIGN DR


	ANSI-A156.13 • Grade 2		Series 7 • 2-3/4" Backset Series 9 • 2-1/2" Backset				
	Standard Features		KNOBS		LEVERS		
	<ul style="list-style-type: none"> • Thru-bolted screwless knob/lever plate • Independent spring loaded captivated spindles • Reversible mortise lock 2-1/2" or 2-3/4" backset • Lever support springs • Lock front Series 7: 1-1/4" x 8", Series 9: 1-1/16" x 7-5/8" • Dimensions: Ext: 11" H x 2-1/2" W, Int: 11" H x 2-1/2" W • Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys Options available on page 9-10 		10, 20		002, 031, 037A, 47C, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96		002, 031, 037A, 47C, 82, 83, 86, 92, 96
FINISH GROUPS							
MARKS #	FUNCTION	ANSI #	3, 26D, 32D	10, 10B, 32	3, 15, 26D	4, 10E, 10B, 14, 19, 26, 32	32D
KEYED SINGLE CYLINDER, NO DEADBOLT							
D	OFFICE VEST.		808.27	849.87	921.81	1007.25	964.53
DW	VESTIBULE						
KEYED SINGLE CYLINDER, WITH DEADBOLT							
A	ENTRANCE	F08, F10	821.76	864.48	937.55	1024.11	980.27
B	ENTRANCE	F21					
F	DORMITORY	F12					
FS	DORMITORY						
KEYED DOUBLE CYLINDER, WITH DEADBOLT							
AC	ENTRANCE	F35	856.61	899.33	972.40	1057.84	1015.12
C	STOREROOM	F14					
FX	DORMITORY	F33					
KEYLESS							
N	PASSAGE	F01	698.10	740.82	813.89	899.33	856.61
L	BATHROOM	F02	821.76	864.48	957.55	1024.11	980.27
LF	PRIVACY	F19					
DUMMY TRIM							
DI	DUMMY TRIM INSIDE		370.97	392.33	428.31	493.51	450.79
DO	DUMMY TRIM OUTSIDE						
DT	FULLY DUMMY		740.30	772.30	856.61	942.05	899.33
KNOBS & LEVERS ARE PACKED 6 PER CASE							
NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory							

KNOBS	Round Knob 10	Ball Knob 20	Commerce Lever 037A	Metropolitan Lever 002
				
	Lucida Lever 47C	Copa Lever 031	Brompton Lever 55	Monaco Lever 57
				
LEVERS	Towne Lever 72	Maxwell Lever 77	Omni Lever 78	Plaza Lever 82
				
	Dayton Lever 83 Specify handing	Crescent Lever 86	American Lever 92	Titan Lever 96
				

NEW YORKER PLATE DESIGN NY




		ANSI-A156.13 • Grade 1 3 Hour Fire Rating		Series 5 • 2-3/4" Backset Series 55 • 2-1/2" Backset			
	Standard Features		KNOBS		LEVERS		
	<ul style="list-style-type: none"> • Thru-bolted screwless knob/lever plate assemblies • Independent spring loaded captivated spindles • Reversible mortise lock 2-1/2" or 2-3/4" backset • Lever support springs • Lock front: 1-1/4" x 8" • Dimensions: Ext: 10" H x 2-3/4" W, *Int: 7" H x 2-1/4" W • Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys • Thickness: 1/4" Options available on page 9-10		10, 20		002, 031,037A, 47C, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96		
FINISH GROUPS							
MARKS #	FUNCTION	ANSI #	3	26D	3	26D	
KEYED SINGLE CYLINDER, NO DEADBOLT							
D	OFFICE VEST.		485.64	529.48	596.93	641.90	
DW	VESTIBULE						
E	OFFICE	F04					
EW	STOREROOM	F07					
J	CLASSROOM	F05					
JM, JR	HOSPITAL	F06					
GL	INSTIT. PRIVACY	F26					
EL	ELECTRICALLY LOCKED		888.09	933.05	1001.63	996.01	
EU	ELECTRICALLY UNLOCKED						
KEYED SINGLE CYLINDER, WITH DEADBOLT							
A	ENTRANCE	F08, F10	504.75	545.22	617.17	661.01	
B	ENTRANCE	F21					
F	DORMITORY	F12					
FS	DORMITORY						
FW	DORMITORY	F13					
FD	APARTMENT	F20	532.85	576.69	646.39	690.24	
H	HOTEL	F15					
LH	SPECIAL PRIVACY						
KEYED DOUBLE CYLINDER, NO DEADBOLT							
G	APARTMENT	F09	542.97	596.93	655.39	699.23	
GC	INTRUDER LATCHBOLT	F32					
GG	CLASSROOM SECURITY						
GR	CLASSROOM SECURITY w/HOLDBACK						
WW	INSTITUTIONAL	F30					
KEYED DOUBLE CYLINDER, WITH DEADBOLT							
AC	ENTRANCE	F35	542.97	596.93	655.39	699.23	
C	STOREROOM	F14					
FC	INTRUDER DEADBOLT	F34					
FA	DORMITORY	F11					
FX	DORMITORY	F33					
KEYLESS							
N	PASSAGE	F01	359.73	403.58	472.14	516.52	
L	BATHROOM	F02	504.18	545.22	617.17	661.01	
LF	PRIVACY	F19					
LJ	PRIVACY	F22	427.18	471.02	539.60	584.57	
EX	EXIT	F31					
DUMMY TRIM							
DI	DUMMY TRIM INSIDE		184.36	205.73	242.82	286.66	
DO	DUMMY TRIM OUTSIDE						
DT	FULLY DUMMY		367.61	411.44	478.89	524.98	
<p align="center">KNOB & LEVERS ARE PACKED 6 PER CASE</p> <p align="center">NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory</p> <p align="right">* Large interior plate available (10" H x 2-3/4" W)</p>							

NEW YORKER PLATE DESIGN NY


	ANSI-A156.13 • Grade 2		Series 7 • 2-3/4" Backset Series 9 • 2-1/2" Backset			
	Standard Features		KNOBS		LEVERS	
	<ul style="list-style-type: none"> • Thru-bolted screwless knob/lever plate assemblies • Independent spring loaded captivated spindles • Reversible mortise lock 2-1/2" or 2-3/4" backset • Lever support springs • Lock front Series 7: 1-1/4" x 8", Series 9: 1-1/16" x 7-5/8" • Dimensions: Ext: 10" H x 2-3/4" W, *Int: 7" H x 2-1/4" W • Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys Options available on page 9-10 		10, 20		002, 031, 037A, 47C, 65, 57, 72, 77, 78, 82, 83, 86, 92, 96	
MARKS #	FUNCTION	ANSI #	FINISH GROUPS			
			3	26D	3	26D
KEYED SINGLE CYLINDER, NO DEADBOLT						
D	OFFICE VEST.		405.44	445.07	518.23	557.86
DW	VESTIBULE					
KEYED SINGLE CYLINDER, WITH DEADBOLT						
A	ENTRANCE	F08, F10	422.71	459.29	524.33	564.97
B	ENTRANCE	F21				
F	DORMITORY	F12				
FS	DORMITORY					
FW	DORMITORY	F13				
KEYED DOUBLE CYLINDER, WITH DEADBOLT						
AC	ENTRANCE	F35	457.26	496.89	558.87	598.50
C	STOREROOM	F14				
FX	DORMITORY	F33				
KEYLESS						
N	PASSAGE	F01	293.66	332.28	394.24	432.87
L	BATHROOM	F02	422.71	459.29	570.05	609.68
LF	PRIVACY	F19				
DUMMY TRIM						
DI	DUMMY TRIM INSIDE		166.65	185.95	219.49	259.11
DO	DUMMY TRIM OUTSIDE					
DT	FULLY DUMMY		332.28	371.91	432.87	474.53
KNOBES & LEVERS ARE PACKED 6 PER CASE NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory * Large interior plate available (10" H x 2-3/4" W)						


KNOBES	Round Knob 10	Ball Knob 20	Commerce Lever SF037A	Metropolitan Lever 002
				
	Lucida Lever 47C	Copa Lever 031	Brompton Lever 55	Monaco Lever 57 Specify handing
				
LEVERS	Towne Lever 72	Maxwell Lever 77	Omni Lever 78	Plaza Lever 82 Specify handing
				
	Dayton Lever 83 Specify handing	Crescent Lever 86	American Lever 92	Titan Lever 96
				

ROSE DESIGN RR, RW, RQ, RS, RX*, RK*, RL*

		ANSI-A156.13 • Grade 1 3 Hour Fire Rating				Series 5 • 2-3/4" Backset Series 55 • 2-1/2" Backset			
		Standard Features		KNOBS		LEVERS			
		<ul style="list-style-type: none"> • Thru-bolted screwless knob/lever rose assemblies • Independent spring loaded captivated spindles • Reversible mortise lock 2-1/2" or 2-3/4" backset • Lever support springs • Lock front: 1-1/4" x 8" • Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys Options available on page 9-10		10, 20		002, 031,037A, 47C 55, 57, 72, 77, 78, 82, 83, 86, 92, 96		002, 031,037A 47C, 82, 83, 86, 92, 96	
MARKS #		FUNCTION		ANSI #	3, 32D	3, 4, 15, 26D	14, 26, 32	10, 10B, 19	32D
KEYED SINGLE CYLINDER, NO DEADBOLT									
D	OFFICE VEST.								
DW	VESTIBULE								
E	OFFICE	F04							
EW	STOREROOM	F07		648.64	690.23	732.95	775.67	690.23	
J	CLASSROOM	F05							
JM, JR	HOSPITAL	F06							
GL	INSTIT. PRIVACY	F26							
EL	ELECTRICALLY LOCKED			1013.99	1055.59	10938.31	1128.66	1055.59	
EU	ELECTRICALLY UNLOCKED								
KEYED SINGLE CYLINDER, WITH DEADBOLT									
A	ENTRANCE	F08, F10							
B	ENTRANCE	F21							
F	DORMITORY	F12		663.25	705.97	748.69	779.04	705.97	
FS	DORMITORY								
FW	DORMITORY	F13							
FD	APARTMENT	F20							
H	HOTEL	F15		689.11	730.70	773.42	803.78	730.70	
LH	SPECIAL PRIVACY								
KEYED DOUBLE CYLINDER, NO DEADBOLT									
G	APARTMENT	F09							
GC	INTRUDER LATCHBOLT	F32							
GG	CLASSROOM SECURITY			698.10	739.70	782.42	813.89	739.70	
GR	CLASSROOM SECURITY w/HOLDBACK								
WW	INSTITUTIONAL	F30							
KEYED DOUBLE CYLINDER, WITH DEADBOLT									
AC	ENTRANCE	F35							
C	STOREROOM	F14							
FC	INTRUDER DEADBOLT	F34		698.10	739.70	782.42	813.89	739.70	
FA	DORMITORY	F11							
FX	DORMITORY	F33							
KEYLESS									
N	PASSAGE	F01		503.62	632.90	676.74	684.61	632.90	
L	BATHROOM	F02							
LF	PRIVACY	F19		663.25	705.97	748.69	779.04	705.97	
LJ	PRIVACY	F22							
EX	EXIT	F31		596.93	639.65	682.37	712.72	639.65	
DUMMY TRIM									
DI	DUMMY TRIM INSIDE			136.02	156.26	177.62	188.02	156.26	
DO	DUMMY TRIM OUTSIDE								
DT	FULLY DUMMY			268.67	310.27	352.99	384.46	310.27	
KNOB & LEVER ARE PACKED 6 PER CASE NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory									
*Square Rose RX: Add \$35 / *Square Rose RZ: Add \$80 / *Square Rose RK: Add \$110									





ROSE DESIGN RR, RW, RQ, RS, RX*, RK*, RL*

2-9/16" Diameter		ANSI-A156.13 • Grade 2		Series 7 • 2-3/4" Backset				Series 9 • 2-1/2" Backset							
Standard Features		KNOBS		LEVERS											
		<ul style="list-style-type: none"> • Thru-bolted screwless knob/lever rose assemblies • Independent spring loaded captivated spindles • Reversible mortise lock 2-1/2" or 2-3/4" backset • Lever support springs • Lock front Series 7: 1-1/4" x 8"; Series 9: 1-1/16" x 7-5/8" • Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys Options available on page 9-10 		10, 20		002, 031, 037A, 47C, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96				002, 031, 037A, 47C, 82, 83, 86, 92, 96					
MARKS #		FUNCTION		ANSI #		3, 32D		3, 4, 15, 26D		14, 26, 32		10E, 10B, 19E		32D	
KEYED SINGLE CYLINDER, NO DEADBOLT															
D		OFFICE VEST.				611.54		654.14		695.86		727.33		654.14	
DW		VESTIBULE													
KEYED SINGLE CYLINDER, WITH DEADBOLT															
A		ENTRANCE		F08, F10											
B		ENTRANCE		F21											
F		DORMITORY		F12		627.28		668.88		711.59		752.06		668.88	
FS		DORMITORY													
FW		DORMITORY		F13											
KEYED DOUBLE CYLINDER, WITH DEADBOLT															
AC		ENTRANCE		F35											
C		STOREROOM		F14		661.01		702.60		745.32		776.80		702.60	
FX		DORMITORY		F33											
KEYLESS															
N		PASSAGE		F01		503.62		545.22		587.94		618.29		545.22	
L		BATHROOM		F02											
LF		PRIVACY		F19		627.28		668.88		781.29		741.95		668.88	
DUMMY TRIM															
DI		DUMMY TRIM INSIDE				136.02		156.26		177.62		192.23		156.26	
DO		DUMMY TRIM OUTSIDE													
DT		FULLY DUMMY				262.67		310.27		352.99		384.46		310.27	
KNOB & LEVERS ARE PACKED 6 PER CASE NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory *Square Rose RX: Add \$35 / *Square Rose RZ: Add \$80 / *Square Rose RK: Add \$110															

KNOBS	Round Knob 10	Ball Knob 20	Commerce Lever 037A	Metropolitan Lever 002	ROSES	RR: 2-9/16" dia.	
							RW: 2-9/16" dia.
	Lucida Lever 47C	Copa Lever 031	Brompton Lever 55	Monaco Lever 57 Specify handing			RQ: 2-1/4" dia.
							RS: 2-1/4" dia.
LEVERS	Towne Lever 72	Maxwell Lever 77	Omni Lever 78	Plaza Lever 82 Specify handing		RX: 2-1/2" sq.	
					Wrought Forged	RK: 2-1/2" sq.	
	Dayton Lever 83 Specify handing	Crescent Lever 86	American Lever 92	Titan Lever 96		RL: 2-1/2" sq.	
							

ORNAMENTAL IRON

Ornamental Iron



Standard Features							
<ul style="list-style-type: none"> Door thickness: 1" Series 9 lock body, Backset: 2-1/2" Reversible mortise lock 1" bolt, 1/2" latch projection Lock front Series 7: 1-1/4" x 8"; Series 9: 1-1/16" x 7-5/8" Thru-bolted solid brass trim assemblies Spring loaded captivated spindles Cylinder: Marks "A" keyway, 5 pin w/ 2 keys; keyed alike-6 			SERIES 21 UNILOCK™ SERIES 22		SERIES 9215 UNILOCK™ SERIES 9225		
FINISH GROUPS							
MARKS #	FUNCTION	3	10B	5, 26D	3	10B	5, 26D
KEYED SINGLE CYLINDER, WITH DEADBOLT							
DW	SINGLE CYL. PANIC PROOF						
F	SINGLE CYL. PANIC PROOF	326.24	389.61	347.36	435.38	491.71	457.68
FW	SINGLE CYL. PANIC PROOF						
KEYED DOUBLE CYLINDER, WITH DEADBOLT							
AC	ENTRANCE	289.86	356.75	310.99	400.17	457.68	421.30
DUMMY TRIM							
DT	FULL DUMMY	193.63	267.56	207.71	310.99	376.70	326.24
ORNAMENTAL IRON LOCKSETS ARE PACKED 6 PER CASE							

Standard Features		SERIES		
<ul style="list-style-type: none"> Thru-bolted solid brass trim assemblies Spring loaded captivated spindles Reversible mortise lock 1" backset 1" bolt, 1/2" latch projection Cylinder: Marks "A" keyway, 5 pin w/ 2 keys; keyed alike - 6 		2750 THINLINE®		
MARKS #		FINISH GROUPS		
FUNCTION	3	10B	5, 26D	
KEYED WITH DEADBOLT				
B	ENTRANCE CYLINDER x TURNPIECE	242.92	306.29	273.43
C	ENTRANCE DOUBLE CYLINDER			
DUMMY TRIM				
DT	FULL DUMMY	146.69	204.19	170.16
ORNAMENTAL IRON LOCKSETS PACKED 6 PER CASE				

OPTIONS - Series 2750	CODE	PRICE
For 1-3/4" doors	D4	NC
Marks "C" keyway	G5	17


OPTIONS	CODE	PRICE
Lock Front: 1" x 7-1/8" standard	W	NC
Mushroom knob interior; 1-7/8" prj.	A9	6
For 1-3/4" doors	D4	NC
Adjustable spring collars	F10	6

How To Order Example for Ornamental Iron Locksets					
9215	C	/	10B	-	D4
1. Lock Series	2. Marks Function	Slash	3. Finish	Dash	4. Options
LOCK SERIES (Pgs. 49 & 50) <input type="checkbox"/> 21 <input type="checkbox"/> 2750 <input type="checkbox"/> 22 <input type="checkbox"/> 9215	MARKS FUNCTION (Pgs. 57-58) — B — AC — C — DT — F — DW		FINISH (Pg. 10) <input type="checkbox"/> 3 <input type="checkbox"/> 10B <input type="checkbox"/> 5 <input type="checkbox"/> 26D		OPTIONS <input type="checkbox"/> Special Specify • Keying • Handing • Door Thickness

ORNAMENTAL IRON


Knob & Lever Kits

Ornamental Iron




PART #	DESCRIPTION	FUNCTION	FINISH GROUPS			
			3	4	10B	5, 26D
K21AC	Ext./Int. UNILOCK™ knob/plate kit	AC	143.17	—	186.59	158.43
K21AC-M	Ext./Int. UNILOCK™ knob/plate kit (Mushroom Int.)	AC	160.77	—	192.46	165.47
K21F	Ext./Int. UNILOCK™ knob/plate kit assemblies	F	171.34	—	206.54	179.55
K21F-M	Ext./Int. UNILOCK™ knob/plate kit (Mushroom Int.)	F	177.20	—	213.58	186.59
K2750	LEVER PLATE TRIM SET		171.34	—	221.80	194.81
2600B	Thinline lock body, latch, deadbolt US 4 & 26D ONLY - Strike not included		—	142.00	221.80	194.81
K9215AC	Ext./Int. UNILOCK™ lever/plate kit assemblies	AC	215.93	—	255.83	228.84
K9215F	Ext./Int. UNILOCK™ lever/plate kit assemblies	F	215.93	—	280.47	253.48
A9214-M	UNILOCK™ mushroom knob/plate (w/cylinder hole)	AC	79.80	—	111.49	83.32
K9217-M	UNILOCK™ mushroom knob/plate (w/turnpiece)	F	139.65	—	170.16	143.17
K22	Ext./Int. knob/rose kit 1" thru 1-3/4" door		83.32	—	127.91	100.92
K22-M	Ext./Int. knob/rose kit (mushroom int.)		91.54	—	133.78	106.79
K9225	Ext./Int. lever/rose kit		211.24	—	248.79	221.80

Accessories



PART #	DESCRIPTION	FINISH GROUPS		
		NO FINISH	3	5, 26D
K9117	Turnpiece kit	—	55.16	58.68
A9223-M	Interior knob/rose assembly (mushroom knob)	—	46.94	55.16
9273	Spring collar, 7/16" high	—	14.08	17.94
9275	Mortise spacer, wrought brass, 1/8" high	—	7.04	—
A9276	Collar, wrought brass w/insert, 1/2" high	—	24.64	24.64
9277	Plastic spacer ring, 1/16"	1.17	—	—
2635	Curved lip strike, solid brass	—	28.16	17.60
2638	Flat strike, solid brass, no lip	—	17.60	8.21

Cylinders




PART #	DESCRIPTION	FINISH GROUPS	
		3	5, 26D
2122-A	5 Pin mortise cylinder, "A" keyway, 15/16"	43.87	46.01
2621-A	Cylinder x turnpiece unit, "A" keyway	71.69	79.69
2622-A	double cylinder unit, "A" keyway	51.36	64.20
2122-C	5 Pin mortise cylinder, "C" keyway	77.42	46.01
2621-C	Cylinder x turnpiece unit, "C" keyway	71.69	79.18
2622-C	double cylinder unit, "C" keyway	51.36	64.20

MORTISE LOCK BODIES

AUTOREVERSE SERIES




GRADE 1
MORTISE LOCKS EXCEEDS
BHMA
SPECIFICATIONS



OPTIONS	CODE	PRICE
1-1/16" x 7-5/8" front	T	29
1-1/16" x 7-3/4" front	V	29
1-1/16" x 8" front	Q	29
Lever override guard outside (Series 5)	B1	47
Lever override guard both sides	B2	67
Lever support springs w- 5/16" hubs	B4	21
Hubs with hollow spacer (Series 55)	B6	20
Turnpiece hub on square	B8	13
Screws with Dust Box	B10	NC
Solid latch for electric strike	E1	22
Hold open latch	E2	40
Lead-lined mortise lock	F1	352
4-7/8" Strikes: 1 Left / 1 Right	S6	15
Request to exit switch (Series 5)	W10	173

CYLINDER CAMS REQUIRED	
Locks w/o deadbolt	2101 Straight Cam
Locks w/deadbolt	2102 Cloverleaf Cam
G function (ext. only)	2106 "G" Cam
G function (int. only)	2105 "J" Cam
J function	2105 "J" Cam



* 55 Series Lock Bodies are not available in autoreverse and electrified functions EL and EU.

MARKS #	FUNCTION	ANSI #	Grade 1 for Knobs & Levers	
			3, 32D	10, 10B, 32
 <p>Standard Features</p> <ul style="list-style-type: none"> Backset: 5 Series 2-3/4"; 55 Series 2-1/2" Bolt throw: Stainless steel full 1" throw Latch throw: 3/4" (anti-friction) Auxiliary latch: 1/2" throw Case: Stamped steel .090 thick., Zinc dichromate finish Front: 1-1/4" x 8", Adjustable bevel Hubs: Steel, 9/32" on diamond 5/16" on square w/security separator 				
			BHMA CERTIFIED 	
FINISH GROUPS				
KEYED SINGLE CYLINDER, NO DEADBOLT				
D	OFFICE / VESTIBULE		356.36	466.53
DW	VESTIBULE			
E, Q, QH	OFFICE	F04		
K	OFFICE	F04		
EW	STOREROOM	F07		
J	CLASSROOM	F05		
JM, JR	HOSPITAL (HOLDBACK)	F06		
GL	INST. PRIVACY	F26		
MT	ArchTech		1288.29	1313.02
EL*	 ELECTRICALLY LOCKED*		975.77	997.13
EU*		ELECTRICALLY UNLOCKED*		
KEYED SINGLE CYLINDER, WITH DEADBOLT				
A	ENTRANCE	F08, F10	374.35	394.58
B	ENTRANCE	F21		
F	DORMITORY	F12		
FS	DORMITORY			
FW	DORMITORY	F13		
FD	APARTMENT	F20	401.33	422.68
AD		F27		
H	HOTEL	F15		
LH	SPEC. PRIVACY			
KEYED DOUBLE CYLINDER, NO DEADBOLT				
G	ENTRANCE	F09	410.32	430.55
GC	INTRUDER LATCHBOLT	F32		
GG	CLASSROOM SECURITY			
GR	CLASSROOM SECURITY w/HOLDBACK			
WW	INSTITUTION	F30		
KEYED DOUBLE CYLINDER, WITH DEADBOLT				
AC	ENTRANCE	F35	410.32	430.55
C	STOREROOM	F14		
FC	INTRUDER DEADBOLT	F34		
FA	DORMITORY	F11		
FX	DORMITORY	F33		
KEYLESS				
N	PASSAGE		293.41	313.64
L	BATHROOM	F02	374.35	394.58
LF	PRIVACY	F19		
LJ	PRIVACY	F19		
EX	EXIT	F31		
MORTISE LOCK BODIES ARE PACKED 6 PER CASE				
* Electrified Functions 5 SERIES ONLY: 2-3/4" Backset ONLY: 100% Duty Cycle 24V/DC, 12V/DC supplied with bridge rectifier (350 ma)				

Mortise Parts, Trim



MORTISE LOCK BODIES

Mortise Parts, Trim





OPTIONS	CODE	PRICE
1-1/16" x 7-5/8" front	T	29
1-1/4" x 10" front, (A function, US 4 only), no mounting holes	U	118
1" x 7-1/8" front, (US 4 only)	W	NC
1-1/4" x 8" front	X	27
1-1/4" x 8-5/8" front (A function, US 4 only)	Y	118
Screws with Dust Box	B10	NC
Solid latch for electric strike	E1	22
4-7/8" Strikes: 1 Left / 1 Right	S6	15
Front 1" x 8"	Z	27

CYLINDER CAMS REQUIRED	
All Functions	2101 Straight Cam

Series 6		Standard Features		Grade 2 for Handlesets Series 6 2-3/4" Backset Series 8 2-1/2" Backset
		<ul style="list-style-type: none"> Backset: 2-3/4" Bolt throw: Cast alloy full 1" throw Latch throw: 5/8" (anti-friction) Case: High pressure cast Zamac, baked enamel finish Front: 1-1/4" x 8", Flat or 3° bevel Hubs: 9/32" (7.2mm) on square 		
		<ul style="list-style-type: none"> Backset: 2-1/2" Bolt throw: Cast alloy full 1" throw Latch throw: Solid brass 1/2" throw, reversible Case: High pressure cast Zamac, baked enamel finish Front: 1-1/16" x 7-5/8", Flat or 3° bevel Hubs: 9/32" on square 		
MARKS #	FUNCTION	ANSI #	FINISH GROUPS	
KEYED SINGLE CYLINDER, NO DEADBOLT				
DW	VESTIBULE		3, 32D	10, 10B, 32
KEYED SINGLE CYLINDER, WITH DEADBOLT				
A	ENTRANCE	F08, F10	376.59	395.70
B	ENTRANCE	F21		
F	DORMITORY	F12		
KEYED DOUBLE CYLINDER, WITH DEADBOLT				
AC	ENTRANCE	F35	394.58	414.82
C	STORE DOOR "B BODY"	F25		
SO	STORE DOOR	F25		
MORTISE LOCK BODIES ARE PACKED 6 PER CASE				

MORTISE LOCK BODIES



OPTIONS	CODE	PRICE
1-1/16" x 7-5/8" front	T	29
1-1/4" x 10" front, (A function, US 4 only), no mounting holes	U	118
1" x 7-1/8" front, (US 4 only)	W	NC
1-1/4" x 8" front	X	27
1-1/4" x 8-5/8" front (A function, US 4 only)	Y	118
1-1/16" x 8"	T	29
Pin and lever springs	B5	40
Screws with Dust Box	B10	NC
Solid latch for electric strike	E1	22
4-7/8" Strikes: 1 Left / 1 Right	S6	15
Front 1" x 8"	Z	27


CYLINDER CAMS REQUIRED
 All functions 2101 Straight Cam

Series 7	Standard Features	Grade 2 for Knobs & Levers Series 7 2-3/4" Backset Series 9 2-1/2" Backset		
	<ul style="list-style-type: none"> Backset: 2-3/4" Bolt throw: Cast alloy full 1" throw Latch throw: 5/8" (anti-friction) Case: High pressure cast Zamac, baked enamel finish Front: 1-1/4" x 8", Flat or 3° bevel Hubs: 9/32" on square steel, w/ security separator 			
	<ul style="list-style-type: none"> Backset: 2-1/2" Bolt throw: Cast alloy full 1" throw Latch throw: Solid brass 1/2" throw, reversible Case: High pressure cast Zamac, baked enamel finish Front: 1-1/16" x 7-5/8", Flat or 3° bevel Hubs: 9/32" on square steel, w/ security separator 			
MARKS #	FUNCTION	ANSI #	FINISH GROUPS	
			3, 32D	10, 10B, 32
KEYED SINGLE CYLINDER, NO DEADBOLT				
D	OFFICE / VESTIBULE		320.39	340.62
DW	VESTIBULE			
KEYED SINGLE CYLINDER, WITH DEADBOLT				
A	ENTRANCE	F08, F10	338.37	356.36
B	ENTRANCE	F21		
F	DORMITORY	F12		
FS	DORMITORY			
FW	DORMITORY	F13		
KEYED DOUBLE CYLINDER, WITH DEADBOLT				
AC	ENTRANCE	F35	373.22	392.33
C	STOREROOM	F14		
FA	DORMITORY	F11		
FX	DORMITORY	F33		
KEYLESS				
N	PASSAGE	F01	257.43	276.54
L	BATHROOM	F02	338.37	356.36
LF	PRIVACY	F19		
MORTISE LOCK BODIES ARE PACKED 6 PER CASE				



Mortise Parts, Trim


MORTISE DEADLOCKS

Mortise Parts, Trim







OPTIONS	CODE	PRICE
Security Strike: 4-7/8" x 1-1/4"	S4	12



Standard Features			Series 31 2-3/4" Backset	
 <ul style="list-style-type: none"> Backset: Series 31: 2-3/4" Bolt throw: 1" stainless steel with hardened roll pins Case: Stamped Steel, Grade 1 Front: 1-1/16" x 4-5/8" adjustable bevel Cylinder: Solid brass cylinder, 6-pin, "C" keyway, 2 keys Strike: #4035 (Included) 1-1/8" x 3-1/8" Strike: #4035-1 (Optional) 1-1/8" x 3-1/2" 				
			FINISH GROUPS	
MARKS #	FUNCTION	ANSI #	3, 32D	3, 10, 10B, 26, 32
—	LOCK ONLY	—	209.09	340.62
K, 31K	CYLINDER x TURNPIECE	E06071	276.54	356.36
L, 31L	COMMUNICATING SINGLE CYL.	E06081	247.32	392.33
M, 31M	DOUBLE CYLINDER	E06061	279.92	276.54
S, 31S	CLASSROOM (Specify Handing)	E06091	313.64	356.36
X, 31X	TURNPIECE ONLY		221.46	430.55
MORTISE LOCK BODIES ARE PACKED 6 PER CASE				



OPTIONS	CODE	PRICE
1-1/16" x 5-5/8" front	R	29

Standard Features			Series 2 • 2-1/2" Backset Series 3 • 2-3/4" Backset	
 <ul style="list-style-type: none"> Backset: Series 2: 2-1/2"; Series 3: 2-3/4" Bolt throw: 1" Case: High pressure cast Front: 1-1/16" x 4-5/8" flat or 3° bevel Cylinder: Solid brass cylinder, 6-pin, "C" keyway, 2 keys Strike: #4035 Included 				
			FINISH GROUPS	
MARKS #	FUNCTION	ANSI #	3, 32D	3, 10, 10B, 26, 32
—	LOCK ONLY	—	147.27	173.12
K, 2K, 3K	CYLINDER x TURNPIECE	E06071	215.84	238.32
L, 2L, 3L	COMMUNICATING SINGLE CYL.	E06081	188.86	215.84
M, 2M, 3M	DOUBLE CYLINDER	E06061	227.08	250.69
S, 2S, 3S	CLASSROOM (Specify Handing)	E06091	248.44	279.92
X, 2X, 3X	TURNPIECE ONLY		158.51	182.11
MORTISE LOCK BODIES ARE PACKED 6 PER CASE				



Standard Features			Series 5 • 2-3/4" Backset Series 55 • 2-1/2" Backset	
 <ul style="list-style-type: none"> Backset: Series 5: 2-3/4"; Series 55: 2-1/2" Bolt throw: Stainless steel full 1" throw Case: Stamped steel .090 thick, Zinc dichromate finish Front: 1-1/4" x 8" Adjustable bevel 				
			FINISH GROUPS	
MARKS #	FUNCTION	ANSI #	3, 32D	3, 10, 10B, 32
T, 5T	DOUBLE CYLINDER	F16	421.56	436.17
P, 5P	CYLINDER x TURNPIECE	F17	386.71	412.57
S, 5S	SINGLE CYLINDER*	F18	356.36	384.46
SC, 5SC	CLASSROOM*	F29	412.57	436.17
MORTISE LOCK BODIES ARE PACKED 6 PER CASE				
*NOTE: Specify handing on "S" and "SC" functions				

OPTIONS	CODE	PRICE
1-1/16" x 7-5/8" front	T	29
1-1/16" x 7-3/4" front	V	29
1" x 1/16" x 8"	Q	29
Lead lined mortise lock	F1	352

MORTISE LOCKSET FUNCTIONS

ANSI #	TYPE	MARKS FUNCTION	ANSI #	TYPE	MARKS FUNCTION	ANSI #	TYPE	MARKS FUNCTION	ANSI #	TYPE	MARKS FUNCTION
F01	Non-Keyed	N	F10	Single Cylinder	A	F19	Non-Keyed	LF	F29	Deadbolt	SC
F02	Non-Keyed	L	F11	Double Cylinder	FA	F20	Single Cylinder	FD	F30	Double Cylinder	WW
F04	Single Cylinder	E	F12	Single Cylinder	F	F21	Single Cylinder	B	F31	Non-Keyed	EX
F05	Single Cylinder	J	F13	Single Cylinder	FW	F22	Non-Keyed	LJ	F32	Double Cylinder	GC
F06	Single Cylinder	M	F14	Double Cylinder	C	F24	Double Cylinder	C	F33	Double Cylinder	FX
F06	Single Cylinder	JR	F15	Single Cylinder	H	F25	Double Cylinder	C	F34	Double Cylinder	FC
F07	Single Cylinder	EW	F16	Deadbolt	T	F25	Double Cylinder	SO	F35	Double Cylinder	AC
F08	Single Cylinder	A	F17	Deadbolt	P	F26	Single Cylinder	GL			
F09	Double Cylinder	G	F18	Deadbolt	S	F27	Auto Deadbolt	AD			

SINGLE CYLINDER FUNCTIONS				
ANSI #	Cam	Strike	Marks Function	
			I/S	O/S
F04: OFFICE Latch by knob/lever either side except when outside knob/lever locked by stop-button in front; then by key outside. Auxiliary latch deadlocks latch. Inside always open.				
	2101	5036		E
F04: OFFICE Latch by knob/lever either side except when outside knob/lever locked by turn piece inside; then by key outside. Auxiliary latch deadlocks latch. Inside always open.				
	2105	5036		K
F05: CLASSROOM Latch by knob/lever either side except when outside knob/lever locked by key. When locked, latch bolt retracted by key. Inside always open. Auxiliary latch deadlocks latch.				
	2105	5036		J
F06: HOLDBACK "A" Latch by knob/lever either side except when outside knob/lever locked or unlocked by key. Auxiliary latch deadlocks latch. Inside always open. Inside knob/lever unlocks outside lever. Latch bolt can be locked in retracted position by locking inside hub. Can be used with blank outside trim.				
	2105	5036		JM
F06: HOLDBACK "B" Latch by knob/lever either side except when outside knob/lever locked or unlocked by key. Auxiliary latch deadlocks latch. Inside always open. Inside knob/lever will not unlock outside knob/lever. Latch bolt can be locked in retracted position by locking outside hub. Can not be used with blank outside trim.				
	2105	5036		JR
F07: STOREROOM Latch by knob/lever inside, key outside. Outside knob/lever always rigid. Auxiliary latch deadlocks latch. Inside always open.				
	2101	5036		EW
F08, F10: ENTRANCE Latch by knob/lever either side except when outside locked by stop-button; then by key outside, knob/lever inside. Deadbolt by key outside, turnpiece inside. Deadbolt deadlocks latch.				
	2102	9035		A
F12: DORMITORY Latch by knob/lever either side except when outside knob/lever locked by stop-button or projected deadbolt. Deadbolt by turnpiece inside. Inside knob/lever retracts latch and deadbolt simultaneously, leaving outside locked. Deadbolt deadlocks latch.				
	2102	9035		F
F13: DORMITORY Latch by knob/lever either side except when projected deadbolt locks outside knob/lever and deadlocks latch. Deadbolt and latch by key outside. Deadbolt by turnpiece inside. Inside knob/lever retracts latch and deadbolt simultaneously, automatically unlocking outside knob/lever.				
	2102	9035		FW
F15: HOTEL Inside knob/lever always free, outside rigid. Latch by knob/lever inside, key outside. (When deadbolt projected by turnpiece all keys are shut out except emergency key). Inside knob/lever retracts deadbolt and latch simultaneously. Auxiliary latch or deadbolt deadlocks latch. Indicator available.				
	2102	5035		H
F20: APARTMENT Latch by knob/lever either side except when outside locked by stop-button or projected deadbolt. Latch deadlocked by auxiliary latch or deadbolt. Deadbolt and latch by key outside. Deadbolt by turnpiece inside. Inside knob/lever retracts latch & deadbolt simultaneously, leaving outside locked.				
	2102	5035		FD

SINGLE CYLINDER FUNCTIONS				
ANSI #	Cam	Strike	Marks Function	
			I/S	O/S
F21: ENTRANCE Latch by knob/lever either side. Deadbolt by key outside, turnpiece inside. Deadbolt deadlocks latch.				
	2102	9035		B
F26: INSTITUTIONAL PRIVACY Latch by knob/lever either side except when outside knob/lever locked by inside turn piece. Latch deadlocked by auxiliary latch. Key outside opens latch. When outside locked, inside knob/lever retracts latch, automatically unlocking outside knob/lever.				
	2101	5036		GL
F27: Auto Deadbolt Depressing auxiliary latch projects deadbolt and deadlocks latch. Remains locked even if auxiliary latch is extended. Inside knob/lever retracts both bolts simultaneously. When outside is locked, both bolts are retracted by override key with outside knob/lever.				
	2101	5035		AD
OFFICE VESTIBULE: Latch by knob/lever either side except when outside knob/lever locked by stop-button in front; then by key outside.				
	2101	9035		D
VESTIBULE: Latch by knob/lever inside, key outside. Outside knob/lever always rigid.				
	2101	9035		DW
DORMITORY: Latch by knob/lever inside. Outside knob/lever always rigid. Deadbolt and latch by key outside. Deadbolt by turnpiece inside. When deadbolt is projected, latch is deadlocked. Inside knob/lever retracts latch and deadbolt simultaneously.				
	2102	9035		FS
SPECIAL PRIVACY: Inside knob/lever always free, outside rigid. Latch by knob/lever inside, key outside. Deadbolt by turnpiece inside, emergency release outside. Inside knob/lever retracts deadbolt and latch simultaneously. Auxiliary latch deadlocks latch.				
	2102	5035		LH
STOREROOM: Latch by thumbpiece inside. Key outside.				
	2101	9035		DN
STOREROOM: Latch by thumbpiece or knob/lever inside. Key outside. Auxiliary latch deadlocks latch.				
	2101	5036		EN
ELECTRIFIED FUNCTIONS				
ELECTRICALLY LOCKED (Fail Safe): Outside always locked electrically. Open by key outside, switch or loss of power. Auxiliary latch deadlocks latch. Inside always open.				
	2101	5036		EL
ELECTRICALLY UNLOCKED (Fail Secure): Outside always locked until unlocked by key or electrically energized. Auxiliary latch deadlocks latch. Inside always open.				
	2101	5036		EU








Mortise Parts, Trim

MORTISE LOCKSET FUNCTIONS


DOUBLE CYLINDER FUNCTIONS				
ANSI #	Cam	Strike	Marks Function	
F09: ENTRANCE Latch by knob/lever either side except when outside knob/lever locked by key inside, latch retracted by key outside. Outside remains locked. Auxiliary latch deadlocks latch.	IS 2101 2106	5036	IS O/S	G
F11: DORMITORY Latch by knob/lever either side except when outside knob/lever locked by stop-button or projected deadbolt. Deadbolt by key either side. Inside knob/lever retracts latch and deadbolt simultaneously leaving outside locked. Deadbolt deadlocks latch.	IS 2102	9035		FA
F14: STOREROOM Latch by knob/lever either side. Deadbolt by key either side. Deadbolt deadlocks latch.	IS 2102	9035		C
F24: APARTMENT HANDLE Latch by thumbpiece either side except when outside is locked by key inside. When outside is locked, latch retracted by key outside or thumbpiece inside. Auxiliary latch deadlocks latch.	IS 2101	5036		G
F25: STOREROOM "B" Body Latch by thumbpiece either side. Deadbolt by key either side.	IS 2102	9035		C
F25: STOREROOM Latch by thumbpiece either side except when outside thumbpiece locked by stop-button in front; then by key outside. Deadbolt by key both sides. Deadbolt deadlocks latch.	IS 2102	9035		SO
F30: INSTITUTION Both knob/levers rigid. Auxiliary latch deadlocks latch. Latch by key either side.	IS 2101	5036		WW
F32: INTRUDER LATCH BOLT Latch by knob/lever either side except when outside knob/lever is locked from inside or outside by key. Latch operated by key from inside or outside. Auxiliary latch, deadlocks latch. Inside always open.	IS 2105	5036		GC
CLASSROOM SECURITY Latch bolt retracted by knob/lever from either side unless outside is locked by key from either side. Auxiliary latch deadlocks latch bolt when door is locked. Inside knob/lever is always free for immediate egress.	IS 2105	5036		GG
CLASSROOM SECURITY Latch bolt retracted by knob/lever from either side except when locked by key from either side. Auxiliary latch deadlocks latch	IS 2101	5036		GW
CLASSROOM SECURITY Latch by lever either side except when outside lever is locked or unlocked by key from either side. With outside locked, exterior key will retract the latch allowing the outside to remain locked. Inside always free for egress. Auxiliary latch deadlocks latch.	IS 2101 2105	5036		GJ
CLASSROOM SECURITY w/HOLDBACK Latch bolt retracted by knob/lever from either side unless outside is locked by key from either side. When locked, latch bolt retracted by key outside or knob/lever inside. Auxiliary latch deadlocks latch bolt when door is locked. Depress inside knob/lever and turn key 360° for holdback feature. Inside knob/lever always free for immediate egress.	IS 2101 2105	5036		GR
F33: DORMITORY Latch by knob/lever either side except when projected deadbolt locks outside knob/lever and deadlocks latch. Deadbolt and latch by key either side. Inside knob/lever retracts latch and deadbolt simultaneously, automatically unlocking outside knob/lever.	IS 2102	9035		FX
F33: DORMITORY Latch by knob/lever either side except when projected deadbolt locks outside knob/lever and deadlocks latch. Deadbolt and latch by key either side. Inside knob/lever retracts latch and deadbolt simultaneously, automatically unlocking outside knob/lever.	IS 2102	5035		FC

DOUBLE CYLINDER FUNCTIONS (Con't)				
ANSI #	Cam	Strike	Marks Function	
F35: STORE DOOR Latch by knob/lever either side except when outside knob/lever locked by stop-button in front; then by key outside. Deadbolt by key either side. Deadbolt deadlocks latch.	IS 2102	9035		AC
NON-KEYED FUNCTIONS				
ANSI #		Strike	Marks Function	
F01: PASSAGE Latch by knob/lever either side.		9035	IS O/S	N
F02: BATHROOM* Latch by knob/lever either side. Deadbolt by turnpiece inside. Deadbolt deadlocks latch. To unlock from outside, remove emergency button, insert emergency key in access hole and turn. Optional coinkey assembly available.		9035		L
F19: PRIVACY* Latch by knob/lever either side except when projected deadbolt locks outside knob/lever and deadlocks latch. Deadbolt by turnpiece inside. Inside knob/lever retracts latch and deadbolt simultaneously, automatically unlocking outside knob/lever. To unlock from outside, remove emergency button, insert emergency key in access hole and turn. Optional coinkey assembly available.		9035		LF
F22: PRIVACY Latch by knob/lever either side except when outside knob/lever is locked by inside turnpiece. Turning inside knob/lever or closing door unlocks outside lever. To unlock from outside, remove emergency button, insert emergency key in access hole and turn. Optional coinkey assembly available.		9035		LJ
F31: EXIT Latch by knob/lever inside, no trim outside. Auxiliary latch deadlocks latch. None removable blank trim: F26 option		5036		EX
DEADBOLT FUNCTIONS				
	Cam			
F16: DEADLOCK Deadbolt by key either side.	IS 2102	Cam 2102	9035	T
F17: DEADLOCK Deadbolt by key outside and turnpiece inside.		2102	9035	P
F18: DEADLOCK Deadbolt by key one side only.		2102	9035	S
F29: DEADLOCK Deadbolt by key outside. Inside turnpiece will retract but will not project deadbolt.		2102	9035	SC
DEADBOLT Latch by knob/lever either side. Deadbolt by key either side; latch remained unlocked at all times. Note: With this function deadbolt protrusion is 13/16		2102	9035	CT
DEADBOLT FUNCTIONS				
E06072: CYLINDER BY TURNPIECE Deadbolt by inside turnpiece or outside key.		2102		K
E06082: COMMUNICATING SINGLE CYLINDER* Deadbolt by key from one side only.		2102		L
E06062: DOUBLE CYLINDER Deadbolt by key either side.		2102		M
E06092: CLASSROOM Deadbolt by outside key. Turnpiece will retract but not project deadbolt.		2102		S
TURNPIECE Deadbolt by inside turnpiece.		2102		X
*PRIVACY INDICATOR AVAILABLE				

MORTISE LOCKSET PARTS RK, RL

ROSES	RR: 2-9/16" dia.	RW: 2-9/16" dia.	RQ: 2-1/4" dia.	RS: 2-1/4" dia.	RX: 2-1/2" sq.	*RK: 2-1/2" sq.	*RL: 2-1/2" sq.
					 Wrought	 Forged	 Forged

Knob / Rose Kits




ROSE WITH RING	PLAIN ROSE	SMALL ROSE W/RING	SMALL ROSE	DESCRIPTION	FINISH GROUPS						
					3	3E	10, 10B	15	26	32D	ROSE RK*
KRR10	KRW10	KRQ10	KRS10	Round knob/ball assembly	221.55	—	—	—	—	211.55	+136.0
KRR20	KRW20	KRQ20	KRS20	Ball knob/ball assembly							
KRR30	KRW30	KRQ30	KRS30	Ball knob/ball assembly	—	239.40	284.55	311.55	322.35	—	
KRR60	KRW60	KRQ60	KRS60	Eclipse knob/ball assembly							
NO FINISH											
K-TEMP				Temporary Trim	77.00						
K-TEMP-G3				Temporary Trim less cyl	58.80						

Complete knob/rose assemblies both sides (includes spindles).

Lever / Rose Kits





* Specify handing



PART #		DESCRIPTION	FINISH GROUPS							ROSE RK*	ROSE RL*
ROSE WITH RING RR	SMALL ROSE WITH RING RQ		3E	4	26D	15	10, 10B, 10E, 26	32D			
		Complete lever/rose assemblies both sides (includes spindles).									
KRR44	KRQ44	Stanhope lever/rose kit	240.57	360.86	360.86	360.86	360.86	—	+111	+36	
KRR57	KRQ57	Monaco lever/rose kit	240.57	360.86	360.86	360.86	—	—	FOR ALL FINISHES	FOR ALL FINISHES	
KRR55	KRQ55	Brompton lever/rose kit	240.57	360.86	360.86	360.86	—	—			
		Complete lever/rose assemblies both sides (includes spindles).									
PLAIN ROSE RW	SMALL ROSE RS								ROSE RK *	ROSE RL: *	
KRW031	KRS031	Copa lever/rose kit	360.86	360.86	—	360.86	360.86	360.86	+111	+36	
KRW72	KRS72	Towne lever/rose kit	360.86	360.86	360.86	360.86	409.19	—			
KRW77	KRS77	Maxwell lever/rose kit	360.86	360.86	360.86	360.86	409.19	366.16			
KRW78	KRS78	Omni lever/rose kit	360.86	360.86	360.86	360.86	409.19	366.16			
KRW82	KRS82	Plaza lever/rose kit	360.86	360.86	360.86	360.86	409.19	366.16			
KRW83	KRS83	Dayton lever/rose kit	360.86	360.86	360.86	360.86	409.19	366.16			
KRW86	KRS86	Crescent lever/rose kit	360.86	360.86	360.86	360.86	409.19	—			
KRW92	KRS92	American lever/rose kit	360.86	360.86	360.86	360.86	409.19	366.16			
KRW96	KRS96	Titan lever/rose kit	360.86	360.86	360.86	360.86	409.19	366.16			

MORTISE LOCKSET PARTS


Dummy Cylinder, Collars & Turnpieces




PART #	DESCRIPTION	FINISH GROUPS					
		3E	3, 26D	4	10, 10B, 26	32	32D
1604	Emergency hole cover	—	13.18	—	—	—	—
9271	Tapered collar, solid brass, 5/16" high	42.19	29.27	—	31.64	36.29	31.64
9273	Spring collar, 7/16" high	—	19.78	—	—	—	—
9275	Mortise spacer, wrought brass, 1/8" high	—	11.87	—	—	—	—
9277	Plastic spacer ring, 1/16"	9.23	—	—	—	—	—
9279	Tapered collar, wrought brass, 3/8" high	29.01	22.41	—	29.01	25.05	22.42
S8516	Dummy cylinder, inside	55.38	55.38	—	55.38	—	—
S8519	Dummy cylinder, outside	55.38	55.38	—	55.38	—	—
A1605	Emergency coinkey	93.61	85.70	85.70	85.70	—	—
A7271	Square cylinder collar, 1-3/4" x 5/16"	56.69	48.78	—	48.78	48.78	85.70
A7615	Occupancy indicator	—	—	—	—	—	71.20
A7616	Square Turnpiece Rose	101.52	77.79	101.52	89.66	89.66	101.50
A9276	Collar, wrought brass w/insert, 1/2" high	—	29.01	—	39.55	39.55	39.40
A9624	Hotel indicator plate ass'y for rose trim	121.30	89.66	—	96.25	—	—
A9119	Occupancy indicator plate ass'y for rose trim	—	138.44	—	—	—	—
A9615	Turnpiece	87.02	61.97	87.02	73.83	87.02	73.84

Mortise Parts, Trim

Strikes



* For extended lip consult factory.




TYPE	PART #	A	B	C*	D	FINISH GROUPS	
						S3	3, 10, 10B, 32, 32D
No Lip	4035	1-1/8"	3-1/8"	—	—	11	19
	4035-1	1-1/8"	3-1/2"	3-1/2"	2-1/2"		
	9038	1-1/8"	4-7/8"	—	2-1/2"	12	—
	3135	1-1/4"	4-7/8"	—	—	—	25
Curved Lip	5035 †	1-1/4"	4-7/8"	1-1/4"	4-1/8"	—	27
	5036 †	1-1/4"	4-7/8"	1-1/4"	4-1/8"	—	30
	9035	1-1/4"	4-7/8"	1-1/4"	4-1/8"	11	30
	9035-1.5	1-1/4"	4-7/8"	1-1/2"	4-1/8"	—	42
Straight Lip	5035M †	1-1/4"	4-7/8"	7/8"	4-1/8"	—	33
	5036M †	1-1/4"	4-7/8"	7/8"	4-1/8"	—	33
	9035M	1-1/4"	4-7/8"	7/8"	4-1/8"	—	33
Dust Box	9036	Dust box for 9038 strike, plastic				11	—
	4036	Dust box for 4035 strike, plastic				9	—

† Specify handing.
Extended lip strikes from 1-1/4" - 2", Add \$16.

*Extended lip strikes over 2", consult factory.


Spindles




PART #	DESCRIPTION	
9287	2-1/2" LONG, HOOK SPINDLE, 2 PIECE	20.00
9289	4-3/4" LONG, SWIVEL SPINDLE	20.00
A5611	SPINDLE/SPRING ASSEMBLY FOR LEVERS, 5/16", 1" L	20.00
A5613	SPINDLE/SPRING ASSEMBLY FOR LEVERS, 5/16", 1-5/8" L	20.00
A5685-BE	CAM/SPINDLE SPRING ASSEMBLY EXTERIOR	33.00
A5684-BE	CAM/SPINDLE SPRING ASSEMBLY INTERIOR	33.00

MORTISE LOCKSET PARTS


Indicators - Consult Factory For Pricing




SKA200




SKA200-CK




SKA210



SKA210-CK



SKA200-TP



SKA210-TP

TRIM LOCK PARTS






How to Order Example
for Knob & Lever Assemblies

DR	02	-	30	/	15
1. <i>Plate/Rose Design</i>	2. <i>Trim Description</i>	<i>Dash</i>	3. <i>Knob/Lever Design</i>	<i>Slash</i>	4. <i>Finish</i>











Mortise Parts, Trim

PLATE/ROSE DESIGN		TRIM DESCRIPTION	KNOB DESIGN	FINISH
<input type="checkbox"/> CL	<input type="checkbox"/> RR	<input type="checkbox"/> 01 Outside knob/lever/cylinder	<input type="checkbox"/> 10	<input type="checkbox"/> 3
<input type="checkbox"/> CP	<input type="checkbox"/> RW	<input type="checkbox"/> 02 Inside knob/lever/turnpiece	<input type="checkbox"/> 20	<input type="checkbox"/> 4
<input type="checkbox"/> CR	<input type="checkbox"/> RQ	<input type="checkbox"/> 03 Inside knob/lever/cylinder		<input type="checkbox"/> 10
<input type="checkbox"/> DR	<input type="checkbox"/> RS	<input type="checkbox"/> 04 Inside knob/lever only		<input type="checkbox"/> 10B
<input type="checkbox"/> NY	<input type="checkbox"/> RX	<input type="checkbox"/> 05 Outside cylinder only		<input type="checkbox"/> 15
<input type="checkbox"/> NS		<input type="checkbox"/> 06 Outside knob/lever /emergency coinkey		<input type="checkbox"/> 26
		<input type="checkbox"/> 07 Outside hotel	LEVER DESIGN	<input type="checkbox"/> 26D
		<input type="checkbox"/> 08 Outside knob/lever only	<input type="checkbox"/> 44	<input type="checkbox"/> 32D
			<input type="checkbox"/> 55	<input type="checkbox"/> Special
			<input type="checkbox"/> 57	<input type="checkbox"/> 32
			<input type="checkbox"/> 72	
			<input type="checkbox"/> 77	
			<input type="checkbox"/> 78	
			<input type="checkbox"/> 82	
			<input type="checkbox"/> 83	
			<input type="checkbox"/> 86	
			<input type="checkbox"/> 92	
			<input type="checkbox"/> 96	
			<input type="checkbox"/> 031	
			<input type="checkbox"/> 037A	
			<input type="checkbox"/> 002	

TRIM LOCK PARTS

PLATE/ROSE DESIGN	3	19	10	10B	15	26D	32D
CLASSIC CL 	108.11	—	108.11	108.11	—	109.43	127.89
CAPITOL CP 	175.36	172.72	172.72	172.72	—	—	160.85
CROWN CR 	23.73	253.14	253.14	253.14	221.50	221.50	221.50
DRAKE DR 	267.65	291.38	291.38	291.38	267.65	267.65	276.88
SCHOOL LA 	—	—	—	—	—	—	253.14

















TRIM LOCK PARTS

PLATE/ROSE DESIGN		3	19	10	10B	15	26D	32D
NEW YORKER NY 10" PLATE		61.97	—	—	—	—	76.47	—
NEW YORKER NS 7" PLATE		46.15	—	—	—	—	61.97	—
2-9/16" DIA. ROSE W-RING RR		146.35	176.67	176.67	176.67	162.17	146.35	146.35
2-9/16" DIA. PLAIN ROSE RW		146.35	176.67	176.67	176.67	162.17	146.35	146.35
2-1/4" DIA. SMALL ROSE W-RING RQ		146.35	176.67	176.67	176.67	162.17	146.35	146.35
2-1/4" DIA. SMALL ROSE RS		146.35	176.67	176.67	162.17	162.17	146.35	146.35
2-1/2" SQ. SQUARE ROSE RX		146.35	176.67	176.67	176.67	162.17	146.35	146.35
2-1/2" SQ. SQUARE ROSE RK		245.23	272.92	272.92	272.92	259.74	245.23	245.23
SQUARE TURNPIECE ROSE A7616	OUTSIDE 	250.51	288.74	288.74	288.74	288.74	261.06	261.06
	INSIDE	80.43	89.66	89.66	89.66	89.66	89.66	89.66
2-1/2" SQ. SQUARE ROSE RL		261.06	288.74	288.74	288.74	288.74	261.06	261.06

TRIM LOCK PARTS

Knob / Lever Design

Mortise Parts, Trim

KNOB/LEVER	FINISH GROUPS									
	3	19	4	10	10B	15	26	26D	32D	
ROUND KNOB  10	130.53	—	—	159.53	159.53	—	159.53	159.53	130.52	
BALL KNOB  20	130.53	—	—	159.53	159.53	—	159.53	159.53	130.53	
METROPOLITAN LEVER  002	221.50	266.33	266.33	292.70	292.70	266.33	292.70	266.33	278.20	
COMMERCE LEVER  037A	221.50	266.33	266.33	292.70	292.70	266.33	292.70	266.33	278.20	
LUCIDA LEVER  47C	—	266.33	266.33	292.70	292.70	266.33	292.70	266.33	261.06	
COPA LEVER  031	221.50	266.33	266.33	292.70	292.70	266.33	292.70	266.33	—	
MONACO LEVER  57	266.33	266.33	266.33	292.70	292.70	266.33	292.70	266.33	—	
BROMPTON LEVER  55	266.33	266.33	266.33	292.70	292.70	266.33	292.70	266.33	—	
TOWNE LEVER  72	221.50	266.33	266.33	292.70	292.70	266.33	292.70	266.33	—	
MAXWELL LEVER  77	221.50	266.33	266.33	292.70	292.70	266.33	292.70	266.33	261.06	
OMNI LEVER  78	221.50	266.33	266.33	292.70	292.70	266.33	292.70	266.33	—	
PLAZA LEVER  82	221.50	266.33	266.33	292.70	292.70	266.33	292.70	266.33	261.06	
DAYTON LEVER  83	221.50	266.33	266.33	292.70	292.70	266.33	292.70	266.33	266.33	
CRESCENT LEVER  86	221.50	266.33	266.33	292.70	292.70	266.33	292.70	266.33	261.06	
AMERICAN LEVER  92	221.50	266.33	266.33	292.70	292.70	266.33	292.70	266.33	261.06	
TITAN LEVER  96	221.50	266.33	266.33	292.70	292.70	266.33	292.70	266.33	261.06	

How To Order CYLINDRICAL LOCKSETS


How To Order Example for Cylindrical Locksets					
195	N	/	26D	—	G3
<i>1. Lockset Series</i>	<i>2. Marks Function</i>	<i>Slash</i>	<i>3. Finish</i>	<i>Dash</i>	<i>4. Options</i>

1	SERIES
Cylindrical Locksets:	110, 110R, 210, 210R, 175, 175R, 195, 195R, 295, 295R, 495, 495R

2	CYLINDRICAL FUNCTIONS		
MARKS #	FUNCTION	ANSI	
#			
N	—	PASSAGE	F75
L	—	PRIVACY	F76
LK	—	HOSPITAL/PRIVACY	F76 MOD.
P	—	PATIO	F77
DC	RDC	COMMUNICATING	F80
A	RA	ENTRY	F81
B	RB	ENTRY	F82A
AQ	—	EXIT	F83
S	RS	CLASSROOM	F84
F	RF	STOREROOM	F86
DW	RDW	INSTITUTION	F87
DA	RDA	VESTIBULE	F88
FQ	—	EXIT	F89
T	RT	CORRIDOR	F90
TK	—	HOSPITAL/PRIVACY	F90 MOD.
GB	RGB	STORE DOOR (95 SERIES ONLY)	F91
BS	—	SERVICE STATION LOCK	F92
H	—	HOTEL	F93
AB	RAB	ENTRANCE	F109
DB	RDB	CLASSRM. INTRUDER	F110
NB	—	COMMUNICATING PASSAGE	F111
FB	—	COMMUNICATING STOREROOM	F112
SB	RSB	COMMUNICATING CLASSROOM	F113
FEL	RFEL	ELECTRONICALLY LOCKED	
FEU	RFEU	ELECTRONICALLY UNLOCKED	
DUMMY TRIM			
DO	—	DUMMY TRIM OUTSIDE	
DT	—	FULL DUMMY	

4	OPTIONS		
TRIM MODIFICATIONS		CODE	PRICE
Tactile knob/lever, coated ext. only		A1	65
Tactile knob/lever, knurled		A4	65
Tactile knob/lever, coated int. & ext.		A18	132
DOOR THICKNESS		CODE	PRICE
2" (50 mm)		D1	NC
2-1/4" (57mm)		D2	81
Over 2-3/8" - 4"		D9	700
LATCH		CODE	PRICE
2-3/4" backset, 1-1/8" x 2-1/4" face		E4	NC
2-3/8" backset, 1" x 2-1/4" face		E6	NC
5" backset, 9/16" throw, Gr. 1		E9	50
3-3/4" backset, 9/16" throw, Gr. 1		E10	50
2-3/8" backset, 1-1/8" x 2-1/4" face		E11	15
2-3/4" backset, 1" x 2-1/4" face		E12	15
TRIM CHANGES		CODE	PRICE
Yale conventional		F7	25
Sargent conventional cylinder		F8	25
Corbin conventional cylinder		F9	25
Corbin 6 pin IC core		F12	37
Corbin 7 pin IC core		F13	37
Yale 6 pin IC core		F14	25
Yale 7 pin IC core		F15	25
Schlage 6 pin IC core		F19	25
Sargent IC core		F20	25
Medeco IC core large format		F21	25
CYLINDER		CODE	PRICE
Special optional keyway		G2	40
Less cylinder		G3	Deduct 17
STRIKE		CODE	PRICE
4-7/8" ASA strike		S1	15
2-3/4" "T" strike		S3	NC

10 LINE GRADE 2 CYLINDRICAL KNOBSETS


BHMA CERTIFIED		ANSI-A156.2 • Grade 2 Plus 3 Hour Fire Rating		UL LISTED		Series 110/110R • 2-3/8" Backset Series 210/210R • 2-3/8" Backset	
10 Series Knobsets Shown Below					Standard Features		
					<ul style="list-style-type: none"> • Backset: 2-3/8" • Latch #1138, Front: 1" x 2-1/4"; Throw: 1/2"; Stainless steel nose • Knobs: 2-1/4" dia. (110) round; 2-3/16" dia. (210) ball • Roses: Adjustable both sides; Steel reinforced 2-3/4" dia. • Strike: #1136, 2-3/4" "T" strike • Door thickness: 1-5/8" to 1-7/8" • Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys 		
MARKS #		FUNCTION	ANSI #	FINISH GROUPS			
COMM. CYL.	IC CORE CYL.*			3, 32D	10, 10B, 32		
N	—	PASSAGE	F75	169.75	216.96		
L	—	PRIVACY	F76	203.47	248.44		
P	—	PATIO	F77	203.47	251.81		
DC	RDC	COMMUNICATING	F80	272.05	318.14		
A	RA	ENTRY	F81	240.57	285.54		
B	RB	ENTRY	F82A	240.57	285.54		
AB	RAB	ENTRY	F109	240.57	285.54		
AQ	—	EXIT	F83	224.83	269.80		
S	RS	CLASSROOM	F84	240.57	285.54		
F	RF	STOREROOM	F86	240.57	285.54		
DW	RDW	INSTITUTION	F87	273.17	319.26		
DA	RDA	VESTIBULE	F88	273.17	319.26		
FQ	—	EXIT	F89	224.83	269.80		
DO	—	DUMMY TRIM OUTSIDE	—	177.62	200.10		
DT	—	FULL DUMMY TRIM	—	186.61	230.45		
NB	—	COMMUNICATING PASSAGE	F111	182.11	204.60		
FB	RFB	COMMUNICATING STOREROOM	F112	255.18	282.16		
SB	RSB	COMMUNICATING CLASSROOM	F113	255.18	282.16		

KNOBSETS ARE PACKED 12 PER CASE

NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory

- IC Core Models: Tailpieces included, core not included
- ❖ IC Core Models in US3 Finish: Add \$42.00 to list price

OPTIONS	CODE	PRICE
For 2" doors	D1	NC
For 2-1/4" doors	D2	81
2-3/4" backset, 1-1/8" x 2-1/4" face	E4	NC
2-3/4" backset, 9/16" throw, Gr. 1, UL Listed	E7	117
3-3/4" backset, 9/16" throw, Gr. 1	E10	117
Less cylinder	G3	Deduct 17
4-7/8" ASA strike with curved lip	S1	15



★ **Standard & HI-SECURITY™ IC Core Models:** 
 Interchangeable Core models for 6 or 7 pin cores (not included).
Accepts: Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**

95 LINE GRADE 1 CYLINDRICAL SURVIVOR LEVERSETS

		ANSI-A156.2 • Grade 1 3 Hour Fire Rating		SURVIVOR SERIES Series 195/195R, 295/295R, 495/495R • 2-3/4" Backset
--	--	---	--	--

95 Series Leversets Shown Below	Standard Features
	<ul style="list-style-type: none"> • Backset 2-3/4" • Latch #1834, Front: 1-1/8" x 2-1/4"; Throw: 9/16"; Stainless steel nose • Levers: Solid cast Zamac; w/ 1/2" return (except 395 & 495) • Roses: Thru-bolted, 3-7/16" dia., spring loaded 2-#10 thru-bolts • Strike: #1135, 4-7/8" ASA curved lip strike • Door thickness: 1-5/8" to 1-7/8"; For 1-3/8" door use K1904 spacer • Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys

MARKS #		FUNCTION	ANSI #	FINISH GROUPS	
COMM. CYL.	IC CORE CYL.*			3, 26D	4, 10, 10B, 26
N	—	PASSAGE	F75	481.14	574.45
L	—	PRIVACY	F76	508.12	607.05
LK	—	HOSPITAL/PRIVACY	F76 MOD.	541.85	638.52
P	—	PATIO	F77	502.50	600.30
DC	RDC	COMMUNICATING	F80	584.44	677.87
A	RA	ENTRY	F81	529.48	626.16
B	RB	ENTRY	F82A	529.48	626.16
AB	RAB	ENTRY	F109	529.48	626.16
AQ	—	EXIT	F83	513.74	612.67
S	RS	CLASSROOM	F84	529.48	626.16
F	RF	STOREROOM	F86	529.48	626.16
DW	RDW	INSTITUTION	F87	583.44	667.87
DA	RDA	VESTIBULE	F88	583.44	677.87
FQ	—	EXIT	F89	513.74	612.67
T	RT	CORRIDOR	F90	541.85	638.52
TK	—	HOSPITAL/PRIVACY	F90 MOD.	504.50	600.30
GB	RGB	STORE DOOR	F91	719.46	784.66
BS	RBS	SERVICE STATION LOCK	F92	541.85	638.52
H	—	HOTEL	F93	595.81	690.23
DB	RDB	CLASSROOM INTRUDER	F110	643.02	740.82
DO	—	DUMMY TRIM OUTSIDE	—	299.03	393.46
DT	—	FULL DUMMY TRIM	—	427.18	523.86
NB	—	COMMUNICATING PASSAGE	F111	454.16	548.59
FB	RFB	COMMUNICATING STOREROOM	F112	533.98	618.29
SB	RSB	COMMUNICATING CLASSROOM	F113	533.98	618.29
FEL	RFEL	ELECTRICALLY LOCKED*	—	773.42	871.22
FEU	RFEU	ELECTRICALLY UNLOCKED*	—	773.42	871.22



Marks USA Antimicrobial Finish Available - Option Code: AM - Add \$40 **LEVERS ARE PACKED 6 PER CASE**
 NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory
 *ELECTRIFIED FUNCTIONS: 100% Duty Cycle 24V AC/DC, supplied with bridge rectifier : EU - 210 ma; EL - 125 ma • IC Core Models: Tailpieces included, core not included

OPTIONS	CODE	PRICE - 195	295	495
For 2" doors	D1	NC	—	—
For 2-1/4" doors	D2	81	81	81
Over 2-1/4" - 4" thickness	D9	700	700	700
2-3/8" backset, 1" x 2-1/4" face	E6	NC	NC	NC
5" backset, 9/16" throw, Gr. 1	E9	50	50	50
3-3/4" backset, 9/16" throw, Gr. 1	E10	50	50	50
Less cylinder	G3	Deduct 17	-17	-17
2-3/4" "T" strike	S3	NC	NC	NC
AMERICAN LEVER ONLY Accepts:				
Yale conventional cylinder	F7	25	25	—
Sargent conventional cylinder	F8	25	25	—
Corbin conventional cylinder	F9	25	25	—
Corbin 6 pin IC core	F12	37	37	—
Corbin 7 pin IC core	F13	37	—	—
Yale 6 pin IC core	F14	25	25	—
Yale 7 pin IC core	F15	25	—	—
Schlage 6 pin IC core	F19	25	25	—
Sargent IC core	F20	25	25	—
AMERICAN & CRESCENT LEVER ONLY Accepts:				
Medeco IC core large format	F21	25	25	—



195 Series Leverset Shown Below	295 Series Leverset Shown Below
495 Series Leverset Shown Below	

*** Standard & HI-SECURITY™ IC Core Models:** Interchangeable Core models for 6 or 7 pin cores (not included). **Accepts:** Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**

75 LINE GRADE 2 CYLINDRICAL SURVIVOR LEVERSETS

BHMA CERTIFIED			ANSI-A156.2 • Grade 2 Plus 3 Hour Fire Rating		SURVIVOR SERIES Series 175/175R, 275/275R, 475/475R • 2-3/4" Backset		
75 Series Leverset Shown Below				Standard Features			
				<ul style="list-style-type: none"> • Backset: 2-3/4" • Latch #1134, Front: 1-1/8" x 2-1/4"; Throw: 1/2"; Stainless steel nose • Levers: Solid cast Zamac; w/ 1/2" return (except 475) • Roses: Thru-bolted, 3-1/4" dia., spring loaded 2-#10 thru-bolts • Strike: #1145, ASA strike • Door thickness: 1-5/8" to 1-7/8"; <i>For 1-3/8" door use K1904 spacer</i> • Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys 			
MARKS #		FUNCTION	ANSI #	175	275, 475	175, 275, 475	
COMM. CYL.	IC CORE CYL.*			26D	26D	3, 4, 10, 10B, 26	
N	—	PASSAGE	F75	216.43	234.82	257.55	
L	—	PRIVACY	F76	260.79	280.27	301.95	
P	—	PATIO	F77	232.66	252.14	273.78	
DC	RDC	COMMUNICATING	F80	308.41	327.89	349.53	
A	RA	ENTRY	F81	260.79	280.27	301.92	
B	RB	ENTRY	F82A	260.79	280.27	301.92	
AB	RAB	ENTRY	F109	260.79	280.27	301.92	
AQ	—	EXIT	F83	249.97	268.37	301.92	
S	RS	CLASSROOM	F84	260.79	280.27	301.92	
F	RF	STOREROOM	F86	260.79	280.27	301.92	
DW	RDW	INSTITUTION	F87	312.74	334.38	357.10	
DA	RDA	VESTIBULE	F88	314.90	334.38	357.10	
FQ	—	EXIT	F89	249.27	268.37	301.92	
T	RT	CORRIDOR	F90	272.70	292.18	313.82	
BS	RBS	SERVICE STATION LOCK	F92	272.70	292.18	313.82	
H	—	HOTEL	F93	330.05	348.45	371.17	
DO	—	DUMMY TRIM OUTSIDE	—	88.17	107.13	130.94	
DT	—	FULL DUMMY TRIM	—	180.72	199.11	221.84	
NB	—	COMMUNICATING PASSAGE	F111	187.37	205.61	221.84	
FB	RFB	COMMUNICATING STOREROOM	F112	273.78	283.52	295.42	
SB	RSB	COMMUNICATING CLASSROOM	F113	273.78	283.52	281.36	

OPTIONS	CODE	PRICE - 175	275	475
2-3/8" backset, 1" x 2-1/4" face	E6	NC	NC	NC
2-3/4" backset, 9/16" throw, Gr. 1, UL Listed	E7	—	—	—
5" backset, 9/16" throw, Gr. 1	E9	50	50	117
3-3/4" backset, 9/16" throw, Gr. 1	E10	50	50	117
Less cylinder	G3	Deduct 17	-17	-17
2-3/4" T strike	S3	NC	NC	NC
AMERICAN LEVER ONLY Accepts:				
Yale conventional cylinde	F7	25	25	—
Sargent conventional cylinder	F8	25	25	—
Corbin conventional cylinder	F9	25	25	—
Corbin 6 pin IC core	F12	37	37	—
Corbin 7 pin IC core	F13	37	—	—
Yale 6 pin IC core	F14	25	25	—
Yale 7 pin IC core	F15	25	25	—
Schlage 6 pin IC core	F19	25	25	—
Sargent IC core	F20	25	25	—
AMERICAN & CRESCENT LEVER ONLY Accepts:				
Medeco IC core large format	F21	25	25	—




*** Standard & HI-SECURITY™ IC Core Models:** Interchangeable Core models for 6 or 7 pin cores (not included). **Accepts:** Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**




CYLINDRICAL LOCK ACCESSORIES

Latches, Strikes, Etc.




LATCH	THROW	Backset: 2-3/8" Front: 1" x 2-1/4"	Backset: 2-3/4" Front: 1-1/8" x 2-1/4"	FUNCTION	FINISH GROUPS		
					26D	3, 32D	10, 10B
GRADE 2	1/2"	1138A	1134A	ENTRANCE	—	59.33	72.52
		1138L	1134L	PRIVACY	—	43.51	59.33
		1138N	1134N	PASSAGE	—	43.51	59.33
		1138P	1134P	PATIO	—	59.33	72.52
GRADE 1	9/16"	—	1834A	ENTRANCE	—	121.30	131.85
		—	1834L	PRIVACY	—	101.52	121.30
		—	1834N	PASSAGE	—	101.52	121.30
		—	1834P	PATIO	—	101.52	121.30




PART	#	DESCRIPTION	FINISH GROUPS	
			3, 32D	10, 10B
STRIKES	1135	4-7/8" ASA strike, curved lip	30.32	30.32
	P1136	2-3/4" "T" strike w/dust box, curved lip	18.46	29.01
	1136-M	2-3/4" "T" strike w/dust box, straight lip	19.78	30.32
SURVIVOR SERIES ALUMINUM SPACER RINGS	K1904	For 1-3/8" door (2 per set), 3-7/16" dia.	52.74	65.92
KNOB SPACER RINGS	K2804	For 1-3/8" door (2 per set), 2-3/4" dia.	52.74	67.24
PART	#	DESCRIPTION	NO FINISH	
EXTENSION LINK <i>For use with 2-3/4" Grade 1 backset latch</i>	1835	3-3/4"	43.51	
	1855	5"		
	1855-P	5" (Grade 1; L, P functions only)		
BRIDGE RECTIFIER	1901	Bridge rectifier 24 V AC/DC (no finish)	65.92	
CYLINDER RETAINER	1997	Lever handle cylinder retainer	7.94	
INSTALLATION TOOL	J295	175/195 installation drill jig	253.14	

CYLINDRICAL LOCK ACCESSORIES

Cylinders



Conventional Cylinder



IC Core Cylinder
(Will Fit Best® Housings)


**FOR
KEYS & KEYING,
SEE PAGE
68**

Specify Tailpiece; *Tailpiece Not Included.*

PART #	DESCRIPTION	PRICE
1982	6 Pin, w/2 nickel-silver keys	46.00
R1182	6 Pin core, uncombined	58.00
* R1183	7 Pin core, uncombined	58.00
* RA1182	6 Pin core, combined	58.00
* RA1183	7 Pin core, combined	86.00
* RC1182	6 Pin core, construction core	6100
* RC1187	Plastic core turnknob	11.00


* Consult Factory on pricing of IC Cores when ordered with Locksets.

Cylindrical Lock Tailpieces



PART #	CODE	FUNCTION	CYLINDER	PRICE
1903	9	AB, B, DA (ext.), DW, F, FEL, FEU	MARKS 1982	10.00
1903S	S9	S, DA (int.), DB, DC, SB, T		
1903-L	L9	AB, B, DA (ext.), DW, F, FEL, FEU	Arrow PK 100C, Ilco 705, Lori 1539, Sargent 13-3266, Abloy, ASSA 65673, 65691	10.00
1903S-L	SL9	S, DA (int.), DB, DC, SB, T		
F1903-C	—	AB, B, DA (ext.), DW, F, FEL, FEU	Schlage 23-001, Primus, Corbin-Russwin 2000-034	10.00
F1903S-C	—	S, DA (int.), DB, DC, SB, T		

Cylindrical IC Core Tailpieces



For Keying information see Pages 68

PART #	CODE	FUNCTION	CORE	PRICE
HR1984	R1	AB, B, DA (ext.), DW, F, FEU, FEL	6 or 7 pin Marks, KSP, Best®, Falcon, Medeco®, Keymark®, Sargent®, Schlage® Small Format	10.00
HR1984S	RS	S, DA (int.), DB, DC, SB, T		
HR1984-G	RG9	AB, B, DA (ext.), DW, F, FEU, FEL	6 or 7 pin Corbin	10.00
HR1984S-G	RSG	S, DA (int.), DB, DC, SB, T		
AR1989-Y	9MY	AB, B, DA (ext.), DW, F, FEU, FEL	6 or 7 pin Yale	12.00
AR1989S-Y	9SY	S, DA (int.), DB, DC, SB, T		
AR1999-M	9M	AB, B, DA (ext.), DW, F, FEU, FEL	Medeco®	12.00
AR1999S-M	9SM	S, DA (int.), DB, DC, SB, T	Medeco®	12.00
F1903C-F19	—	AB, DW, F	6 pin Schlage® Large Format	12.00
F1903S-F19	—	S, DA, DB, DC, SB, T		
R1981		Spacer		10.00
R1983		Security Disc		10.00

TAILPIECES FOR 195BH		
P/N	FITS	OPTION CODE
MH119	YALE / MEDECO IC CORE	F14, F15, F21
MH140	CONVENTIONAL (K.I.L.) CYL	N/A
MH144	BEST	R, F20
MH146	CORBIN IC	F12, F13
MH1903S-C	SCHLAGE IC / CORBIN K.I.L.	F19, F9

CYLINDRICAL KNOB/LEVER FUNCTIONS

ANSI# CODE	MARKS FUNCTION
F75N
F76L
F76 (MOD.)LK
F77P
F80DC
F81A

ANSI# CODE	MARKS FUNCTION
F82AB
F83AQ
F84S
F86F
F87DW
F88DA

ANSI# CODE	MARKS FUNCTION
F89FQ
F90T
F90 (MOD.)TK
F91 (95 Series Leverset ONLY)	GB
F92BS
F93H

ANSI# CODE	MARKS FUNCTION
F109AB
F110DB
F111NB
F112FB
F113SB

ANSI # CODE	Marks Function	
	I/S	O/S
F75 PASSAGE: Latch by knob/lever either side.		N
F76 PRIVACY: Latch by knob/lever either side unless outside knob/lever locked by push-button from inside. Outside unlocks by turning inside knob/lever, outside emergency turn or closing door.		L
F76 (MOD.) HOSPITAL/PRIVACY: Latch by knob/lever either side unless outside knob/lever locked by push-button from inside. Outside unlocks by turning inside knob/lever, outside turn or closing door. Emergency turn-knob A5 option.		LK
F77 PATIO: Deadlocking latch by knob/lever either side unless outside knob/lever locked by push-button inside. Unlocks by turning inside knob/lever or closing door.		P
F80 COMMUNICATING: Key both sides. Locks or unlocks either knob/lever independent of the other. Deadlocking latch.		DC
F81 ENTRY: Deadlocking latch bolt by knob/lever either side except when outside locked by turn-button inside. When outside locked, key outside or knob/lever inside opens lock. Turn-button operated manually.		A
F82A ENTRY: Deadlocking latch by knob/lever either side. Outside locked by push-button inside. When outside locked by push-button inside, key opens lock, unlocks push-button. Inside knob/lever always opens latch. Closing door does not release push-button.		B
F83 EXIT: Deadlocking latch by knob/lever either side except when outside locked by turn-button inside. Inside knob/lever always opens latch. Turn-button operated manually.		AQ
F84 CLASSROOM: Deadlocking latch by knob/lever inside. Outside knob/lever locked or unlocked by key.		S
F86 STOREROOM: Deadlocking latch by knob/lever inside, key outside. Outside knob/lever always locked.		F
F87 INSTITUTION: Both knob/levers always locked. Deadlocking latch by key both sides.		DW
F88 VESTIBULE: Deadlocking latch by knob/lever either side, except when outside knob/lever locked by key inside. Key outside retracts deadlocking latch. Inside always open.		DA
F89 EXIT: Deadlocking latch by knob/lever inside. Outside always locked.		FQ
F90 CORRIDOR: Deadlocking latch by knob/lever either side unless outside locked by key or inside push-button. Unlock by key, turning inside knob/lever or closing door.		T

ANSI # CODE	Marks Function	
	I/S	O/S
F90 (MOD.) HOSPITAL/PRIVACY: Deadlocking latch by knob/lever either side unless outside locked by knob/lever or inside push-button. Unlock by turn-knob, turning inside knob/lever or closing door. Emergency turn-knob A5 option.		TK
F91 STORE DOOR (95 Series Leverset ONLY): Deadlocking latch by knob/lever either side except when both knob/levers are locked by key from either side.		GB
F92 SERVICE STATION LOCK: Deadlocking latch by knob/lever either side unless outside locked by key or inside push-button. Unlock by key, turning inside knob/lever or closing door, except when slotted push-button is turned in locked position. Inside knob/lever always opens latch.		BS
F93 HOTEL: Deadlocking latch by knob/lever inside. Outside knob/lever always locked. Inside push-button projects indicator on cylinder face shutting out all keys except emergency key. Turning inside knob/lever or closing door releases push-button.		H
F109 ENTRY: Outside locked by pushing turn-button inside. Key outside opens lock. Rotating inside knob/lever releases button and outside knob/lever. By pushing and turning inside button, outside knob/lever remains locked. Deadlocking latch.		AB
F110 CLASSROOM INTRUDER: Deadlocking latch by knob/lever either side, except when outside locked by key inside. Key outside locks or unlocks outside. Inside always open		DB
DUMMY TRIM: Outside only, rigid.		DO
DUMMY TRIM: Both sides, rigid.		DT
F111 COMMUNICATING PASSAGE: Blank outside. Deadlocking latch by knob/lever inside.		NB
F112 COMMUNICATING STOREROOM: Blank outside. Deadlocking latch by key only. Knob/lever always locked.		FB
F113 COMMUNICATING CLASSROOM: Blank outside. Inside knob/lever locked or unlocked by key. Deadlocking latch.		SB
ELECTRICALLY LOCKED - FEL (Fail Safe): Outside always locked electrically. Open by key outside, switch or loss of power. Deadlocking latch by lever inside. Lever only.		FEL
ELECTRICALLY UNLOCKED - FEU (Fail Secure): Outside always locked until unlocked by key or electrically energized. Deadlocking latch by lever inside. Lever only.		FEU

How To ORDER TUBULAR LOCKSETS

How To Order Example for Tubular Locksets

1	RW	92	N	/	32D	—	S3
<i>1. Lockset Series</i>	<i>2. Rose Design</i>	<i>3. Knob/Lever</i>	<i>4. Marks Function</i>	<i>Slash</i>	<i>5. Finish</i>	<i>Dash</i>	<i>6. Options</i>

Tubular Locksets

1 SERIES	
Tubular Locksets	1
Cylindrical Cartridge	1

2 ROSES		
ROSES		DESIGN
9602-R	Rose with ring 2-9/16" dia.	RR
9602	Plain rose 2-9/16" dia.	RW
5602-R	Small rose with ring 2-1/4" dia.	RQ
5602	Small rose 2-1/4" dia.	RS
7602	Square rose 2-9/16" square	RX
7607	Square forged rose 2-9/16" square	RK

3 KNOB/LEVER		
KNOBS		DESIGN
1153	Round, wrought	10
1253	Ball, wrought	20
9631	Ball, forged	30
9609	Eclipse, forged	60
LEVERS		DESIGN
SF031	Copa	031
5657	Monaco	57
5672	Towne	72
5677	Maxwell	77
5678	Omni	78
5682	Plaza	82
5683	Dayton	83
5686	Crescent	86
5692	American	92
5696	Titan	96




4 TUBULAR FUNCTIONS		
MARKS #		ANSI #
TUBULAR LOCKSETS		
N	PASSAGE	F75
L	PRIVACY	F76
NB	COMMUNICATING	F111
DI	DUMMY TRIM INSIDE	
DO	DUMMY TRIM OUTSIDE	
DT	FULL DUMMY	




5 FINISH		
MARKS		ANSI #
US 3	Polished Brass, Clear Coated	605
US 3E	Polished Brass "PVD"	605E
US 4	Satin Brass, Clear Coated	606, 606E
US10	Satin Bronze, Clear Coated	612E
US 10B	Dark Bronze, Clear Coated	613E
US15	Satin Nickel	619, 619E
US 26	Polished Chrome, Plated	625
US 26D	Satin Chrome, Plated	626
US 32	Polished Stainless Steel	629
US 32D	Satin Stainless Steel	630

6 OPTIONS			
TRIM MODIFICATIONS	CODE	PRICE	
Tactile knob/lever, coated ext. only	A1	65	
Tactile knob/lever, knurled	A4	65	
Tactile knob/lever, coated int. & ext.	A18	132	
DOOR THICKNESS	CODE	PRICE	
1-3/4"	D4	NC	
1-3/8"	D5	NC	
LATCH	CODE	PRICE	
2-3/4" backset, 1-1/8" x 2-1/4" face	E4	12	
2-3/4" backset, 9/16" throw, Gr. 1, UL Listed With Cylindrical Cartridge*	E7	117	
2-3/8" backset, 1-1/8" x 2-1/4" face	E11	15	
2-3/4" backset, 1 x 2-1/4" face	E12	15	
Adjustable latch 1-1/8" x 2-1/4" face	E13	12	
TRIM CHANGES	CODE	PRICE	
For 1-1/2" bore	F6	22	
STRIKE	CODE	PRICE	
4-7/8" ASA strike	S1	15	
2-3/4" "T" strike	S3	NC	
3-5/8" Security strike	S4	13	
2-1/4" Curved lip strike	S5	NC	

* E7 Option Available: 2-3/8", 2-3/4", 3-3/4" & 5" Backset, for N Function ONLY.

TUBULAR KNOB/LEVER FUNCTIONS

ANSI # CODE	Marks Function	
	I/S	O/S
F75 PASSAGE: Latch by knob/lever either side.		N
F76 PRIVACY: Latch by knob/lever either side unless outside knob/lever locked by push-button from inside. Outside unlocks by turning inside knob/lever, outside emergency turn or closing door.		L
F111 COMMUNICATING: Blank outside. Deadlocking latch by knob/lever inside.		NB

ANSI # CODE	Marks Function	
	I/S	O/S
DUMMY TRIM INSIDE: Dummy trim inside ONLY.		DI
DUMMY TRIM OUTSIDE: Dummy trim outside ONLY.		DO
FULL DUMMY TRIM: Dummy trim both sides.		DT

ROSE DESIGN RR, RW, RQ, RS, RX*, RK*, RL*

	ANSI-A156 • Grade 2		Series 1 • 2-3/8" Backset			
	Standard Features		KNOB	LEVERS		
	<ul style="list-style-type: none"> • Backset: 2-3/8", 2-3/4" optional • Front: 1" x 2-1/4" • Thru-bolted screwless knob/lever rose • Concealed mounting screws • Lever support springs • Independent spring loaded captivated spindles • Strike: 2-1/4" full curved lip • Latch support housing • Door thickness: 1-3/8" to 1-3/4" • Privacy function - interior with automatic release 	10, 20	F002, 031, 037A, 44, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96	F002, 037A 82, 83, 86, 92, 96, 031 037A,		
MARKS #	FUNCTION	ANSI #	FINISH GROUPS			
			3, 32D	3, 4, 15, 26D	10, 10B, 19 14, 26	32, 32D
KEYLESS						
N	PASSAGE	F75	272.05	365.35	409.19	351.86
L	PRIVACY	F76	284.41	377.72	421.56	364.23
NB	COMMUNICATING	F111	333.88	352.99	395.70	340.62
DUMMY TRIM						
DI	DUMMY TRIM INSIDE		127.03	175.37	195.60	166.38
DO	DUMMY TRIM OUTSIDE					
DT	FULLY DUMMY		254.06	347.37	390.08	333.88
KNOB & LEVERS ARE PACKED 16 PER CASE NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory *Square Rose RX: Add \$30 / *Square Rose RZ: Add \$70 / *Square Rose RK: Add \$100						

KNOB	Round Knob 10	Ball Knob 20	Commerce Lever 037A	Metropolitan Lever 002	ROSES RR: 2-9/16" dia. RW: 2-9/16" dia. RQ: 2-1/4" dia. RS: 2-1/4" dia. RX: 2-1/2" sq. RK: 2-1/2" sq. RL: 1-1/2" sq.
	LEVER	Stanhope Lever 44	Copa Lever 031	Brompton Lever 55	
Towne Lever 72		Maxwell Lever 77	Omni Lever 78	Plaza Lever 82 Specify handing	
Dayton Lever 83 Specify handing		Crescent Lever 86	American Lever 92	Titan Lever 96	

OPTIONS	CODE	PRICE	NOTE
1-3/8" door thickness	D5	NC	
2-3/4" backset, 1-1/8" x 2-1/4" face	E4	12	
2-3/4" backset, 9/16" throw, Gr. 1, UL Listed WITH CYLINDRICAL CARTRIDGE *	E7	117	N Function Only
2-3/8" backset, 1-1/8" x 2-1/4" face	E11	15	
2-3/4" backset, 1" x 2-1/4" face	E12	15	
4-7/8" ASA strike	S1	15	
2-3/4" "T" strike	S3	NC	

* E7 Option Available: 2-3/8", 2-3/4", 3-3/4" & 5" Backset, for N Function ONLY.

INTERIOR TUBULAR LOCKSETS

Tubular Locksets







NEW! 60 Series, Stainless Steel, Commercial Locksets

Standard Features

- Latch Face: 1" x 2-1/4" standard
- Backset: 2-3/4" with 2-3/4" T-strike with square corners
- Door thickness: 1-3/8" to 1-3/4"
- Roses: 2-9/16" diameter
- Backset: 2-3/8" with 2-1/4", radius corner full lip strike, option E6, N/C
- Privacy Function with kick-off latch


MARKS #	FUNCTION	ANSI #	FINISH GROUPS (160, 260 & 360)	
				32D
N	PASSAGE	F75		220.00
L	PRIVACY	F76		235.00
DO	DUMMY TRIM OUTSIDE	—		110.00

LEVERS ARE PACKED 9 PER CASE Additional finishes, consult factory

160 Series Finishes: 32D	260 Series Finishes: 32D	360 Series Finishes: 32D
		
		


TUBULAR LOCKSET ACCESSORIES

Strikes, Latches, Support Housing



PART #	DESCRIPTION	BACKSET FRONT	FINISH GROUPS		
			NO FINISH	3, 26	10, 10B, 32, 32D
1631	Support housing	—	13.18	—	—
1536	"T" Strike, 2-3/4" curved lip	—	—	13.19	21.09
1145	4-7/8" ASA strike	—	—	15.82	29.00
1634	Tubular deadbolt	2-3/4"	—	141.08	150.31
1636	Strike, 2-1/4" full curved lip	—	—	13.19	21.09
1634N	Passage latch w/ strike	2-3/4"	—	100.20	127.89
1634L	Privacy latch w/ strike	1" x 2-1/4"	—	119.98	133.16
1638N	Passage latch w/ strike	2-3/8"	—	64.61	81.74
1638L	Privacy latch w/ strike	1" x 2-1/4"	—	81.74	97.57

Latches & Cylindrical Cartridge



NOTE: Cylindrical Cartridge is for use with E7* Option ONLY.

LATCH	THROW	Backset 2-3/8"; Front 1" x 2-1/4"	Backset 2-3/4"; Front 1-1/8" x 2-1/4"	FUNCTION	FINISH GROUPS	
					3, 32D	10, 10B
GRADE 2	1/2"	1138A	1134A	ENTRANCE	58.00	43.52
GRADE 1	9/16"	—	1834A	ENTRANCE	121.29	77.78

PART #	DESCRIPTION	NO FINISH
A1430	Cylindrical Cartridge	85.70

HOW TO ORDER DEFENDER LOCKSETS

How To Order Example for Defender Locksets					
145	K	/	32D	—	D1
<i>1. Lockset Series</i>	<i>2. Marks Function</i>	<i>Slash</i>	<i>3. Finish</i>	<i>Dash</i>	<i>4. Options</i> Specify: Keying, Handing & Door Thickness




1 SERIES	
Defender Tubular Deadbolt Locksets	130, 130R
Defender Cylindrical Cartridge Deadlatch Locksets	145, 145R




2 TUBULAR FUNCTIONS				
DEADBOLT/DEADLATCHES (* indicates IC Core)				
			130 Series	145 Series
K	RK*	CYLINDER x TURNPIECE	E0151	E01101
KK	RKK*	CYLINDER x KNOB		
L	RL*	COMM. SINGLE CYLINDER	E0161	E0131
KL	RKL*	CYLINDER x LEVER		E01101
M	RM*	DOUBLE CYLINDER	E0141	E01111
S	RS*	CLASSROOM	E0171	
X		TURNPIECE	E0191	E01121

3 FINISH		
MARKS		ANSI #
US 3	Polished Brass, Clear Coated	605
US10	Satin Bronze, Clear Coated	612E
US 10B	Dark Bronze, Clear Coated	613E
US 26D	Satin Chrome, Plated	626
US 32	Polished Stainless Steel	629
US 32D	Satin Stainless Steel	630


DEADBOLT/DEADLATCH FUNCTIONS

ANSI # CODE	MARKS # FUNCTION	ANSI # CODE	MARKS # FUNCTION
130 SERIES:		145 SERIES:	
E0151 K	E01101 K
E0161 L	E0131 L
E0141 M	E01101 KL
E0171 S	E01111 M
E0191 X	E01121 X

ANSI # CODE	Marks Function	
	I/S	O/S
CYLINDER x TURNPIECE: Deadbolt/deadlatch by inside turnpiece or outside key.		K
COMMUNICATING SINGLE CYLINDER: Deadbolt/deadlatch by key from one side only.		L
CYLINDER x LEVER: Deadlatch by key outside. Inside lever always opens latch.		KL

ANSI # CODE	Marks Function	
	I/S	O/S
DOUBLE CYLINDER: Deadbolt/deadlatch by key either side.		M
CLASSROOM: Deadbolt by outside key. Turnpiece will retract but not project deadbolt.		S
TURNPIECE x BLANK PLATE: Deadbolt/deadlatch by inside turnpiece. Blank plate outside.		X


130 SERIES "DEFENDER" TUBULAR DEADBOLTS


ANSI 156.5				Standard Features	
 <p>130K</p>				<ul style="list-style-type: none"> Bolt: 1" throw Unitized assemblies for 2-1/8" bore Strike: #1335, 2-3/4" x 1-1/8" strike Door thickness: 1-3/8" to 1-7/8" Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys 2-3/8" Backset Latch front: 1" x 2-1/4" 	
MARKS #		FUNCTION	ANSI #	FINISH GROUPS	
COMM. CYL.	IC CORE CYL.*			3, 10, 10B, 32, 32D	
K	RK	CYLINDER x TURNPIECE	E0151	236.07	
L	RL	COMMUNICATING SINGLE CYL	E0161	236.07	
M	RM	DOUBLE CYLINDER	E0141	228.20	
S	RS	CLASSROOM	E0171	205.72	
X	—	TURNPIECE x BLANK PLATE	E0191	165.25	

DEADBOLTS ARE PACKED 24 PER CASE

NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory
• IC Core Models: Core not included


OPTIONS	CODE	PRICE
For 2" door	D1	NC
For 2-1/4" door	D2	81
For 1-1/4" - 1-1/2" door	D8	NC
2-3/4" backset, 1-1/8" x 2-1/4" face	E4	12
Sargent original cylinder or core	F8	29
Less cylinder	G3	Deduct 17
3-5/8" x 1-1/4" Security strike	S4	1



* Standard IC Core Models: 
Interchangeable Core models for 6 or 7 pin cores (not included).
Accepts: Marks, Medeco KeyMark™, Falcon & Best®. IC Core Tailpieces ARE Included.

Defender Series


145 SERIES "DEFENDER" CYLINDRICAL CARTRIDGE DEADLATCHES


BHMA CERTIFIED		ANSI 156.5 • 3 Hour Fire Rating		c UL US LISTED		Standard Features	
 <p>145M</p>				<ul style="list-style-type: none"> Series 1 Cylindrical Cartridge Latch: Grade 1, 9/16" throw, 2-3/4" backset Unitized assemblies for 2-1/8" bore Strike: #1136, 2-3/4" strike Door thickness: 1-3/4"; For 1-3/8" doors use spacer rings K1442/32D Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys Latch front: 1-1/8" x 2-1/4" 			
MARKS #		FUNCTION	ANSI #	FINISH GROUPS			
COMM. CYL.	IC CORE CYL.*			3, 10, 10B, 32, 32D			
K	RK	CYLINDER x TURNPIECE	E01101	255.18			
L	RL	COMMUNICATING SINGLE CYL	E0131	255.18			
M	RM	DOUBLE CYLINDER	E01111	276.54			
X	—	TURNPIECE x BLANK PLATE	E01121	216.96			
KL	RKL	CYLINDER x LEVER	E01101	431.68			
KK	RKK	CYLINDER x KNOB		448.54			

DEADLATCHES ARE PACKED 24 PER CASE

NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory
• IC Core Models: Core not included


OPTIONS	CODE	PRICE
For 2" door	D1	NC
For 2-1/4" door	D2	81
2-3/8" backset, 1-1/8" x 2-1/4" face	E11	15
Sargent original cylinder or core	F8	25
Less cylinder	G3	Deduct 17
4-7/8" ASA strike	S1	15

* Standard IC Core Models: 
Interchangeable Core models for 6 or 7 pin cores (not included).
Accepts: Marks, Medeco KeyMark™, Falcon & Best®. IC Core Tailpieces ARE Included.




DEFENDER SERIES ACCESSORIES

Strikes, Latches & Spacers



PART #	DESCRIPTION	FINISH GROUPS		
		NO FINISH	3, 32D	10, 10B, 32
1135	4-7/8" ASA STRIKE	—	30.32	30.32
1136	2-3/4" "T" STRIKE W/DUST BOX	—	13.18	19.79
1137	DUST BOX, PLASTIC, LATCH	7.91	—	—
1335	2-3/4" x 1-1/8" STANDARD STRIKE	—	10.55	13.18
1336	DUST BOX, PLASTIC, DEADBOLT	7.91	—	—
1337	3-5/8" x 1-1/4" HIGH SECURITY STEEL STRIKE, PLATED FINISH	—	89.66	—
K1342	1-3/8" DOOR, ROSE EXTENDERS, 130 Series	—	71.20	88.34
DEADBOLTS				
1334	2-3/4" BACKSET FRONT 1-1/8" x 2-1/4"	—	46.15	58.01
1338	2-3/8" BACKSET FRONT 1-1/8" x 2-1/4"	—	46.15	58.01
K1442	1-3/8" DOOR, 145 SERIES	—	204.36	—

Latches & Cylindrical Cartridge



1834


A1420 Cylindrical Cartridge for use with 145 Series

NOTE: Cylindrical Cartridge is for use with E7* Option ONLY.

LATCH	THROW	Backset 2-3/8" Front 1" x 2-1/4"	Backset 2-3/4" Front 1-1/8" x 2-1/4"	FUNCTION	FINISH GROUPS	
					3, 32D	10, 10B
GRADE 2	1/2"	1138A	1134A	ENTRANCE	58.01	72.52
GRADE 1	9/16"	—	1834A	ENTRANCE	121.30	130.53

PART #	DESCRIPTION	NO FINISH
A1420	Cylindrical Cartridge for use with 145 Series	145.03

Tailpieces & Cylinders









PART #	TAILPIECES FOR 130 DEADBOLTS	PRICE
DOUBLE CYLINDER		
1373	1-5/16" to 1-3/8"	7
1374	1-5/8" to 2"	7
1375	2-1/8" to 2-3/8"	7
SINGLE CYLINDER		
1389	1-3/4" to 2-1/4"	7
TAILPIECES FOR 145 DEADLATCHES		
1403	1-5/8" to 1-7/8"	6
EF1903-C	2" to 2-1/4"	8
F1403-C	1-5/8" to 1-7/8"	8
1403-L	1-5/8" to 1-7/8"	8
1405-L	2" to 2-1/4"	8

I-QWIK LITE² SERIES



NO-NONSENSE ACCESS CONTROL RIGHT OUT OF THE BOX

MARKS #		LOCKSET TYPE - PACKED PER CASE	# OF USERS	FINISH GROUPS	
IQ1LITE	IQ1L/26D			19 Black Powder Coat; with 26D American Levers	26D Satin Chrome
		IQ1: Cylindrical Lockset - <i>PACKED 4 PER CASE</i>	160	1182.45	1361.49
		IQ2: Mortise Lockset - <i>PACKED 4 PER CASE</i>	160	1908.99	2088.02
		IQ7: Rim Exit Device Interface - <i>PACKED 6 PER CASE</i> <i>Adapter plates operate most manufacturers Rim Exit Devices.</i> <i>Adapter plates for Mounting Exit Devices are sold separately, see page 70.</i>	160	1659.17	1840.29

Access Control

Standard Features		
<ul style="list-style-type: none"> • CableGard™ protects wires for easy installation • Standard ANSI door prep with one additional hole • Pre-programmed code • Keypad programmable • 160 User codes • Temporary user codes 	<ul style="list-style-type: none"> • Passage mode • Pin only mode • Double code entry for maximum security • Two wire remote release • 16 Digit tactile metal keypad • Weatherproof standard 	<ul style="list-style-type: none"> • Audible & visible entry indicator • Audible low battery alert • 4 "AA" batteries, 95,000 operations • Easy installation • Lifetime Mechanical Warranty; 2 Year Electronic Warranty

IQ1 LITE Cylindrical Lockset Specifications

Door Thickness: 1-3/4" standard;
For thicker doors, Consult factory

Handing: Non-handed

Key Override: Marks "C" keyway, 6 pin w/2 keys, IC Core optional

Lock Body: Cylindrical "Survivor" featuring the "Clutch" for trouble free service

Latch: Grade 2, 2-3/4" backset, 1/2" throw, 3 Hour UL fire rating

Strike Plate: 4-7/8" ASA strike

IQ2 LITE Mortise Lockset Specifications

Door Thickness: 1-3/4" standard;
For thicker doors, Consult factory

Handing: Field reversible

Key Override: 1-1/8" Mortise cylinder, 6 pin w/2 keys

Lock Body: Grade 1, Series 5, 2-3/4" backset, 3/4" anti-friction latch, 3 Hr UL fire rating

Auxiliary Latch: 1/2" throw

Clutch: The "Clutch" for trouble free service

Strike Plate: 4-7/8" ASA standard

IQ7 LITE Rim Exit Device Interface Specifications

Door Thickness: 1-3/4" standard;
For thicker doors, Consult factory

Handing: Non-handed

Key Override: 1-1/8" Mortise cylinder, 6 pin w/2 keys

Clutch: The "Clutch" for trouble free service

Adapter plates operate most manufacturers Rim Exit Devices. Adapter plates for Mounting Exit Devices are sold separately, see page 70.

How To Order Example for i-Qwik LITE Series Electronic Access Control Locksets			
IQ	1LITE		
1. Lockset Series	19 Finish	2. Model Number	26D Finish
<input type="checkbox"/> IQ	<input type="checkbox"/> 1LITE (Cylindrical)	<input type="checkbox"/> 1L/26D (Cylindrical)	
	<input type="checkbox"/> 2LITE (Mortise)	<input type="checkbox"/> 2L/26D (Mortise)	
	<input type="checkbox"/> 7LITE (Rim Exit Device Interface)	<input type="checkbox"/> 7L/26D (Rim Exit Device Interface)	

I-QWIK/I-QUE SERIES

OPTIONS



Access Control








I-QWIK / I-QUE OPTIONS			Cylindrical	Mortise	Rim Exit Device Interface
DESCRIPTION	CODE	PRICE	IQLITE	IQLITE	IQLITE
Backset					
2-3/8" Backset	E6	NC	•		
5" Backset	E9	50	•		
3-3/4" Backset	E10	50	•		
Series 55 Mortise Lock Body (2-1/2" bkst)	W8	NC		•	
Levers					
Tactile Lever	A1	65	•	•	•
Lever to accept Sargent conventional cyl.	F8	25	•		
Lever to accept Corbin conventional cyl.	F9	25	•		
Lever to accept Corbin IC Core 6 pin	F12	37	•		
Lever to accept Corbin IC Core 7 pin	F13	37	•		
Lever to accept Yale IC Core 6 pin	F14	25	•		
Lever to accept Yale IC Core 7 pin	F15	25	•		
Lever to accept Large Format Schlage	F19	25			
Lever to accept Sargent IC Core	F20	25	•		
Lever to accept Medeco IC Core lg. format	F21	25	•		
Solid Exterior Handle (no cylinder)	W4	NC	•	Std	Std
Crescent Lever	W7	22	•	•	•
Titan Lever	W12	21	•	•	•
Cylinder					
IC Core Cylinder Housing	G1	NC	•	•	•
Less Cylinder	G3	Deduct 17	•	•	•
Strike					
4-7/8" ASA Strike	S1	15	•	Std	
2-3/4" "T" Strike	S3	NC	Std		
Miscellaneous					
Tamper-proof Screws	A3	16	•	•	•


IQWIK LITE ACCESSORIES

I-QWIK / I-QUE ACCESSORIES			Cylindrical	Mortise	Rim Exit Device Interface
ACCESSORY	PART #	PRICE			
Bridge Rectifier (converts AC power to DC power)	1901	55.38	•	•	•
Gasket (interior inside housing for full weatherproofing)	E1108	10.55	•	•	
Battery Pack Holder	EA4011	27.69	•	•	•
Spacer Kit, 1-3/8" Door (Int. & Ext. Gaskets)	EK1038	81.74	•	•	•
Internal power connector for hardwiring i-Qwik/i-Que Locksets	E1133	39.55	•	•	•
Memory Reset Jumper	E1155	27.69	•	•	•
Spacer Ring for 1-1/4" mortise cylinder	E2006	27.69		•	•
Spacer Ring for 1-3/8" mortise cylinder	E2007	27.69		•	•
Rim Exit Device Adaptor Plate					
Von Duprin 99 Rim Adapter Plate / M9900 Marks Detex Advantex 10 Series Rim Adapter Plate	E7071	105.48			•
Precision 1100 Rim Adapter Plate	E7072	105.48			•
Yale 7100 Rim Adapter Plate/ Corbin ED5200 Rim Adapter Plate	E7073	105.48			•
Dorma 9300 Rim Adapter Plate	E7074	105.48			•
Sargent 8800 Rim Adapter Plate/ Arrow 3800 Rim Adapter Plate	E7075	105.48			•
Precision 21 Rim Adapter Plate/ Precision 2100 Rim Adapter Plate**	E7076	105.48			•
Von Duprin 88 - Special Order, Consult Factory	E7077	105.48			•
Monarch 18R Exit Device Adapter Plate	E7078	119.98			•


NOTE: Consult Factory for Additional Exit Devices; **Must use Precision #BP21 backplate.

TAILPIECES & CAMS

CYLINDRICAL TAILPIECES Cylindrical Conventional				
	FOR USE WITH	LEVER	CODE	PRICE
	Marks 1982	E1903	E1	10.00
	Arrow PK 100C, ILCO 705, Sargent 13-3266, Lori 1539, ASSA 65673, 65691, Abloy	E1903-L	E2	10.00
	Schlage® 23-001, Primus Corbin-Russwin 2000-034	EF1903-C	E3	10.00
CYLINDRICAL IC CORES				
	Kit for 6 & 7 pin Marks, KSP, Best®, Falcon, Medeco® Keymark, Schlage® Small Format, 6 pin Sargent	HER1984	ER	10.00
	Kit for 6 & 7 pin Corbin	HER1984-G	ERG	10.00
	Kit for 6 & 7 pin Yale™ American Lever ONLY	EAR1989-Y	EMY	12.00
	6 pin Schlage® Large Format American Lever ONLY	EF1903-F19	CM	12.00

CAMS				
Straight cam for tubular, exit device, or mortise functions Z1 & Z4 only.				
	USE WITH MORTISE CYLINDER	PART #	CODE	PRICE
	MARKS	2101	1	10.00
	Arrow/Sargent	2101-A	A1	10.00
	Corbin Russwin	2101-C	C1	10.00
	Schlage®	2101-S	S1	10.00

REQUEST To EXIT (REX) CYLINDRICAL ELECTRIFIED LEVERSET



 **ANSI-A156.2 • Grade 1
3 Hour Fire Rating**

EA195 Series Leverset w/American Lever



Marks USA has developed the Grade 1 "Survivor" Series Cylindrical Lockset incorporating a Request to Exit (REX) switch in both **Electrified** and **Storeroom** functions. Activating the inside lever for egress initiates the built-in **REX** output, providing a momentary **REX** input, for alarm shunt during egress.


Standard Features

- Backsets: 2-3/4"; 2-3/8", 3-3/4" or 5" optional
- Latch #1834, Front: 1-1/8" x 2-1/4"; Throw: 9/16"; Stainless steel nose
- Levers: Solid cast Zamac w/ 1/2" return (except 395 & 495)
- Rose: Thru-bolted, 3-7/16" dia., spring loaded 2-#10 thru-bolts
- Strike: #1135, 4-7/8" ASA curved lip
- Door thickness: 1-5/8" to 1-7/8" (For 1-3/8" door use K1704 spacer)
- Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys
- Request to Exit Switch: Single pole, double throw, 3 amp, 125 AC, wired either normally open or normally closed
- Electrified functions - 100% duty cycle, 24V/DC standard, supplied with bridge rectifier; 3 watts, .25amps
- 12V/DC Optional, Contact factory for additional options
- Features "The Clutch" • UL Listed, 3 hour fire rating

LOCKSET & LEVER DESIGN	CON. CORE	IC CORE	FUNCTION	ANSI #	DESCRIPTION	FINISH GROUPS	
						26D	3, 4, 10, 10B, 26
EA195 American lever	F	RF	STOREROOM	F86	Latch by lever inside. Outside lever always locked.	714.97	811.64
EA295 Crescent lever							
EA495 Titan lever							
EA195 American lever	FEL	RFEL	ELECTRICALLY LOCKED	—	Outside always locked electrically. Open by key outside, switch or loss of power. Latch by lever inside.	981.39	1055.59
EA295 Crescent lever							
EA495 Titan lever							
EA195 American lever	FEU	RFEU	ELECTRICALLY UNLOCKED	—	Outside always locked until unlocked by key or electrically energized. Latch by lever inside.	981.39	1055.59
EA295 Crescent lever							
EA495 Titan lever							

LEVERSETS ARE PACKED 6 PER CASE

* Standard IC Core Models: Accepts: Marks, Medeco KeyMark™, Interchangeable Core models Falcon & Best®, for 6 or 7 pin cores (not included). IC Core Tailpieces ARE Included.










How To Order Example for REX Leversets

EA195	F	/	26D	—	G3
<i>1. Lockset Series</i>	<i>2. Marks Function</i>	<i>Slash</i>	<i>3. Finish</i>	<i>Dash</i>	<i>4. Options</i>

LOCK SERIES	MARKS FUNCTION	FINISH	OPTIONS
<input type="checkbox"/> EA195	<input type="checkbox"/> F <input type="checkbox"/> RFEL	<input type="checkbox"/> 3 <input type="checkbox"/> 4	_____
<input type="checkbox"/> EA295	<input type="checkbox"/> RF <input type="checkbox"/> FEU	<input type="checkbox"/> 10 <input type="checkbox"/> 10B	_____
<input type="checkbox"/> EA395	<input type="checkbox"/> FEL <input type="checkbox"/> RFEU	<input type="checkbox"/> 26 <input type="checkbox"/> 26D	_____
<input type="checkbox"/> EA495			_____

ELECTRIFIED LOCKSETS

CYLINDRICAL LEVERSETS & MORTISE LOCKSETS

	ANSI-A156.2 • Grade 1 3 Hour Fire Rating			
195FEL/FEU Series Leverset w/American Lever				
				

Series 195, 295, 495 Cylindrical Leverset Standard Features


- Backsets: 2-3/4", 2-3/8", 3-3/4", 5"
- Latch #1834, Front: 1-1/8" x 2-1/4"; Throw: 9/16"; Stainless steel nose
- Levers: Solid cast Zamac w/ 1/2" return
- Rose: Thru-bolted, 3-7/16" dia., spring loaded 2-#10 thru-bolts
- Strike: #1135, 4-7/8" ASA curved lip
- Door thickness: 1-5/8" to 1-7/8" (For 1-3/8" door use K1904 spacer)
- Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys or IC Core housing
- Electrified functions - 100% duty cycle, 24V/AC supplied with bridge rectifier; 24V/DC, .21 Amps
- 12V/DC Optional, Contact factory for additional options
- Features "The Clutch"
- UL Listed, 3 hour fire rating

SERIES 195, 295, 495 GRADE 1 ELECTRIFIED CYLINDRICAL LEVERSETS				FINISH GROUPS	
COMMERCIAL CYLINDER	IC CORE CYLINDER	MARKS FUNCTION	DESCRIPTION	3, 26D	4, 10, 10B, 26
FEL	RFEL	ELECTRICALLY LOCKED (Fail Safe)	Outside always locked electrically. Open by key outside, switch or loss of power. Deadlocking latch by lever inside. Lever only.	773.42	871.23
FEU	RFEU	ELECTRICALLY UNLOCKED (Fail Secure)	Outside always locked until unlocked by key or electrically energized. Deadlocking latch by lever inside. Lever only.		

* Standard IC Core Models: Accepts: Marks, Medeco KeyMark™, Interchangeable Core models Falcon & Best®. IC Core Tailpieces ARE Included.

Series 5 Electrified Mortise Lockset Standard Features

- 2-3/4" Backset ONLY
- 1" Stainless steel bolt throw
- 3/4" Latch throw (anti-friction) separator
- 1/2" Auxiliary latch throw
- Stamped steel case .090 thick,, Zinc dichromate finish
- 1-1/4" x 8" Lock front, Adjustable bevel
- Steel hubs, 9/32" on diamond, 5/16" on square w/security separator
- 100% Duty Cycle 24V/DC, 12V/DC supplied with bridge rectifier (350 ma)



OPTIONS	CODE	PRICE
Auxiliary Latch	E3	47
Request to EXit Switch	W10	173
Key Override Sensor	W11	173
Request to EXit switch, Key Sensor & Bolt Sensor	W13	519
Bolt Sensor	W14	173
Latch Sensor	W15	173

SERIES 5 ELECTRIFIED MORTISE LOCKSET			FINISH GROUPS	
MARKS FUNCTION	DESCRIPTION	3, 32D	10, 10B, 32	
EL: ELECTRICALLY LOCKED (Fail Safe)	Outside always locked electrically. Open by key outside, switch or loss of power. Auxiliary latch deadlocks latch. Inside always open.	975.78*	966.53*	
EU: ELECTRICALLY UNLOCKED (Fail Secure)	Outside always locked until unlocked by key or electrically energized. Auxiliary latch deadlocks latch. Inside always open.			

* Lock Body Price ONLY. Due to numerous trim and finish options, please refer to the Marks USA Mortise Lockset Price Book.


GATE LOCKS (Reversible)

US PAT.#4,875,725 "NO FALL OUT" FEATURE:
Parts will not fall out when cover is removed.
Replaces Multilock gate locks.

Swinging Gate Locks

Standard Features

- Easily reversible
- Case, cast aluminum 3-5/8" x 6-1/4" x 1"
- Bronze powder coat finish
- Groove: 1/2" wide x 3/16" deep, all sides for wire gate insertion
- 5 pin cylinder(s)
- Lock only, no keeper furnished



Single
Cylinder Model
*With cylinder
Suffix K
Add \$34

Double
Cylinder Model
*With cylinders
Suffix M
Add \$65


MODEL #	LATCH PROJECTION	CHANNEL SIZE	PRICE LESS CYL.*	WT. / LBS.
W3700	1-1/8"	1/2"	169.75	20
W3710	1-1/4"	5/8"	169.75	20
W3720	1-3/8"	3/4"	169.75	20
W3730	1-7/8"	1-1/4"	191.11	20
W3750	1-1/8"	1/2"	239.45	21
W3760	1-1/4"	5/8"	239.45	21
W3770	1-3/8"	3/4"	239.45	21
W3780	1-7/8"	1-1/4"	264.18	21

GATE LOCKS ARE PACKED 12 PER CASE

Sliding Gate Locks

Standard Features

- Easily reversible
- Case, cast aluminum 3-5/8" x 6-1/4" x 1"
- Bronze powder coat finish
- Groove: 1/2" wide x 3/16" deep, all sides for wire gate insertion
- 5 pin cylinder(s)
- Lock only, no keeper furnished



Single
Cylinder Model
*With cylinder
Suffix K
Add \$34


Double
Cylinder Model
*With cylinders
Suffix M
Add \$65

MODEL #	HOOK GAP	CHANNEL SIZE	PRICE LESS CYL.*	WT. / LBS.
W3800	.825"	1/2"	169.75	21
W3810	.950"	5/8"	169.75	22
W3820	1.075"	3/4"	169.75	21
W3830	1.625"	1-1/4"	191.11	22
W3850	.825"	1/2"	239.45	22
W3860	.950"	5/8"	239.45	22
W3870	1.075"	3/4"	239.45	22
W3880	1.625"	1-1/4"	264.18	22

GATE LOCKS ARE PACKED 12 PER CASE

Custom nameplate available.
Consult factory.

Parts




PART #	DESCRIPTION	PRICE
1083	Retainer/fork screw	.82
2122	Mortise cylinder	58.01
W2108	Cylinder set screw	.82
9005	Case screw	.82
W3701	Cover	58.01
W3703	Case	90.97
W3704	Fork	11.87
W3705	Latch lever	10.55
W3708	Turnpiece	30.32
W3751	Double cylinder collar with set screw	58.01
W3791	Lever stop plate - Swinging gate lock (w/W3892)	19.78
W3891	Lever stop plate - Sliding gate lock (w/W3892)	19.78
W3892	Lever slide cover	7.91
WA3706	Latch adapter	19.78
WA3715	Latch assembly - 1-1/8" projection	43.51
WA3725	Latch assembly - 1-1/4" projection	43.51
WA3735	Latch assembly - 1-3/8" projection	43.51
WA3745	Latch assembly - 1-7/8" projection	58.01
WA3806	Hook assembly - .825" gap	58.01
WA3816	Hook assembly - .950" gap	58.01
WA3826	Hook assembly - 1.075" gap	58.01
WA3836Z	Hook assembly - 1.625" gap	72.52
WA9251	Exterior knob assembly	118.66
WA9253	Interior knob assembly	118.66
WA9293	Interior lever assembly (with W3791 & W3891)	175.36

SERIES HA113 CUSTOM LOCK DIVISION

HOUSING AUTHORITY MORTISE LOCKSET

SERIES HA113			BHMA CERTIFIED
			FINISH GROUPS
MARKS #	FUNCTION	ANSI #	20A
KEYED SINGLE CYLINDER, NO DEADBOLT			
D	OFFICE VESTIBULE		649.76
DW	VESTIBULE		
E	OFFICE	F04	
EW	STOREROOM	F07	
GL	INST. PRIVACY	F26	
J	CLASSROOM	F05	
JM, JR	HOSPITAL (HOLDBACK)	F06	
EL	ELECTRICALLY LOCKED		1295.03
EU	ELECTRICALLY UNLOCKED		
KEYED SINGLE CYLINDER, WITH DEADBOLT			
A	ENTRANCE	F08, F10	666.63
B	ENTRANCE	F21	
F	DORMITORY	F12	
FS	DORMITORY		
FW	DORMITORY	F13	
FD	APARTMENT	F20	714.97
H	HOTEL	F15	
LH	SPEC. PRIVACY		
KEYED DOUBLE CYLINDER, NO DEADBOLT			
G	ENTRANCE	F09	714.97
GC	INTRUDER LATCHBOLT	F32	
GG	CLASSROOM SECURITY		
GR	CLASSROOM SECURITY w/HOLDBACK		
WW	INSTITUTION	F30	
KEYED DOUBLE CYLINDER, WITH DEADBOLT			
AC	ENTRANCE	F35	714.97
C	STOREROOM	F14	
FC	INTRUDER DEADBOLT	F34	
FA	DORMITORY	F11	
FX	DORMITORY	F33	
KEYLESS			
N	PASSAGE	F01	567.70
L	BATHROOM	F02	628.41
LF	PRIVACY	F19	
LJ	PRIVACY	F22	690.23
EX	EXIT	F31	649.76

For pricing, finishes and availability, consult factory



Performance Specifications:

Life Test: 1,500,000 cycles minimum.

ANSI Test: Meets or exceeds all operational and security tests of ANSI specifications A156.13-2005 for series 1000, Grade 1.

Fire Test: UL Listed, 3 hour fire rated.
Meets ADA requirements.



Trim Specifications:

"Barrier" Thru-bolted steel lever/plate assemblies with brass machined lever bearings. Screwless forged American levers, 4-1/2" long to meet ADA requirements, fastened to plates with hardened snap rings. Spring loaded 5/16" spindles (no set screws). Dark bronze powder coated finish.

Exterior: Wrought steel lever/plate assembly.

10-1/8" x 4" x 5/64" with 3 concealed welded thru-posts. Center post braces lock body for proper alignment in 1-3/4" thick door. Plate covers cylinder with only the keyway exposed.

Optional Exterior: Plate prepared for IC core cylinder.

Interior: Flat steel lever/plate assembly. 10-3/4" x 3-1/8" x 3/32" thick with 3 each 1/4"-20 mounting bolts. Center bolt passes through lock body to integrate trim with lock.


Cylinder: 1-1/8" long, 6 pin, solid brass with spacing collar concealed under exterior "Barrier" plate; 2 keys.

Strike: 4-7/8" x 1-1/4" x 3/32" thick, 5/8" curved lip. Conforms to ANSI spec., A115.1.

Door Thickness: 1-3/4" standard. Extended range available.

Lock Specifications: 5 Series (2-3/4" Backset)


- Lock Front:** Adjustable bevel steel backplate 1-1/4" x 8" x 7/64" thick. Cover plate 1/16" thick.
- Deadbolt:** Stainless steel w/hardened roll pins, 1" throw.
- Latch:** Solid stainless steel with antifriction latch lever, 3/4" throw (reversible).
- Auxiliary deadlatch:** 1/2" throw (reversible) - (not shown).
- Hubs:** Steel, 9/32" on diamond, 5/16" on square w/security separator.
- Independent exterior and interior lever support springs.
- Hub Follower:** (to lock hub) steel 1/8" thick.
- Hub Stop:** (to limit lever travel) steel 1/8" thick.
- Case:** Stamped steel 3/32" thick, zinc dichromate finish.
- Spindles:** Independent spring-loaded spindles, 5/16" square.



CUSTOM LOCK DIVISION

MAXIMUM SECURITY MORTISE LOCKSET

Series LA318GJ



PERFORMANCE SPECIFICATIONS:

LIFE TEST: 1,500,000 cycles, minimum

STRENGTH TEST: 530 inch lbs. torque on exterior lever. When applied, lockset remains locked. (Torque of over 550 inch lbs. will cause spindle failure. However, lockset remains locked once spindle is replaced, lockset is fully operational.)

ANSI TEST: Certified to meet or exceed all operational and security tests of ANSI/BHMA A156.13-2012 for series 1000, Grade 1

FIRE TEST: UL listed, 3 hour fire rated. Meets ADA requirements.

WARRANTY: Lifetime mechanical limited warranty



All other functions available with latch, deadlatch and deadbolt combinations

FUNCTION SPECIFICATION: LA318GJ CLASSROOM INTRUDER

Latch by lever either side except when outside lever is locked from inside or outside by key. When locked, exterior key will retract latchbolt. Outside key locks or unlocks exterior lever. Inside key is single acting in one direction and will lock exterior lever only; will not unlock exterior lever. Auxiliary latch deadlocks latch. Inside always free for egress

TRIM: Cast satin stainless steel escutcheon 8-1/2"x2-3/4"x7/16". Recess in escutcheon to accept cylinder with rotating security cylinder ring. Cast screwless satin stainless steel lever handles to within 1/2" from face of door secured to escutcheon plate with hardened steel retainer ring. Lever handle, with spring-loaded torque sensitive 5/16" spindle. Integral torque override preventer recessed into escutcheon plate. Spindle will yield if excessive torque applied, preventing any damage to lock body.

EXTERIOR: Two 1/4" diameter threaded thru posts.

Two 1/4" diameter center posts pass thru lock body, automatically aligning trim.

INTERIOR: Two #10-32 phillips head stainless steel mounting thru bolts. Escutcheon with "LOCK" and directional arrow engraved and black filled near cylinder location. Occupancy indicator recessed into escutcheon plate. Indicator window to display unlocked (green day-glo) and LocDown™ (red day-glo) positions.

CYLINDERS: Two 1-1/8", 6-pin solid brass with 2101 cam int., 2105 cam ext., with two keys. Outside cylinder rotates in both directions. Inside cylinder rotates in one direction only. Cams supplied to accommodate Corbin™, Sargent™ and Schlage™ cylinders.

STRIKE: 4-7/8" X 1-1/4" X 3/32" thick, 5/8" curved lip.

Conforms to ANSI spec. 115.1.


DOOR THICKNESS: 1-3/4"

Lock Body: 5 series "GJ" function double cylinder lock. Lock handing completely reversible without opening lock case.


1. Lock Front – Adjustable bevel steel backplate 1 1/4" x 8 x 7/64" thick. Cover plate 1/16" thick, with philips screws
2. Latch – solid stainless steel w/ antifriction latch lever 3/4" throw
3. Auxiliary Deadlatch – 1/2" throw
4. Case – stamped steel 3/32" thick
5. Hubs – Steel, 9/32" on diamond, 5/16" on square w/ security separator
6. Independent exterior and interior lever support springs

LA318			FINISH GROUPS
MARKS #	FUNCTION	ANSI #	32D
KEYED SINGLE CYLINDER, NO DEADBOLT			
D	OFFICE VESTIBULE		961.16
DW	VESTIBULE		
E	OFFICE	F04	
EW	STOREROOM	F07	
GL	INST. PRIVACY	F26	
J	CLASSROOM	F05	
JM, JR	HOSPITAL (HOLDBACK)	F06	1323.14
EL	ELECTRICALLY LOCKED		
EU	ELECTRICALLY UNLOCKED		
KEYED SINGLE CYLINDER, WITH DEADBOLT			
A	ENTRANCE	F08, F10	976.90
B	ENTRANCE	F21	
F	DORMITORY	F12	
FS	DORMITORY		
FW	DORMITORY	F13	
FD	APARTMENT	F20	1002.75
H	HOTEL	F15	
LH	SPEC. PRIVACY		
KEYED DOUBLE CYLINDER, NO DEADBOLT			
G	ENTRANCE	F09	1013.99
GC	INTRUDER LATCHBOLT	F32	
GG	CLASSROOM SECURITY		
GR	CLASSROOM SECURITY w/HOLDBACK		
WW	INSTITUTION	F30	1042.10
GJ	CLASSROOM SECURITY		
KEYED DOUBLE CYLINDER, WITH DEADBOLT			
AC	ENTRANCE	F35	1013.86
C	STOREROOM	F14	
FC	INTRUDER DEADBOLT	F34	
FA	DORMITORY	F11	
FX	DORMITORY	F33	
KEYLESS			
N	PASSAGE	F01	1013.99
L	BATHROOM	F02	848.74
LF	PRIVACY	F19	
LJ	PRIVACY	F22	976.90
EX	EXIT	F31	913.94
DUMMY TRIM			
DI, DO	DUMMY TRIM INSIDE/OUTSIDE		431.68
DT	DUMMY TRIM		864.48

For pricing, finishes and availability, consult factory



INTERIOR TRIM




SERIES BE101 & LA118 CUSTOM LOCK DIVISION

MAXIMUM SECURITY MORTISE LOCKSET

SERIES BE101 & LA118			BHMA CERTIFIED	
			FINISH GROUPS	
MARKS #	FUNCTION	ANSI #	32D	3, 10, 10B
KEYED SINGLE CYLINDER, NO DEADBOLT				
D	OFFICE VESTIBULE		902.70	942.05
DW	VESTIBULE			
E	OFFICE	F04		
EW	STOREROOM	F07		
GL	INST. PRIVACY	F26		
J	CLASSROOM	F05		
JM, JR	HOSPITAL (HOLDBACK)	F06		
EL	ELECTRICALLY LOCKED		1283.79	1381.59
EU	ELECTRICALLY UNLOCKED			
KEYED SINGLE CYLINDER, WITH DEADBOLT				
A	ENTRANCE	F08, F10	919.56	961.16
B	ENTRANCE	F21		
F	DORMITORY	F12		
FS	DORMITORY			
FW	DORMITORY	F13		
FD	APARTMENT	F20	946.54	988.14
H	HOTEL	F15		
LH	SPEC. PRIVACY			
KEYED DOUBLE CYLINDER, NO DEADBOLT				
G	ENTRANCE	F09	958.91	997.13
GC	INTRUDER LATCHBOLT	F32		
GG	CLASSROOM SECURITY			
GR	CLASSROOM SECURITY w/HOLDBACK			
WW	INSTITUTION	F30		
KEYED DOUBLE CYLINDER, WITH DEADBOLT				
AC	ENTRANCE	F35	958.91	997.13
C	STOREROOM	F14		
FC	INTRUDER DEADBOLT	F34		
FA	DORMITORY	F11		
FX	DORMITORY	F33		
KEYLESS				
N	PASSAGE	F01	783.54	821.76
L	BATHROOM	F02	919.56	961.16
LF	PRIVACY	F19		
LJ	PRIVACY	F22	850.99	891.46
EX	EXIT	F31	850.99	891.46
DUMMY TRIM				
DI, DO	DUMMY TRIM INSIDE/OUTSIDE		395.70	415.94
DT	DUMMY TRIM		792.53	891.46

For pricing, finishes and availability, consult factory



Performance Specifications:

Life Test: 1,500,000 cycles minimum.

ANSI Test: Meets or exceeds all operational and security tests of ANSI specifications A156.13-2005 for series 1000, Grade 1.

Fire Test: UL Listed, 3 hour fire rated.

Meets ADA requirements.



Trim Specifications:

"Barrier" Thru-bolted steel lever/plate assemblies with brass machined lever bearings. Screwless forged American levers, 4-1/2" long to meet ADA requirements, fastened to plates with hardened snap rings. Spring loaded 5/16" spindles (no set screws). Dark bronze powder coated finish.

Exterior: Wrought steel lever/plate assembly.

10-1/8" x 4" x 5/64" with 3 concealed welded thru-posts. Center post braces lock body for proper alignment in 1-3/4" thick door. Plate covers cylinder with only the keyway exposed.

Optional Exterior: Plate prepared for IC core cylinder.

Interior: Flat steel lever/plate assembly. 10-3/4" x 3-1/8" x 3/32" thick with 3 each 1/4"-20 mounting bolts. Center bolt passes through lock body to integrate trim with lock.

Cylinder: 1-1/8" long, 6 pin, solid brass with spacing collar concealed under exterior "Barrier" plate; 2 keys.

Strike: 4-7/8" x 1-1/4" x 3/32" thick, 5/8" curved lip. Conforms to ANSI spec., A115.1.

Door Thickness: 1-3/4" standard. Extended range available.

Lock Specifications: 5 Series (2-3/4" Backset)

1. Lock Front: Adjustable bevel steel backplate 1-1/4" x 8" x 7/64" thick. Cover plate 1/16" thick.

2. Deadbolt: Stainless steel w/hardened roll pins, 1" throw.

3. Latch: Solid stainless steel with antifriction latch lever, 3/4" throw (reversible).

4. Auxiliary deadlatch: 1/2" throw (reversible) - (not shown).

5. Hubs: Steel, 9/32" on diamond, 5/16" on square w/security separator.


6. Independent exterior and interior lever support springs.

7. Hub Follower: (to lock hub) steel 1/8" thick.

8. Hub Stop: (to limit lever travel) steel 1/8" thick.

9. Case: Stamped steel 3/32" thick, zinc dichromate finish.

10. Spindles: Independent spring-loaded spindles, 5/16" square.



GRADE 1 195BH LifeSaver™ D-LIG SLIDE CYLINDRICAL LOCKSETS

BHMA CERTIFIED	 ANSI-A156.2 • Grade 1 3 Hour Fire Rating	 UL US LISTED	195BH SERIES
195SS Series Leversets Shown Below		Standard Features	
 	<ul style="list-style-type: none"> • Rating: ANSI A156.2 Grade 1, UL Listed 3Hr Fire Rating • 5- Point Ligature Resistant slide Trim • Backset: 2 3/4" Standard, 2 3/8", 3 3/4" and 5" available • Latch: #1834, stainless Steel Nose • Ergonomic solid cast Stainless Steel Slide, Slides down freely in the locked or unlocked position • Escutcheon Plate solid cast Stainless Steel thru bolted for strength and easy installation • Designed to meet BHMA 156.34 Anti Ligature Trim Standard • Tamper Resistant mounting screws • Strike: #1135, 4 7/8" ASA curved lip Strike • Door Thickness: 1 3/4" • Cylinder: Marks C Keyway, 6 pin w/2 keys – Available in IC and All OEM cylinder preps • Marks Hi-Security Cylinder available • Marks Stainless Steel Retractor - Long life 3X the BHMA Grade 1 cycle Standard • Antimicrobial Finish available – Code AM • Marks Lifetime Mechanical Warranty • Available in Most BHMA ANSI Functions 		

SERIES 195BH					
MARKS #		DESCRIPTION	ANSI #	FINISH	PRICE
COMM. CYL.	ACCEPTS IC CORE CYL.*				
N	—	PASSAGE	F75	32D	1351.85
L	—	PRIVACY	F76		1351.85
B	RB	ENTRY	F82A		1528.18
S	RS	CLASSROOM	F84		1528.18
F	RF	STOREROOM	F86		1528.18
DW	RDW	INSTITUTION	F87		1704.51
DB	RDB	CLASSROOM INTRUDER	F110		1645.73
DO	—	DUMMY TRIM OUTSIDE	—		1293.08
DT	—	FULL DUMMY TRIM	—		646.54
NB	—	COMM. PASSAGE	F111		1316.59
FB	RFB	COMM. STOREROOM	F112		1398.87
SB	RSB	COMM. CLASSROOM	F113		1398.87
FEL	RFEL	ELECTRICALLY LOCKED			1704.51
FEU	RFEU	ELECTRICALLY UNLOCKED			1704.51
PACKED 6 PER CASE					

OPTIONS	CODE	PRICE	OPTIONS	CODE	PRICE
For 2" doors	D1	50	Sargent conventional cylinder	F8	25
For 2-1/4" doors, Consult Factory	D2		Corbin conventional cylinder	F9	25
Over 2-1/4" - 4" thickness	D9	700	Corbin 6 pin IC core	F12	37
2-3/8" backset, 1" x 2-1/4" face	E6	NC	Yale 6 pin IC core	F14	25
5" backset, 9/16" throw, Gr. 1	E9	50	Sargent IC core	F20	25
3-3/4" backset, 9/16" throw, Gr. 1	E10	50	Medeco IC core large format	F21	25
Less cylinder	G3	Deduct 17	Schlage Large Format IC Core	F19	25
2-3/4" "T" strike	S3	NC	7-Pin Yale IC Core	F15	25

TAILPIECES FOR 195BH		
P/N	FITS	OPTION CODE
MH119	YALE / MEDECO IC CORE	F14, F15, F21
MH140	CONVENTIONAL (K.I.L.) CYL	N/A
MH144	BEST	R, F20
MH146	CORBIN IC	F12, F13
MH1903S-C	SCHLAGE IC / CORBIN K.I.L.	F19, F9

★ **Standard & HI-SECURITY™ IC Core Models:** Interchangeable Core models for 6 or 7 pin cores (not included). **Accepts:** Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**




**Antimicrobial Finish Available
Option Code: AM**

Institutional Life Safety

GRADE 1 SERIES 5BH29 D-LIG SLIDE MORTISE LOCKSET


INSTITUTIONAL LifeSaver™ MORTISE LOCKSETS

BHMA CERTIFIED		C UL US LISTED		FINISH 32D
SERIES 5				5BH
MARKS #	FUNCTION	ANSI #		
KEYED SINGLE CYLINDER, NO DEADBOLT				
D	OFFICE VEST.		1998.39	
DW	VESTIBULE			
E	OFFICE	F04		
EW	STOREROOM	F07		
J	CLASSROOM	F05		
GL	INSTIT. PRIVACY	F26		
EL	ELECTRICALLY LOCKED		2386.31	
EU	ELECTRICALLY UNLOCKED			
KEYED SINGLE CYLINDER, WITH DEADBOLT				
A	ENTRANCE	F08, F10	2014.85	
B	ENTRANCE	F21		
F	DORMITORY	F12		
FS	DORMITORY			
FW	DORMITORY	F13		
KEYED DOUBLE CYLINDER, NO DEADBOLT				
G	APARTMENT	F09	2052.47	
GC	INTRUDER LATCHBOLT	F32		
GG	CLASSROOM SECURITY			
WW	INSTITUTIONAL	F30		
KEYED DOUBLE CYLINDER, WITH DEADBOLT				
AC	ENTRANCE	F35	2052.47	
C	STOREROOM	F14		
FA	DORMITORY	F11		
FX	DORMITORY	F33		
KEYLESS				
N	PASSAGE	F01	1884.37	
L	BATHROOM	F02	2014.85	
LF	PRIVACY	F19		
LJ	PRIVACY	F22		
EX	EXIT	F31	1950.19	
DUMMY TRIM				
DI	DUMMY TRIM INSIDE		587.76	
DO	DUMMY TRIM OUTSIDE			
DT	FULLY DUMMY		1316.59	



Performance Specifications:

- **Rating:** ANSI A156.13 Grade 1, UL Listed 3Hr Fire Rating
- 5- Point Ligature Resistant slide Trim
- **Backset:** 2 3/4" Standard, 2 1/2" Consult Factory
- **Latch:** #1834, stainless Steel Nose
- **Ergonomic solid cast Stainless Steel Slide,** Slides down freely in the locked or unlocked position
- **Escutcheon Plate solid cast Stainless Steel** thru bolted for strength and easy installation
- Designed to meet **BHMA 156.34 Anti Ligature Trim Standard**
- Tamper Resistant mounting screws
- Ligature Resistant ADA Thumbturn available where applicable
- **Strike:** #1135, 4 7/8" ASA curved lip Strike
- **Door Thickness:** 1 3/4"
- **Cylinder:** Marks C Keyway, 6 pin w/2 keys
- Available in IC and All OEM cylinder preps
- Marks Hi-Security Cylinder available
- **Marks Stainless Steel Retractor** - Long life 3X the BHMA Grade 1 cycle Standard
- Antimicrobial Finish available – Code AM
- **Marks Lifetime Mechanical Warranty**
- Available in Most BHMA ANSI Functions



*** Standard & HI-SECURITY™ IC Core Models:** 
 Interchangeable Core models for 6 or 7 pin cores (not included).
Accepts: Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®, IC Core Tailpieces ARE Included.

Antimicrobial Finish Available
Option Code: AM

How To Order					
5BH29	J	/	32D	—	G3
1. Lockset Series	2. Marks Function	Slash	3. Finish	Dash	4. Options

Institutional Life Safety

GRADE 1 195SS LifeSaver™ CYLINDRICAL LEVERSETS

		ANSI-A156.2 • Grade 1 3 Hour Fire Rating		195SS SERIES
195SS Series Leversets Shown Below				Standard Features
				<ul style="list-style-type: none"> • ANSI-A156.2 Grade 1, UL listed 3 Hr. Fire Rating • Backset: 2-3/4" Standard, 2-3/8", 3-3/4", 5" Available • Latch #1834, stainless steel nose • Levers: Solid cast stainless steel. Levers Rotate up & down freely in locked or unlocked position • Levers recessed into solid stainless steel roses eliminating any open gap • Roses: Thru-bolted, spring loaded, #10 thru-bolts • Strike: #1135, 4-7/8" ASA curved lip strike • Door thickness: 1-3/4" +/- 1/16" • Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys • Stainless steel retractor

SERIES 1SS19					
MARKS #		DESCRIPTION	ANSI #	FINISH	PRICE
COMM. CYL.	ACCEPTS IC CORE CYL.*				
N	—	PASSAGE	F75	32D	985.06
L	—	PRIVACY	F76		1010.95
LK	—	PRIVACY	F76 MOD.		1042.69
P	—	PATIO	F77		1005.07
DC	RDC	COMMUNICATING	F80		1081.48
B	RB	ENTRY	F82A		1030.93
AQ	—	EXIT	F83		1016.83
S	RS	CLASSROOM	F84		1030.93
F	RF	STOREROOM	F86		1030.93
DW	RDW	INSTITUTION	F87		1081.48
DA	RDA	VESTIBULE	F88		1081.48
FQ	—	EXIT	F89		1016.83
T	—	CORRIDOR	F90		1042.69
TK	—	HOSPITAL/PRIV.	F90 MOD.		1005.07
GB	RGB	STORE DOOR	F91		1042.69
BS	RBS	SVC. STATION LOCK	F92		1093.24
DO	—	DUMMY TRIM OUTSIDE	—		813.46
DT	—	FULL DUMMY TRIM	—		934.54
NB	—	COMM. PASSAGE	F111		960.40
FB	RFB	COMM. STOREROOM	F112		1022.71
SB	RSB	COMM. CLASSROOM	F113	1022.71	
FEL	RFEL	ELECTRICALLY LOCKED		1234.30	
FEU	RFEU	ELECTRICALLY UNLOCKED		1234.30	

PACKED 6 PER CASE

OPTIONS	CODE	PRICE	OPTIONS	CODE	PRICE
For 2" doors Consult Factory	D1	—	Sargent conventional cylinder	F8	25
For 2-1/4" doors, Consult Factory	D2	—	Corbin conventional cylinder	F9	25
Over 2-1/4" - 4" thickness	D9	700	Corbin 6 pin IC core	F12	37
2-3/8" backset, 1" x 2-1/4" face	E6	NC	Yale 6 pin IC core	F14	25
5" backset, 9/16" throw, Gr. 1 Consult Factory	E9	50	Sargent IC core	F20	25
3-3/4" backset, 9/16" throw, Gr. 1	E10	50	Medeco IC core large format	F21	25
Less cylinder	G3	Deduct 17			
2-3/4" "T" strike	S3	NC			
Spacer for K1904GB/SS1	195SS	450			

How To Order

195SS	F	/	32D	—	G3
1. Lockset Series	2. Marks Function	3. Finish	4. Options		

*** Standard & HI-SECURITY™ IC Core Models:** Interchangeable Core models for 6 or 7 pin cores (not included). **Accepts:** Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**






Antimicrobial Finish Available
Option Code: AM

Institutional Life Safety

SERIES 5SS55 KNOB & 5SS19 LEVER

INSTITUTIONAL LifeSaver™ MORTISE LOCKSETS

 SERIES 5 			FINISH 32D	
MARKS #	FUNCTION	ANSI #	SS55 Knob	SS19 Lever
KEYED SINGLE CYLINDER, NO DEADBOLT				
D	OFFICE VEST.		1290.72	1290.72
DW	VESTIBULE			
E	OFFICE	F04		
EW	STOREROOM	F07		
J	CLASSROOM	F05		
GL	INSTIT. PRIVACY	F26		
EL	ELECTRICALLY LOCKED		1666.90	1666.90
EU	ELECTRICALLY UNLOCKED			
KEYED SINGLE CYLINDER, WITH DEADBOLT				
A	ENTRANCE	F08, F10	1497.99	1497.99
B	ENTRANCE	F21		
F	DORMITORY	F12		
FS	DORMITORY			
FW	DORMITORY	F13		
KEYED DOUBLE CYLINDER, NO DEADBOLT				
G	APARTMENT	F09	1325.99	1325.99
GC	INTRUDER LATCHBOLT	F32		
GG	CLASSROOM SECURITY			
WW	INSTITUTIONAL	F30		
KEYED DOUBLE CYLINDER, WITH DEADBOLT				
AC	ENTRANCE	F35	1325.99	1325.99
C	STOREROOM	F14		
FA	DORMITORY	F11		
FX	DORMITORY	F33		
KEYLESS				
N	PASSAGE	F01	1243.70	1184.48
L	BATHROOM	F02	1478.88	1408.39
LF	PRIVACY	F19		
LJ	PRIVACY	F22	1514.08	1441.98
EX	EXIT	F31		
DUMMY TRIM				
DI	DUMMY TRIM INSIDE		686.51	686.51
DO	DUMMY TRIM OUTSIDE			
DT	FULLY DUMMY			



Performance Specifications:

Life Test: 1,500,000 cycles minimum.

ANSI Test: Meets or exceeds all operational and security tests of ANSI specifications A156.13-2005 for series 5000, Grade 1.

Trim Specifications:

Exterior & Interior Trim:

- Solid stainless steel interior and exterior tapered knobs or levers recessed into thru-bolted roses.
- Safety knobs with recessed grip and finger indents (*Patent #D587556*). Safety lever for handicapped access on clutch operated Mortise lock.
- Ergonomically designed grooved turn knob for deadbolt functions.

Cylinder: Solid stainless steel cylinders with solid stainless steel security collars; Optional HI-SECURITY™ cylinders available

Strike: 4-7/8" curved lip stainless steel w/tamperproof screws

Door Thickness: 1-3/4" standard; Extended range available

Door Prep: ANSI A115.1 lock face cutout, with 2-1/8" through hole for knob/rose assembly

Lock Specifications: 5 Series (2-3/4" Backset) 55 Series (2-1/2" Backset)

Lock Front: Adjustable bevel steel backplate 1-1/4" x 8" x 7/64" thick, Cover plate 1/16" thick with tamper proof screws

Latch: Solid stainless steel with antifriction latch lever, 3/4" throw (reversible)

Levers: Solid cast stainless steel. **Levers Rotate up & down freely in locked or unlocked position**


Aux. Deadlatch: 1/2" throw, (reversible)

Case: Stamped steel 3/32" thick, zinc dichromate finish

Hubs: Steel, 9/32" on diamond, 5/16" on square w/security separator

Hub Lock Arm: (to lock hub) Steel 1/8" thick

Spindles: Independent spring-loaded spindles



**Antimicrobial
Finish Available
Option Code: AM**

Institutional
Life Safety


Standard & HI-SECURITY™ IC Core Models:

Interchangeable Core models for 6 or 7 pin cores (not included).

Accepts: Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. IC Core Tailpieces ARE Included.

How To Order

5SS55 Knob	5SS19 Lever	J	/	32D	—	G3
1. Lockset Series		2. Marks Function		3. Finish		4. Options




SERIES 180SS INSTITUTIONAL LifeSaver™ LOCKSETS

INSTITUTIONAL LIFE SAFETY CYLINDRICAL KNOBSETS & LOCKSETS


SERIES 180SS			FINISH GROUPS
MARKS #	FUNCTION	ANSI #	32D
KEYED SINGLE CYLINDER, WITH DEADBOLT			
K	CYLINDER x KNOB	E0121	1298.95
KEYLESS			
N	PASSAGE	F75	1298.95

★ **Standard & HI-SECURITY™ IC Core Models:** 
 Interchangeable Core models for 6 or 7 pin cores (not included).
Accepts: Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**


180SSK: Function E0121; Latch by knob inside, key outside.



180SSN: Function F75; Latch by knob either side, always open.




Antimicrobial Finish Available
Option Code: AM



Performance Specifications

Life Test: 1,500,000 cycles minimum.

ANSI Test: Meets or exceeds all operational and security tests of ANSI specifications A156.2-2003 for series 1000, Grade 1.

Fire Test: UL Listed, 3 Hour fire rated. 

Exterior & Interior Trim:

- Solid stainless steel interior and exterior tapered knobs recessed into thru-bolted roses
- Specially designed finger indented safety knobs with recessed grip and ergonomically designed integral grooved turn knob for elderly and handicapped access (Patent #D587556)
- Needle bearings ensure smoothness of operation

1SS55K Cylindrical Deadlatch Lockset: ANSI E0121 Cylinder x Knob

Strike: #1136, 2-3/4" "T" strike; #1135 4-7/8" ASA strike optional

Door Prep: ANSI 115.2

Latch: ANSI 156.2, Grade 1, 3 Hour fire rated

Door Thickness: 1-3/4"

Backset: 2-3/4" Backset; 3-3/4" and 5" backsets also available

Latch Face: 1-1/8" x 2-1/4" with tamper proof screws

Cylinder: Solid brass cylinder, 6-pin, "C" keyway;
 Optional HI-SECURITY™ cylinders available

1SS55N Cylindrical Lockset: ANSI F75 Passage

Strike: #1136, 2-3/4" "T" strike

Door Prep: ANSI 115.2

Latch: ANSI 156.2, Grade 1, 3 Hour fire rated

Backset: 2-3/4" backset standard, 2-3/8" backset optional;
 3-3/4" and 5" backsets also available


Latch Face: 1-1/8" x 2-1/4" with tamper proof screws

Latch Throw: 9/16"


Institutional Life Safety

SERIES 31SS55 INSTITUTIONAL LifeSaver™ LOCKSETS




INSTITUTIONAL LIFE SAFETY MORTISE DEADLOCK

SERIES 31SS55			 FINISH GROUPS
MARKS #	FUNCTION	ANSI #	32D
KEYED SINGLE CYLINDER, WITH DEADBOLT			
K	CYLINDER x KNOB	E06071	540.01
S	CLASSROOM	E06091	576.01

31SS55K: Function E06071; Deadbolt by outside key. Interior safety knob will retract but not project deadbolt.




31SS55S: Function E06091; Deadbolt by outside key. Turnpiece will retract but not project deadbolt.




Performance Specifications:

Life Test: 1,500,000 cycles minimum.

ANSI Test: Meets or exceeds all operational and security tests of ANSI/BHMA Certified A156.5-2001 for series 31, Grade 1.

Fire Test: UL Listed, 3 Hour fire rated. 



Trim Specifications:

Interior Trim: Solid stainless steel interior trim including finger indented safety knobs which recess into solid brass through-bolted roses.

Series 31 Deadlock Specifications:

Backset: 2-3/4"

Bolt throw: 1" stainless steel w/hardened roll pins

Case: Stamped Steel

Front: 1-1/16" x 4-5/8" adjustable bevel

Cylinder: Solid brass cylinder, 6-pin, "C" keyway, 2 keys.
 Optional HI-SECURITY™ cylinders available.


Strike: #4035 Included


Antimicrobial Finish
Option Code: AM

★ **Standard & HI-SECURITY™ IC Core Models:** 
 Interchangeable Core models for 6 or 7 pin cores (not included).
Accepts: Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**

SERIES 180PD & 5PD HOSPITAL LifeSaver™ LOCKSETS

CYLINDRICAL & MORTISE PUSH/PULL PADDLESETS

Hospital Push/Pull Standard Features			
<ul style="list-style-type: none"> 1-3/4" door thickness, self adjusting for thicker doors Variable mounting positions 		<ul style="list-style-type: none"> Non-Handed Easily reversible configuration for push or pull styles 	
180PD Cylindrical Standard Features		SERIES 180PD • ANSI-A156.2 • Grade 1	
<ul style="list-style-type: none"> 2-3/4" backset std., 2-3/8", 3-3/4" & 5" optional 2-3/4" "T" strike; 4-7/8" ASA strike optional Government standard #161 door prep 		 LEAD LINING & ENGRAVING AVAILABLE	
MARKS #	FUNCTION	ANSI #	FINISH: 32D Standard Consult Factory for Additional Finishes
N	PASSAGE	F75	349.76
PUSH/PULLS ARE PACKED 6 PER CASE			

5PD, 55PD Mortise Standard Features		SERIES 5PD, 55PD • ANSI-A156.13 • Grade 1	
<ul style="list-style-type: none"> 5 Series Backset: 2-3/4"; 55 Series Backset: 2-1/2" Strike: #9035, 4-7/8" ASA curved lip strike 		 LEAD LINING & ENGRAVING AVAILABLE	
MARKS #	FUNCTION	ANSI #	FINISH: 32D Standard Consult Factory for Additional Finishes

KEYED SINGLE CYLINDER, NO DEADBOLT			
D	OFFICE VEST.		889.87
DW	VESTIBULE		
E	OFFICE	F04	
EW	STOREROOM	F07	
J	CLASSROOM	F05	
JM, JR	HOSPITAL	F06	
GL	INSTITUTIONAL PRIVACY	F26	1288.37
EL	ELECTRICALLY LOCKED		
EU	ELECTRICALLY UNLOCKED		

KEYED SINGLE CYLINDER, WITH DEADBOLT			
A	ENTRANCE	F08, F10	908.68
B	ENTRANCE	F21	
F	DORMITORY	F12	
FS	DORMITORY		
FW	DORMITORY	F13	
FD	APARTMENT	F20	935.72
H	HOTEL	F15	
LH	SPECIAL PRIVACY		

KEYED DOUBLE CYLINDER, NO DEADBOLT			
G	APARTMENT	F09	947.47
GC	INTRUDER LATCHBOLT	F32	
GG	CLASSROOM SECURITY		
GR	CLASSROOM SECURITY w/ HOLDBACK		
WW	INSTITUTIONAL	F30	



KEYED DOUBLE CYLINDER, WITH DEADBOLT			
AC	ENTRANCE	F35	947.47
C	STOREROOM	F14	
FC	INTRUDER DEADBOLT	F34	
FA	DORMITORY	F11	
FX	DORMITORY	F33	

KEYLESS			
N	PASSAGE	F01	766.44
L	BATHROOM	F02	908.68
LF	PRIVACY	F19	
LJ	PRIVACY	F22	833.45
EX	EXIT	F31	



How To Order

5PD or 180PD	F	/	32D	—	G3
1. Lockset Series	2. Marks Function	Slash	3. Finish	Dash	4. Options

180PD Cylindrical Paddleset




5PD Mortise Paddleset



Hospital Push/Pull Paddlesets

MORTISE LOCK CYLINDERS


Cylinders



Mortise

Concealed

IC Core Cylinder Housings



R662

Small Format
IC Core
6 or 7 Pin

RA3182
Schlage® format
IC Core

R2181

R2183

R4182

IC core pricing includes KA, KD or MK keying.

* **Standard & HI-SECURITY™ IC Core Models:** 
Interchangeable Core models for 6 or 7 pin cores (not included).
Accepts: Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon,
Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**

PART #	DESCRIPTION	PINS	LENGTH	FINISH GROUPS	
				3, 26D	5, 10, 10B, 15, 26, 32D
2181	Mortise	6	2-7/8"	430.50	—
2182	Mortise	6	1-1/8"	108.52	120.94
2183	Mortise	6	1-1/4"	108.52	120.94
2193	Concealed	5	15/16"	144.73	—
2194	Concealed	6	1-1/8"	152.66	—
2196	Mortise	6	2-3/8"	600.75	—
2197	Mortise	6	1-3/4"	232.03	243.86
2198	Mortise	6	1-1/2"	186.36	192.32
662	Rim	6	—	109.04	120.94
R2181	Mortise IC Core Housing	6	1"	109.04	120.94
R2182	Mortise IC Core Housing	6	1-1/4"	99.13	105.08
R2183	Mortise IC Core Housing	6 or 7	1-3/8"	99.13	105.08
R2184	IC Core Cylinder Housing	6 or 7	1-3/4"	229.99	229.99
R3182	Schlage® type IC Core, Uncombined	6	—	229.99	—
R4182	Schlage® type IC Core Housing	6	1-1/2"	265.67	273.61
R662	Rim IC Core Housing	6 or 7	1-3/8"	115.00	120.94
R1182	6 Pin Core, Uncombined			87.23	—
R1183	7 Pin Core, Uncombined			87.23	—
RA1182	6 Pin Core, Combined			1288.88	132.84
RA1183	7 Pin Core, Combined			128.88	132.84
RA3182	Schlage® type IC Core, Combined	6		273.61	—
RC1182	6 Pin Core, Construction Core			91.20	—
RC1187	Plastic Core Turn Knob			17.84	—
RC3182	Schlage® type Construction Core			229.99	—
RM1182	Marketry Core			95.17	—

Cylinder Cams



2101

2102

2104

2105

2106

2107-CL

PART #	DESCRIPTION	USE WITH MORTISE LOCK	CODE	PRICE
2101	STRAIGHT CAM	MARKS	1	10.00
2101-A		ARROW/SARGENT	A1	10.00
2101-C		CORBIN RUSSWIN	C1	10.00
2101-S		SCHLAGE	S1	10.00
2102	CLOVERLEAF CAM	MARKS	2	10.00
2102-A		ARROW/SARGENT	A2	10.00
2102-C		CORBIN RUSSWIN	C2	10.00
2102-S		SCHLAGE	S2	10.00

PART #	DESCRIPTION	USE WITH MORTISE LOCK	CODE	PRICE
2104	ADAMS-RITE CAM	MARKS	4	10.00
2105	"J" FUNCTION CAM	MARKS	5	10.00
2105-A		ARROW/SARGENT	A5	10.00
2105-C		CORBIN RUSSWIN	C5	10.00
2105-S		SCHLAGE	S5	10.00
2107-CL	"J-CL" FUNCTION CAM	MARKS	7	10.00
2106	"G" CAM Exterior only	MARKS	6	10.00
2106-A		ARROW/SARGENT	A6	10.00
2106-C		CORBIN RUSSWIN	C6	10.00
2106-S		SCHLAGE	S6	10.00

How To Order Example for Mortise Lock Cylinders

2182	/	32D	—	1C
1. <i>Cylinder</i>	<i>Slash</i>	2. <i>Finish</i>	<i>Dash</i>	3. <i>Options</i>

See List Of
Cylinders
Available

FINISH
(Pg. 8)

- | | | |
|-----------------------------|------------------------------|------------------------------|
| <input type="checkbox"/> 3 | <input type="checkbox"/> 10 | <input type="checkbox"/> 26 |
| <input type="checkbox"/> 3E | <input type="checkbox"/> 10B | <input type="checkbox"/> 26D |
| <input type="checkbox"/> 5 | <input type="checkbox"/> 15 | <input type="checkbox"/> 32D |

Special

Specify


- Keying
- Door Thickness

Cam and keying information
must be included in the option section.


KEYS & KEYING

Keys

Can Stamp A Maximum Of 6 Characters On Key.



MARKS Keys



IC Core Keys

STANDARD KEYWAYS	PIN LENGTH ACCEPTS	SHOULDER INCREMENTS	PIN TO PIN TO 1st PIN	PLUG DISTANCE	DIAMETER
MARKS "A"	Arrow Kwikset Segal 9	.015"	.264"	.156"	.504"
MARKS "C"	Schlage "C"	.015"	.231"	.156"	.504"

Construction Master Keying:



The construction master key (CMK) is to be used temporarily while the building is under construction. When construction is completed, the end user defeats the CMK's operation by turning the change key in each cylinder, rather than replace or re-keying the cylinder.

Marks USA uses a program which is called the "lost ball" program. When construction key system is set up, three small ball bearings (construction balls) are placed between the bottom pin and master pin, normally in the last chamber as a "temporary master pin". The construction key is usually the same cut as the top master key with the exception of the sixth cut which is two increments higher. The construction master key will work in any cylinder until cylinder is "defeated" by making one full rotation in the cylinder with the change key. The cylinder plug requires a small diameter "pocket" drilled on one side of one pin chamber so when rotating the cylinder with the change key the pocket will capture the construction balls. The construction pocket in the plug is smaller than a pin chamber. This prevents any top pins or master pins from entering as the plug rotates. Once the cylinder is defeated, there is no way for the cylinder to be construction keyed again without disassembling it.

PART #	DESCRIPTION	PRICE	
		EACH	CUT
2164A	MARKS "A" 5 PIN BRASS	8	10
2164C	MARKS "C" 5 PIN BRASS, NICKEL PLATED	8	10
2184A	MARKS "A" 6 PIN NICKEL SILVER	9	11
2184C	MARKS "C" 6 PIN NICKEL SILVER	9	11
R1164	IC CORE 6 OR 7 PIN (SMALL FORMAT)	9	11
R3164	SCHLAGE® IC CORE CONTROL KEY	9	11

BEST® A thru M keyway. Please specify.
IC Core pricing includes KA, KD or MK Keying.

PART #	DESCRIPTION	PRICE	
		REGULAR	IC CORE
KA	KEYED ALIKE	NC	NC
KD	KEYED DIFFERENT	NC	NC
MK	MASTER KEYED	24	24
CMK	CONSTRUCTION MASTER KEYED (Includes GMK or MK)	36	—
GMK	GRAND MASTER KEYED	24	28
GGMK	GREAT GRAND MASTER KEYED	24	28
GGGMK	GREAT GREAT GRAND MASTER KEYED	24	—
STAMPING		PRICE	
LETTERS/NUMBERS ON KEY		9 PER KEY	
US PROPERTY - "DO NOT DUPLICATE"		9 PER KEY	
VISUAL KEY CONTROL (VKC)		10	
CONCEAL KEY CONTROL		20	
EXTRA CUT KEYS WITH LOCKSET		SEE KEYS ABOVE	
KEY BITTING CODE LIST		N/C	




IC CORE PRICING INCLUDES KA, KD OR MK KEYING

★ **Standard & HI-SECURITY™ IC Core Models:** Interchangeable Core models for 6 or 7 pin cores (not included).
Accepts: Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**


HI-SECURITY™ CYLINDERS: NON-UL




HI-SECURITY™ MORTISE CYLINDERS

	NON-UL "0" Bitted x 2 Keys; "0" Bitted "NO KEYS" - Deduct \$7		FINISH GROUPS		
	PART #	DESCRIPTION	3, 26D	4, 5, 10, 10B, 15, 26, 32D	3E
	BXXX-D001A0N2	1-1/8" Mortise Cylinder	146.22	158.61	186.36
	CXXX-D001A0N2	1-1/4" Mortise Cylinder	158.61	172.49	198.26
	DXXX-D001A0N2	1-3/8" Mortise Cylinder	184.39	194.30	222.05
	NON-UL KD x 2 Keys				
	BXXX-D001A1N2	1-1/8" Mortise Cylinder	160.60	176.45	206.20
	CXXX-D001A1N2	1-1/4" Mortise Cylinder	176.45	184.39	214.13
	DXXX-D001A1N2	1-3/8" Mortise Cylinder	200.25	210.16	239.90
	HI-SECURITY™ CYLINDERS ARE PACKED 24 PER CASE				


HI-SECURITY™ MORTISE/RIM COMBO CYLINDERS

	NON-UL "0" Bitted x 2 Keys; "0" Bitted "NO KEYS" - Deduct \$7		FINISH GROUPS		
	PART #	DESCRIPTION	3, 26D	4, 5, 10, 10B, 15, 26, 32D	3E
	EXXX-D001A0N2	1" Combo Cylinder	132.84	142.75	174.47
	FXXX-D001A0N2	1-1/8" Combo Cylinder	158.61	172.48	198.26
	NON-UL KD x 2 Keys				
	EXXX-D001A1N2	1" Combo Cylinder	148.70	158.61	186.36
	FXXX-D001A1N2	1-1/8" Combo Cylinder	176.45	184.39	214.13
HI-SECURITY™ CYLINDERS ARE PACKED 24 PER CASE					


HI-SECURITY™ KIK CYLINDERS

	NON-UL "0" Bitted x 2 Keys; "0" Bitted "NO KEYS" - Deduct \$6		FINISH GROUPS		
	PART #	DESCRIPTION	26D		
	G26D-D001X0N2	Key-In-Knob Cylinder	120.94		
	NON-UL KD x 2 Keys				
	G26D-D001X1N2	Key-In-Knob Cylinder	132.84		
HI-SECURITY™ CYLINDERS ARE PACKED 24 PER CASE					


HI-SECURITY™ MARKS IC CORE CYLINDERS

	NON-UL "0" Bitted x 2 Keys x 1 Control Key; "0" Bitted "NO KEYS" - Deduct \$6		FINISH GROUPS		
	PART #	DESCRIPTION	26D		
	H26D-D001X0N2	6 Pin IC Core Cylinder	132.84		
	J26D-D001X0N2	7 Pin IC Core Cylinder	138.79		
	NON-UL KD x 2 Keys x 1 Control Key				
	J26D-D001X1N2	7 Pin IC Core Cylinder	160.60		
HI-SECURITY™ CYLINDERS ARE PACKED 24 PER CASE					

HI-SECURITY™ Schlage® LARGE FORMAT IC CORE CYLINDERS

	NON-UL "0" Bitted x 2 Keys x 1 Control Key; "0" Bitted "NO KEYS" - Deduct \$6		FINISH GROUPS		
	PART #	DESCRIPTION	26D		
	K26D-D001X0N2	6 Pin Schlage® IC Core Cylinder	168.53		
	NON-UL KD x 2 Keys x 1 Control Key				
	K26D-D001X1N2	6 Pin Schlage® IC Core Cylinder	188.35		
HI-SECURITY™ CYLINDERS ARE PACKED 24 PER CASE					

HI-SECURITY™ Medeco® LARGE FORMAT IC CORE CYLINDERS


	NON-UL "0" Bitted x 2 Keys x 1 Control Key; "0" Bitted "NO KEYS" - Deduct \$6		FINISH GROUPS		
	PART #	DESCRIPTION	26D		
	P26D-D001X0N2	6 Pin Medeco® IC Core Cylinder	206.20		
	NON-UL KD x 2 Keys x 1 Control Key				
	P26D-D001X1N2	6 Pin Medeco® IC Core Cylinder	228.01		
HI-SECURITY™ CYLINDERS ARE PACKED 24 PER CASE					


HI-SECURITY™
Cylinders


HI-SECURITY™ CYLINDERS





Security-Mate™ & SPECIAL APPLICATION CYLINDERS


Security-Mate™ MORTISE CYLINDERS				
	"0" Bitted "NO KEYS"		FINISH GROUPS	
	PART #	DESCRIPTION	3, 26D	4, 5, 10, 10B, 15, 26, 32D
	BXXX-DXXXXA0N0	1-1/8" Mortise Cylinder	115.00	158.61
	CXXX-DXXXXA0N0	1-1/4" Mortise Cylinder	124.91	172.49
	DXXX-DXXXXA0N0	1-3/8" Mortise Cylinder	146.72	194.30
	LXXX-DXXXXA0N0	1-1/2" Mortise Cylinder	172.49	216.11
	MXXX-DXXXXA0N0	1-3/4" Mortise Cylinder	194.30	245.85
Security-Mate™ CYLINDERS ARE PACKED 24 PER CASE				


Security-Mate™ MORTISE/RIM COMBO CYLINDERS				
	"0" Bitted "NO KEYS"		FINISH GROUPS	
	PART #	DESCRIPTION	3, 26D	4, 5, 10, 10B, 15, 26, 32D
	EXXX-DXXXXA0N0	1" Combo Cylinder	95.91	109.04
	FXXX-DXXXXA0N0	1-1/8" Combo Cylinder	124.91	132.84
Security-Mate™ CYLINDERS ARE PACKED 24 PER CASE				

Security-Mate™ KIK CYLINDERS			
	"0" Bitted "NO KEYS"		FINISH GROUPS
	PART #	DESCRIPTION	26D
	G26D-DXXXXX0N0	Key-In-Knob Cylinder	89.22
Security-Mate™ CYLINDERS ARE PACKED 24 PER CASE			

Security-Mate™ MARKS IC CORE CYLINDERS			
	"0" Bitted "NO KEYS"		FINISH GROUPS
	PART #	DESCRIPTION	26D
	H26D-DXXXXX0N0	6 Pin IC Core Cylinder	99.13
	J26D-DXXXXX0N0	7 Pin IC Core Cylinder	109.04
Security-Mate™ CYLINDERS ARE PACKED 24 PER CASE			

Security-Mate® Schlage™ LARGE FORMAT IC CORE CYLINDERS			
	"0" Bitted "NO KEYS"		FINISH GROUPS
	PART #	DESCRIPTION	26D
	K26D-DXXXXX0N0	6 Pin Schlage® IC Core Cylinder	136.80
Security-Mate™ CYLINDERS ARE PACKED 24 PER CASE			

Security-Mate® Medeco™ LARGE FORMAT IC CORE CYLINDERS			
	"0" Bitted "NO KEYS"		FINISH GROUPS
	PART #	DESCRIPTION	26D
	P26D-DXXXXX0N0	6 Pin Medeco® IC Core Cylinder	176.45
Security-Mate™ CYLINDERS ARE PACKED 24 PER CASE			

HI-SECURITY™ SPECIAL APPLICATION CYLINDERS					
	KA Pair w/ 2 Keys, NON-UL, Straight Cam			FINISH GROUPS	
	PART #	DESCRIPTION	3, 26D	5, 15	
	2122XXXHSM	15/16" Mortise Cylinders	206.23	228.00	
HI-SECURITY™ SPECIAL APPLICATION CYLINDERS ARE PACKED 24 PER CASE					

HI-SECURITY™
Cylinders

HI-SECURITY™ CYLINDERS

HOW TO ORDER HI-SECURITY™ CYLINDERS AND KEYS

How To Order Example for HI-SECURITY™ Cylinders								
D	3	—	D	001	A	3	U	2
<i>1. Cylinder Type</i>	<i>2. Finish</i>	<i>Dash</i>	<i>3. Keyway</i>	<i>4. Security Code</i>	<i>5. Cam Tail</i>	<i>6. Keying</i>	<i>7. NON-UL / UL437</i>	<i>8. # of Keys</i>

CYLINDER TYPE	FINISH	KEYWAY	SECURITY CODE	CAM TAIL <i>MORTISE</i>	KEYING	UL or NON-UL	KEYING
<input type="checkbox"/> B = 1-1/8" Mortise <input type="checkbox"/> C = 1-1/4" Mortise <input type="checkbox"/> D = 1-3/8" Mortise <input type="checkbox"/> L = 1-1/2" Mortise <input type="checkbox"/> M = 1-3/4" Mortise <input type="checkbox"/> E = 1" Combo <input type="checkbox"/> F = 1-1/8" Combo <input type="checkbox"/> G = KIK Cylinder <input type="checkbox"/> H = IC Core Marks 6 Pin <input type="checkbox"/> J = IC Core Marks 7 Pin <input type="checkbox"/> K = IC Core Schlage® Large Format <input type="checkbox"/> P = IC Core Medeco® Large Format	<input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 10 <input type="checkbox"/> 10B <input type="checkbox"/> 15 <input type="checkbox"/> 26 <input type="checkbox"/> 26D <input type="checkbox"/> 32 <input type="checkbox"/> 32D	<input type="checkbox"/> D = HS	<input type="checkbox"/> 001 = MARKS	<input type="checkbox"/> A = 2101 <input type="checkbox"/> B = 2102 <input type="checkbox"/> D = 2104 <input type="checkbox"/> E = 2105 <input type="checkbox"/> F = 2106 KIK <input type="checkbox"/> A = Standard Tail <input type="checkbox"/> B = Classroom Tail <input type="checkbox"/> C = i-Que Electronic IC CORE <input type="checkbox"/> A = 6 Pin IC <input type="checkbox"/> B = 7 Pin IC	<input type="checkbox"/> 0 = "0" Bitted <input type="checkbox"/> 1 = KD <input type="checkbox"/> 2 = KA <input type="checkbox"/> 3 = CMK <input type="checkbox"/> 4 = GMK <input type="checkbox"/> 5 = MK <input type="checkbox"/> 6 = GGMK	<input type="checkbox"/> U = UL 437 <input type="checkbox"/> N = NON UL	<input type="checkbox"/> 0 = "0" Bitted <input type="checkbox"/> 1 = 1 Key <input type="checkbox"/> 2 = 2 Keys <input type="checkbox"/> 3 = 3 Keys Up to 9, Then as separate line item

HI-SECURITY™
Cylinders


How To Order Example for HI-SECURITY™ Keys				
HS	6	D	001	C
<i>1. Key Type</i>	<i>2. Pins</i>	<i>3. Keyway</i>	<i>4. Security Code</i>	<i>5. Special Key Type</i>

KEY TYPE	PINS	KEYWAY	SECURITY CODE	SPECIAL KEY TYPE
<input type="checkbox"/> HS = HI-SECURITY™ <input type="checkbox"/> RS = IC Core	<input type="checkbox"/> 5 Pin <input type="checkbox"/> 6 Pin <input type="checkbox"/> 7 Pin	<input type="checkbox"/> D = HS	<input type="checkbox"/> 001 = Marks	<input type="checkbox"/> C = Control Key







HI-SECURITY™ CYLINDERS













KEYS, CAMS & TAILPIECES

KEYS			
	PART #	DESCRIPTION	PRICE
	HS5D001	5 Pin Key Blank	18
	HS6D001	6 Pin Key Blank	18
	RS6D001	6 Pin IC Key Blank	18
	RS7D001	7 Pin IC Key Blank	18
	Schlage® IC CORE CONTROL KEY		
HSR3184	6 or 7 Pin IC Key Blank	18	
CUT KEYS			
Conventional Cylinder			25
IC Core Cylinder			25

KEYING CHARGES			
PART #	DESCRIPTION	REG PRICE	IC CORE
KA, KD	Keyed Alike, Keyed Different	NC	NC
MK	Master Keyed	24	24
GMK	Grand Master Keyed	24	28
GGMK	Great Grand Master Keyed	24	28
VKC	Visual Key Control	20	20

MORTISE CYLINDER CAMS			
PART #	DESCRIPTION	PRICE	
 2101HS	Straight Cam	13.00	
 2102HS	Clover Cam	13.00	
 2104HS	Adams Rite Cam	13.00	
 2105HS	J - Cam	13.00	
 2106HS	G - Cam	13.00	
 2107-CLHS	Straight Cam	13.00	

Schlage® LARGE FORMAT IC CORE HOUSING CAMS			
PART #	DESCRIPTION	PRICE	
 2101 HSPM	Straight Cam	13.00	
 2102 HSPM	Clover Cam	13.00	
 2104 HSPM	Adams Rite Cam	13.00	
 2105 HSPM	J - Cam	13.00	
 2106 HSPM	G - Cam	13.00	
 2107-CL HSPM	Straight Cam	13.00	

CYLINDRICAL TAIL PIECES			
PART #	FUNCTIONS	PRICE	
 F1903-C	AB, DW, F	11.00	
 F1903S-C	S, DA, DB, DC, SB, T	11.00	
IC CORE TAILPIECES			
 HR1984-HS	AB, B, DA (ext.), DW, F, FEU, FEL	11.00	
 HR1984S-HS	S, DA (int.), DB, DC, SB, T	11.00	

HI-SECURITY™
Cylinders

HI-SECURITY™ CYLINDERS



PARTS LIST

PARTS LIST			
PART #	DESCRIPTION	PRICE	PACKED
P2031	Finger Pins #1 (Silver)	52.00	25 per pack
P2032	Finger Pins #2 (Copper)	52.00	25 per pack
P2033	Finger Pins #3 (Black)	52.00	25 per pack
P2034	Finger Pins #4 (Gold)	52.00	25 per pack
P2035	Sidebar - Schlage® IC	52.00	25 per pack
P2036	Sidebar - Combo, KIK, Mortise	52.00	25 per pack
P2051	Sidebar - Best® IC	52.00	25 per pack
P2037	Sidebar Springs	52.00	50 per pack
P2044	Mortise Cam Screws	30.00	12 per pack
P2045	IC Mortise Cam Screws - SCHLAGE® ONLY	30.00	12 per pack
P2038	Hardened Steel Pins	30.00	12 per pack
P2041	Schlage® IC Cap Pin	52.00	12 per pack
P2042	Schlage® IC Cap Pin Spring	52.00	12 per pack
P2046	Schlage® IC Screw Cap	52.00	6 per pack
P2048	KIK Screw Cap	52.00	6 per pack
P2043	Best® IC Clip	52.00	12 per pack
P2039	Top Hex Screws (HI-SECURITY™ Mortise)	30.00	12 per pack
P2029	Top Hex Screws (HI-SECURITY™ Best® IC)	30.00	12 per pack
P2047	HI-SECURITY™ Registration Card	79.31	10 cards
R2984	7 Pin IC Tailpiece (AB, DW, F)	12.00	—
R2984S	7 Pin IC Tailpiece (S, DA, DB, DC, SB, T, TS)	12.00	—
R1981	Spacer	12.00	—
2049	Plug Holder	79.31	—
BXXX-D133B1N1C	Cut Away Mortise Cylinder	220.00	—
BXXX-D133B1N1P	Plastic Mortise Cylinder	220.00	—
HSICT	Shear Tool	451.00	—
HSC387	HPC Card C387	100.00	—

HI-SECURITY™
Cylinders

SERIES M9900 EXIT DEVICE

RIM MOUNT



- EXTRUSION HEAVY GAGE 32D FINISH
- LIFETIME MECHANICAL WARRANTY
- PANIC PROTECTOR™ END CAP
- EASY INSTALLATION, ECONOMICAL




MARKS #	FUNCTION	PRICE	
		32D	10B (19)
M9900	Rim Panic	815.72	948.78
M9900F	Fire Rated Rim Panic	919.57	1053.64
M9900 - 48	Rim Panic - 48"	898.80	1032.86
M9900F - 48	Fire Rated Rim Panic - 48"	1006.43	1140.49

OPTIONS	
M9900	33" Length for 38" Door
M9900-48"	42" Length for 48" Door

SPECIFICATIONS
• Doors: 1 3/4" thick standard
• End Cover: Stainless steel beveled "Panic Protector" design
• Strike: Roller strike
• Rail Assembly: Heavy Gauge Stainless Steel
• Dead latch Bolt: Stainless Steel 3/4" throw.
• Dead latch Bolt: Stainless Steel 5/8".
• Dogging feature: Allen Key (M9900)
• UL listed: For "Panic Hardware" and Fire Rated Model 3 hour fire doors up to 38" x 86".
• ANSI: ANSI 156.3 (2001), requirements for Grade 1
• 3 Hour Fire Rating
• Finished: Stainless steel satin finish

SERIES M9900 VR EXIT DEVICE

SURFACE VERTICAL ROD









APPLICATION
• For use on single door or pair of doors
• 1 3/4" (44 mm) door thickness standard. Specify thickness other than 1 3/4"
• RHR or LHR hollow metal, wood and mineral core doors
• Minimum Stile Width: 3 1/2" (89 mm)

MARKS #	FUNCTION	PRICE	
		32D	10B (19)
M9900 VR	Rim Panic Vertical Rod	1083.85	1206.58
M9900F VR	Fire Rated Rim Panic Vertical Rod	1191.48	1325.54
M9900 - 48 VR	Rim Panic Vertical Rod - 48"	1336.72	1270.78
M9900F - 48 VR	Fire Rated Rim Panic Vertical Rod - 48"	1244.35	1370.86

SPECIFICATIONS
• Device Head Cover: Zinc alloy or stainless steel
• Chassis: Steel, plated
• Mechanism Housing: Extruded aluminum
• Push Bar Base: Extruded aluminum
• Touch Plate: Stainless Steel
• End Cap: Stainless Steel
• Top Latch: Stainless Steel 37/64" (14.8mm)
• Top Strike: Included
• Bottom Latch: Stainless Steel 37/64" (14.8mm)
• Bottom Strike: Included
• Latch Case Covers: Steel, stainless steel or brass
• Vertical Rods: Aluminum tube
• Hand: Non-handed
• Mounting: Machine screws standard. Sex bolts optional. Order "SNB" for wood or unreinforced metal doors
• Dogging: Allen-type key furnished
• Finish: 32D
• Outside Trim: Order separately
• Standard Height: 7' doors
• UL listed: ANSI/BHMA Grade 1 Panic Exit Hardware
• 3-Hour Fire Rated

Exit Devices

SERIES M9900 EXTERIOR TRIM

M411	Lever/Rose	Rim Panic Vandal Pull
		
MES600A	Cylindrical Dogging Kit - 32D	Rim Panic Vandal Pull w/ cylinder hole
		

ENTRY LEVER TRIM





- Standard Marks "C" Keyway KNK cylinder for panic device.
- Cylinder locks or unlocks lever, rigid when locked; when unlocked retracts latch bolt.
- Marks 26D Finish / Standard 1-3/4" Door Thickness
- IC Prep Code G1, Less Cylinder G3

ESCUTCHEON LEVER DESIGN

- Thru bolt design
- Non Handed design. Easily field reversible.
- Marks 32D Finish / Standard 1-3/4" Door Thickness
- Standard Marks "C" Keyway 1-1/4 Mortise cylinder with special cam
- IC Prep Code G1
- Less Cylinder G3

MARKS #	DESCRIPTION	PRICE	
		26D	10B (19)
M411	Finger Pill - no cylinder	45.60	51.54
MESC600A	Lever / Escutcheon Trim Entry	261.71	346.96
MESC600F	Lever / Escutcheon Trim Storeroom	261.71	346.96
MESC600N	Lever / Escutcheon Trim Passage	226.02	315.24
MESC600DT	Lever / Escutcheon Trim Dummy Trim	226.02	346.74
MESC350A	Lever / Escutcheon Trim Entry	261.71	—
MESC350F	Lever / Escutcheon Trim Storeroom	261.71	—
M9901	36 inch Panic Device Dogging Kit	162.58	194.30
MVR8	Vertical Rod 8 ft - Code 8	81.29	—
MVR10	Vertical Rod 10 ft - Code 10	130.87	—
MVRB	Vertical Rod - Bottom Rod	55.51	—
MVP/32D	Rim Panic Vandal Pull	390.58	—
MVPCC/32D	Rim Panic Vandal Pull w/ cylinder hole	434.20	—

MORTISE CYLINDER CAMS

- M9907**  **MESC600A - MESC350A**
- M9908**  **MESC600F - MESC350F**
- M9909**  **MESC600F IC CORE HOUSING**
CAM IS NOT AVAILABLE FOR PURCHASE
- M9910**  **MESC600A IC CORE HOUSING**
CAM IS NOT AVAILABLE FOR PURCHASE

SERIES M8800 EXIT DEVICE

THIN LINE TM RIM MOUNT



MARKS #	FUNCTION	PRICE	
		32D	10B
M8800	Rim Panic	879.94	1105.00


Specifications	
Specification:	Conforms to ANSI BHMA A156.3 Grade 1 Exit Device Requirement Standard ANSI/UL305 Standard for Safety for Panic Hardware 2013 California Building Code Sec. 11B-309.4
For Doors:	(Please specify when ordering non standard size doors) Thickness: Standard 1 3/4", may fit with door thickness up to 2" Width: Standard 36", may fit door width 30"
Mounting:	Furnished Standard with Wood and Machine Screws
Head Cover:	Zinc Alloy
Chassis:	Aluminum
Rail Assembly:	Heavy Gauge extruded aluminum with stainless steel on top of touch bar
End Cap:	Zinc Alloy
Hand:	Non-handed
Latch Bolt:	Stainless Steel, 3/4" (18mm) throw
Strike:	Roller Strike (Stainless Steel)
Dogging:	Allen Key (equipped on panic rate devices only)
Finish:	32D: Satin Stainless Steel Finish 10B: Oil Rubbed Bronze Finish
Dimension:	Touch bar height from finished floor: 41" (1041mm) from center of touch bar Touch Bar Projection: Neutral: 3 5/16" (84mm) Depressed: 2 19/32" (66mm) Head Cover: LxWxH: 206mm x 76mm x 71mm Device Length: 34 5/8" (88cm) for 36" door width

Exit Devices

SERIES M195 EXIT DEVICE TRIM

Specifications

Levers: Solid cast Zamac, with 1/2" return (except 495)
Roses: Thru-bolted, 3-7/16" spring loaded Roses
Door Thickness: 1-5/8" – 1-7/8"
Clutch: Standard
Chassis: Steel
Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys
 IC Core model - Core not included
Lifetime Mechanical Warranty



MARKS #	Trim	26D	19
M195S/295/495	Entry	325.15	410.40
M195RS/295/495	Entry with IC Core	325.15	410.40
M195F/295/495	Storeroom	325.15	410.40
M195RF/295/495	Storeroom with IC Core	325.15	410.40
M195N/295/495	Passage	301.36	366.79
M195DT/295/495	Dummy	301.36	366.79

OPTIONS	CODE	PRICE - 195	295
Yale Conventional	F7	25	—
Sargent conventional cylinder	F8	25	25
Corbin conventional cylinder	F9	25	25
Corbin 6 pin IC core	F12	37	37
Corbin 7 pin IC core	F13	37	—
Yale 6 pin IC core	F14	25	25
Yale 7 pin IC core	F15	25	—
Schlage 6 pin IC core	F19	25	25
Sargent IC core	F20	25	25
Medeco IC core large format	F21	25	25
Less Cylinder	G3	Deduct 17	—



★ **Standard & HI-SECURITY™ IC Core Models:** Interchangeable Core models for 6 or 7 pin cores (not included). **Accepts:** Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**

SERIES M99 NIGHT LATCH TRIM

Specifications


- Fixed pull for Marks USA rim panic devices.
- US32D stainless steel material
- US 32D finish
- Supplied with cylinder collar and mounting cylinder cup. *Available in Marks USA "C" conventional rim cylinder and Marks USA "Best size" IC rim cylinder (less core)
- Available in Dummy trim, less cylinder hole

MARKS #	Night Latch Trim	32D
M99F/32D	With Marks C Rim Cylinder	386.62
M99F/32D-G1	With Marks IC Core Rim Cylinder	386.62
M99F/32D-G3	With Cylinder hole – Less Cylinder	356.87
M99DO/32D	Dummy Trim	337.05



ELECTRIC LATCH RETRACTION

WITH SIMULTANEOUS DOGGING



Rim Mount & Mortise

UL US LISTED ADA

DEVICE SPECIFICATIONS	
ER	Electric Latch Retraction with simultaneous dogging
For:	M9900
Operation:	Momentary or maintained latch bolt and push pad retraction. Automatic re-triggering of latch retraction
Voltage:	24VDC @ 450 mA activation, 180 mA continuous
EMC	2-station sequencer required for automatic doors only.
Monitoring Available	Latch status and REX output available


MARKS #		DESCRIPTION	
HEAVY DUTY		32D	10B
M9900ER	Electric Latch Retraction	2309.25	2409.25
M9900ER-48	Electric Latch Retraction 48"	2396.18	2596.18
M8800ER	Narrow Stile	2384.82	2584.82
M9900 VR ER	Fire Rated Rim Panic Vertical Rod 48"	2639.75	2809.71

Exit Devices

EXIT ALARM



Door sign included, Bar sign optional



Rim Mount, Vertical Rod & Mortise

UL US LISTED ADA

DEVICE SPECIFICATIONS	
EA	Exit Alarm, 9V battery powered
EB	Exit Alarm, 12-24V AC/DC input, 9V battery backup
For:	M9900
	<ul style="list-style-type: none"> • 100 dB alarm; visual and audible On/Off status: Armed - green LED blinks every 4 seconds, Alarm mode - red LED, Bypass - no LED • Remote status output • 15 or 60 second arming delay • 2 modes: Continuous alarm with manual key reset; Automatic re-arm 2 minutes after door closes with any manual key reset before 2 minutes.
Options:	<ul style="list-style-type: none"> • Push pad sign • 6, 10 & 20 minutes alarm; 1 or 5 second re-arm delay • Remote access control, arm, disarm inputs • REX and latch status outputs

MARKS #		DESCRIPTION	PRICE
HEAVY DUTY			
M9900EA	Exit Alarm 9VDC		2556.60
M9900EB	Exit Alarm 9VDC w 12/24 AC/DC Input		2719.06

ELECTRIC DOGGING




Rim Mount, Vertical Rod & Mortise

DEVICE SPECIFICATIONS
<p>DG Electric Dogging (failsecure) M9900, When energized by optional built-in or remote switch manual, depressing the pushpad, causes the pushpad and latch to remain retracted (unlocked) providing push-pull door operation. When de-energized or signaled by a fire alarm, the pushpad and latch are released.</p> <p>Voltage: 170/100 mA @ 12/24VDC</p> <p>Monitoring Available: Latch status and REX output available</p>

MARKS #	DESCRIPTION	PRICE
HEAVY DUTY		
M9900DG	Electric Dogging, Fail Secure	2719.01
Options for Parice		
P6-Rex	Request to Exit	62.00

DELAYED EGRESS




Rim Mount, Vertical Rod & Mortise

Exit Devices

DEVICE SPECIFICATIONS
<p>DE Wall mount delayed egress controller with keypad and electrified exit device, M9900, M9900VR</p> <p>Example: M9900F/32D-DE</p> <p>DEK Keypad controller with redundant key switch capable of all keypad control features</p> <p>602RF 1 Amp power supply</p> <ul style="list-style-type: none"> User PIN codes may be assigned to 1, 2 or all control functions. Reset, sustained bypass and momentary bypass (RES) Audible alarm voice release time, warning or safety message Visual display countdown, locked/unlocked, egress executed 15 or 30 second exit delay, 1 or 2 second nuisance delay 2 minutes <p>Monitoring Available: Latch status available</p>

MARKS #	DESCRIPTION	PRICE
HEAVY DUTY		
M9900DE	Delayed Egress	6630.50
M9900KDE	Delayed Egress w Keyswitch	7097.88
M9900VRDE	Delayed Egress	6931.70
M9900VRKDE	Delayed Egress w Keyswitch	7366.00

M9900 LITE



Adapter plate included

MARKS #	FUNCTION	PRICE
M9900LITE	Rim Panic with IQ7LITE	1844.82

IQ7LITE

IQ7 LITE Rim Exit Device Interface Specifications

Door Thickness: 1-3/4" standard; For thicker doors, Consult factory

Handing: Non-handed

Key Override: 1-1/8" Mortise cylinder, 6 pin w/2 keys

Clutch: The "Clutch" for trouble free service

M9900

- **Doors:** 1-3/4" thick standard.
- **End cover:** Flush mounted beveled "Panic Protector" design.
- **Strike:** Roller strike.
- **Rail Assembly:** Extruded Aluminum, 32D finish.
- **Dead latch Bolt:** Stainless Steel 3/4" throw.
- **Dead latch Bolt:** Stainless Steel 5/8".
- **Dogging feature:** Allen Key (M9900)
- **UL listed:** For "Panic Hardware" and Fire Rated Model 3 hour fire doors up to 38" x 86".
- **ANSI:** ANSI 156.3 (2001), requirements for Grade 1.
- **3 Hour Fire Rating**
- **Finish:** 32D

ARCHITECH™ SERIES NETWORKX LOCKS

Ideal access control solution; elegantly blending advanced wireless access control convenience within any decor, in attractive, infinitely customizable designer locking form, in choice of trims and finishes.



N90L - Ideal for School and Campus



Back

Features

- 5000 Users, 500 Scheduled Events & 40,000 Event Audit Trail
- Surface-Mount or Mortised - in Electronics and Battery Pack
- Lock available in Mortise and Cylindrical versions
- Real Time Clock - Uses 4 AA Batteries – 3 to 4 year battery life
- Operated via access card, fob, key fob etc
- DL-Windows Software for programming
- USB Radio Key Programming Method or Via NetworkX Gateways
- Manual Card Enrollment Option for Quick Installation
- Wireless programming range: up to 20 ft. from lock
- Easily, securely networked via 802.11 or ethernet, spanning a few or thousands of doors, in one building, a campus or multiple sites in an enterprise (also available in standalone model)
- Emergency LocDown Keyfobs & Flashing Strobe Indicator, Available
- Programmable Lockdown/Unlock Privileges
- Cylindrical ArchiTech Locks neatly, quickly retrofit any standard door lock, with easy surface mount electronics, for use in all applications - Including wood and metal doors, for new and existing applications
- Customizable oval or square Access ID Reader, in black or silver and three levers to choose from - American 195, Crescent 295 & Titan 495
- Future-Proof Multi-Technology Access ID Credentials Replace Cumbersome Keys – HID® Prox, Mag Stripe, Smart Cards, PIV, keyfobs and remote buttons
- Powered by 4 off-the-shelf AA Batteries. 3 to 4 years, typ.
- Flexible System Monitoring, Control & Programming – Program locally using a USB Gateway or remotely across a wireless network (using free Alarm Lock DL-WINDOWS Windows- based software). Or, in Real-Time Enterprise platforms, using either Continental Access CA4K®, Lenel® OnGuard® or support via Software House® Connected Partner Program®

Specifications

- ANSI / BHMA Grade 1 Certified, UL Listed 3 Hours
- Includes standard lever rose hardware design
- Compatible with all 300+ optional architectural trim / lever or knob designs
- Stainless steel latch, 2-3/4" backset
- Auto-Reverse lock body tested to 6 million cycles
- Lock Body - Self cleaning long life motor
- Door closure monitor / electronic deadbolt monitor
- Key override standard or high-Security
- Optional integrated door position indicator switch

ARCHITECH™ SERIES NETWORK LOCKS

ArchiTech Series Cylindrical Locks

PRODUCT	PRICE
Cylindrical	
N90S1195F26D	2259.53
N90S2195F26D	2259.53


The standard list price of a standard ArchiTech Cylindrical Lock is \$880 (American Lever, SCI Keyway) – Add \$100 ea. for iClass, or Bluetooth® Add \$50 for keying

N90L - IDEAL FOR SCHOOL & CAMPUS	PRICE
Cylindrical	
N90L1195F226D	2387.91
N90L2195F226D	2387.91
N90P7195F26D	2387.91

ArchiTech Cylindrical Lever & Lever Prep Options

OPTIONS	CODE	195	295	495	FINISH	ADD-ON
Yale Conventional	F7	Yes	No	No	26D, 10B	30
Sargent Conventional	F8	Yes	Yes	No	26D, 10B	30
Corbin Conventional	F9	Yes	Yes	No	26D, 10B	30
Corbin 6-Pin IC	F12	Yes	Yes	No	26D, 10B	30
Corbin 7-Pin IC	F12	Yes	Yes	No	26D, 10B	30
Yale 6-Pin IC	F14	Yes	Yes	No	26D, 10B	30
Yale 7-Pin IC	F15	Yes	Yes	No	26D, 10B	30
Schlage 6-Pin IC	F19	Yes	Yes	No	26D, 10B	30
Sargent IC	F20	Yes	Yes	No	26D, 10B	30
Medeco IC (Large Format)	F21	Yes	Yes	No	26D, 10B	30

Choice of Levers – Cylindrical Models



195 – American Lever



295 – Crescent Lever




495 – Titan Lever

No up-charge for Marks (Best) SFIC. Specify "RF" for SFIC

*Note: Please consult factory for availability of other finishes. Round rose place only available with cylindrical version (3.5" diameter). IC core models: tail piece included, core not included.

How to order ArchiTech Cylindrical Models

Base distribution cylindrical model P/N scheme



ARCHITECH™ SERIES NETWORKX LOCKS

ArchiTech Series Mortise Locks



Infinite custom models available for ArchiTech mortise versions. Consult factory for ordering assistance.

ArchiTech Mortise Lockset Options

OPTIONS
Insert (N91) or Surface Mount (N95) Electronics
Oval, Square or Mag Reader
Bluetooth and iClass Available
Choice of lever and rose plate
N95S – Surface Mount Electronics; oval, square & swipe (mag) reader available
N95I – Insert electronics; oval & square reader available
N95J – Insert electronics; Bluetooth, oval & square reader available
N95T – Surface Mount Electronics; Bluetooth, oval, square & swipe (mag) reader available

PRODUCT	PRICE
Mortise	
N95S2RX92FD26D	2824.41
N95S1RW92FD26D	2824.41

Lever and Rose Options – Mortise Models

LEVERS	Stanhope Lever 44	Copa Lever 031	Brompton Lever 55	Monaco Lever 57 Specify handing	ROSES	RR: 2-9/16" dia.	
							RW: 2-9/16" dia.
	Towne Lever 72	Maxwell Lever 77	Omni Lever 78	Plaza Lever 82 Specify handing			RQ: 2-1/4" dia.
							RS: 2-1/4" dia.
	Dayton Lever 83 Specify handing	Crescent Lever 86	American Lever 92	Titan Lever 96			

No up-charge for Marks (Best) SFIC. Specify "RF" for SFIC
 *Note: Please consult factory for availability of other finishes. Round rose plate only available with cylindrical version (3.5" diameter). IC core models: tail piece included, core not included.

RX: 2-1/2" sq.	RK: 2-1/2" sq.	RL: 1-1/2" sq.

ArchiTech Series
NetworkX Locks


Functions for Mortise Locks

CODE	FUNCTION	DESCRIPTION
FD	APARTMENT	Latch by lever either side except when outside locked by stop-button or projected deadbolt. Latch deadlocked by auxiliary latch or deadbolt & latch by key outside. Deadbolt by turn piece inside. Inside knob/lever retracts latch & deadbolt simultaneously, leaving outside locked.
E	STOREROOM	Latch by lever inside, key outside. Outside lever always rigid. Auxiliary latch deadlocks latch. Inside always open.
AD	AUTOMATIC DEADBOLT	Latch deadlocked by deadbolt automatically when door closes. Deadbolt & latch by key or redential outside. Inside lever retracts latch & deadbolt simultaneously, leaving outside locked.

ARCHITECH™ SERIES NETWORK LOCKS

How to order ArchiTech Mortise Models


Base distribution cylindrical model P/N scheme




ArchiTech Series Network Locks

SPECIAL ORDER

SPECIAL ORDER ELECTRONIC ASSEMBLY



SPECIAL ORDER MECHANICAL ASSEMBLY



- 1 = Prox Oval
- 2 = Prox Square
- 3 = Mag Stripe Oval
- 4 = Mag Stripe Square
- 5 = Keypad Oval
- 6 = Keypad Square
- 7 = Keypad Prox Oval
- 8 = Keypad Prox Square
- 9 = Keypad Mag Stripe Oval
- 0 = Keypad Mag Stripe Square
- A = Smart Oval (iClass® Technology)
- B = Smart Square (iClass® Technology)
- C = Concealed Prox

ARCHITECH™ SERIES NETWORKX LOCKS

ArchiTech™ Series Networkx Locks Parts and Accessories

PRODUCT	DESCRIPTION	PRICE
AL-IME2EXP	Wireless Expander designed to expand the coverage area of version 2 gateways. AC power required. Up to 7 expanders per version 2 gateway	641.91
AL-IME2-PIE	Plug-in wireless expander, as above – Plugs into standard AC outlet	641.91
AL-PRE2	Prox card enroller – HID and iClass	1590.66
AL-NSM	Networkx Signal Meter	760.02
AL-NSG	Networkx Signal Generator	616.24
AL-PB	ArchiTech Power Booster	3327.67
ALHID1326	Proximity Access Cards 100 Per Box	889.41
ALHID1391	MicroProx Tag 10 per box	221.07
AL-IM3-80211	3rd Generation Hardware/Wireless Gateway	1219.63
AL-IM3-POE	3rd Generation Hardware/Wireless POE Gateway	1476.40
KH-36-10	Napco Branded Keyfob 10 pack	73.54

Use the iLock® App to unlock your Networkx ArchiTech™ Bluetooth® Series Door Lock in seconds!



Introducing iLock, the easy smartphone mobile solution for unlocking your Trilogy® ArchiTech Bluetooth Series Designer Access Control Locks from any smart device without the need to carry cumbersome ID cards or keys. Password protected access is secure through the use of Bluetooth LE® and proprietary encryption. Additionally, an optional feature can be utilized, requiring a password for each unlock request.

The Key is Your Smartphone & More Secure Technology

Any Smart Device can be the Access Key: Much more than an ID card displayed on your smartphone, for your security, ArchiTech & its iLock App are



entered on their phone App.

wirelessly linked together, each supplying its portion of stored encrypted data to provide secure access without a key, fuss or worry, ensuring user identities. A unique combination of convenience and cloneproof peace of mind, the ArchiTech platform uses universally-compatible Bluetooth LE technology, so they can use any smart device to unlock ArchiTech on your door(s); and do so from afar, at a comfortable, customizable range of up to 30 feet away. For even greater security users can add an optional passcode,

ArchiTech Series
Networkx Locks

iLock App is available from both iTunes and the Google Play Store



M A R K S U S A

AMITYVILLE, N.Y. 11701

www.marksusa.com

DISTRIBUTED BY:

800-645-9445 • www.marksusa.com • sales@marksusa.com

Marks USA is a Division of NAPCO Security Technologies, Inc. (NASDAQ: NSSC) • NAPCO • Alarm Lock • Continental Access • Marks USA
ArchiTech, LifeSaver, Survivor, Hi-Security, iQwik, LocDown Thinline and Unilock are trademarks of Marks/NAPCO. Other trademarks listed are properties of their respective companies.