




# Price book 13

Effective February 27, 2026



### United States Customer Care

Our Customer Care Representatives are available for questions or assistance.

**877-671-7011**

#### Customer service

- ☎ Press **1**
- ✉ Support@allegion.com

#### Technical support

- ☎ Press **2**
- ✉ Accessories\_TechProdSupport@allegion.com

#### For new projects or to locate an authorized distributor

- ☎ Press **3**

#### Sales support

- ✉ Support@allegion.com

#### United States Administrative Office

11819 N. Pennsylvania Street  
Carmel, IN 46032  
[allegion.com/us](http://allegion.com/us)

### Canada Customer Care

Our Customer Care Representatives are available for questions or assistance.

- ☎ 800-900-4734
- ✉ Canada.CustomerService@allegion.com

#### Technical product support

- ✉ Canada.TechServices@allegion.com

#### Placing orders

You can place orders with Allegion via the fax number or email listed below:

- ☎ 1-800-209-4734
- ✉ Canada.Orders.Service@allegion.com

#### Canada Administrative Office

1076 Lakeshore Road East  
East Mississauga, Ontario L5E 1E4  
[allegion.ca](http://allegion.ca)

### United States Request for quote

#### Carolinas

(North Carolina, South Carolina, Virginia)  
[Carolinas.Quotes@allegion.com](mailto:Carolinas.Quotes@allegion.com)

#### Central

(Illinois, Iowa, Kansas, Missouri, Nebraska)  
[Central.Quotes@allegion.com](mailto:Central.Quotes@allegion.com)

#### Chicago

(Northern Illinois, Wisconsin)  
[Chicago.Quotes@allegion.com](mailto:Chicago.Quotes@allegion.com)

#### Florida

[Florida.Quotes@allegion.com](mailto:Florida.Quotes@allegion.com)

#### Metro New York

(Metro New York, Northern New Jersey)  
[Metro.Quotes@allegion.com](mailto:Metro.Quotes@allegion.com)

#### Michigan

[Michigan.Quotes@allegion.com](mailto:Michigan.Quotes@allegion.com)

#### Mid Atlantic North

(New York, Western Pennsylvania)  
[Mid.Atlantic.North.Quotes@allegion.com](mailto:Mid.Atlantic.North.Quotes@allegion.com)

#### Mid Atlantic South

(Delaware, Eastern Pennsylvania, Maryland, Northern Virginia, Southern New Jersey, Washington DC)  
[Mid.Atlantic.South.Quotes@allegion.com](mailto:Mid.Atlantic.South.Quotes@allegion.com)

#### Midwest

(Indiana, Kentucky, Ohio, West Virginia)  
[Midwest.Quotes@allegion.com](mailto:Midwest.Quotes@allegion.com)

#### Mountain States

(Colorado, Idaho, Montana, Nevada, Utah, Wyoming)  
[Mtn.States.Quotes@allegion.com](mailto:Mtn.States.Quotes@allegion.com)

#### New England

(Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont)  
[NewEngland.Quotes@allegion.com](mailto:NewEngland.Quotes@allegion.com)

#### North Central

(Minnesota, North Dakota, South Dakota)  
[NorthCentral.Quotes@allegion.com](mailto:NorthCentral.Quotes@allegion.com)

#### Northern California

[NoCal.Quotes@allegion.com](mailto:NoCal.Quotes@allegion.com)

#### Northwest

(Alaska, Oregon, Washington)  
[Northwest.Quotes@allegion.com](mailto:Northwest.Quotes@allegion.com)

#### South

(Alabama, Georgia, Louisiana, Mississippi, Tennessee)  
[South.Quotes@allegion.com](mailto:South.Quotes@allegion.com)

#### Southern California

(Southern California, Hawaii)  
[SoCal.Quotes@allegion.com](mailto:SoCal.Quotes@allegion.com)

#### Southwest


(Arizona, New Mexico)  
[Southwest.Quotes@allegion.com](mailto:Southwest.Quotes@allegion.com)

#### Texas

(Arkansas, Texas, Oklahoma)  
[Texas.Quotes@allegion.com](mailto:Texas.Quotes@allegion.com)

### Canada Request for quote

(All Regions/Provinces)  
[Quote.Request.Canada@allegion.com](mailto:Quote.Request.Canada@allegion.com)



## Contents

### Doing business with Allegion.....4

#### Door louvers

How to order Advantage louvers.....	5
Size table .....	6
4CY, XX4CY .....	7
40Y .....	8
100AFL.....	9
700AA, XX700A.....	9

#### Vision lites

How to order Advantage lites and glass.....	10
784G, 88G2, 88G4, 88G8, XX784G.....	11
784G3, XX784G3.....	12
784G5, XX784G5.....	13
784G-SS.....	14
X500G, X625G, X750G, X875G, X1000G.....	15
XX500G, XX625G, XX750G, XX875G, XX1000G.....	16

### Slimport™ and accessories

Slimport™ Vision lites.....	17
Accessories.....	17
Self-adhesive weatherstripping.....	17

---

### Sustainability

Allegion can provide sustainability documentation for select products, ensuring transparency and adherence to environmental standards and building certification programs such as LEED and Living Building Challenge. This documentation includes detailed information on the sustainable practices and materials used, helping you make informed decisions that align with your sustainability goals.

To view the full list of products with declarations, please visit: <https://us.allegion.com/en/resources/sustainability.html>

### Markings cartons:

Markings (e.g., door locations, stock reference numbers) on individual product cartons will be provided with no charge!

<sup>1</sup> Applies to United States market only.

**Policies and documents**

The purchase of Allegion products is governed by the Allegion Authorized Seller Program. For program terms and conditions, and other program details, please visit:

USA [www.allegion.com/AuthorizedSeller](http://www.allegion.com/AuthorizedSeller)

CAN [www.allegion.ca/policies](http://www.allegion.ca/policies)

For Warranty information, visit [us.allegion.com/warranty](http://us.allegion.com/warranty) or contact Customer Service at:

USA 877-671-7011

CAN 800-900-4734



**Guarantee**

Three years against defects in material or workmanship.

Advantage Lites & Louvers is committed to ongoing product improvement through design enhancements and manufacturing advances. Accordingly, catalog specifications, product availability, and price are subject to change without notice.

**United States terms and conditions**

**ARRA BAA/TAA Buy American Compliance**

Vision Lites and door louvers are manufactured and assembled in the USA excluding slim port and some fasteners.

**Minimum order**

\$50.00 net.

**Returns**

No returns accepted without prior authorization. Returns should be made within 30 days of authorization, freight prepaid, 45% restocking and handling charge. Returns made after 30 days from the date of delivery will receive a credit to their account to be applied to future orders. Nonstandard and specialty fabricated items are not returnable.

**Cancellation charge**

20% If order is fabricated and packed. No cancellation accepted on glass orders.

**Terms**

Net 30 – Payable in U.S. Currency.



Online ordering is available through Overtur™ Estimate and Order (OEO)

OEO offers much more than placing online orders including:

- Provides net price for direct customers and list price for indirect customers, integrator partners and end-users
- Online Ordering for direct customers
- Automated price updates
- Ability to export price lists and cross-reference guides in Excel
- Configuration and configuration reports, including e-lock configurations
- Request a quote or quote revision from an estimate
- Keying Guide
- Library pre-built hardware sets

How to get it:

1. Login or register at <http://360portal.allegion.com>
2. Find the Estimate and Order Icon and follow the instructions to request access
3. The Online Ordering team will begin working on your access with your Allegion Sales Representative

**Traditional ordering methods**

**United States**

✉ [Allegion\\_Orders@allegion.com](mailto:Allegion_Orders@allegion.com)

☎ 1-800-248-1460

**Canada**

✉ [Canada.Orders.Service@allegion.com](mailto:Canada.Orders.Service@allegion.com)

☎ 1-800-209-4734

Training and Troubleshooting



Scan the QR Code to access our resource center or visit

<https://support.oeo.allegion.com/hc/en-us>

Questions or issues should be reported to [Online.Ordering.Support@allegion.com](mailto:Online.Ordering.Support@allegion.com) for escalation

**How to order Advantage louvers**

Model	Opening size	Finish	Options
4CY	1010	GY	SEC

**Model**

One-side security-mount (Comes with sheet metal screws)

- 4CY Vision Proof Louver, steel, inverted "V", 20 g frame, 24 g blade – 1-3/4" doors
- 40Y Vision Proof Louver, steel, inverted "V", 20 g frame, 24 g blade – Transom any thickness
- 100AFL<sup>1</sup> Vision Proof Louver, fusible link, 16 g, 1-3/4" doors
- 700AA<sup>1</sup> Vision Proof Louver, aluminum, inverted "V", 1-3/8" – 2-1/4" doors

Thru-bolt mount (Comes with thru sex bolts)

- XX4CY Vision Proof Louver, inverted "V", 20 g frame, 24 g blade – 1-3/4" doors - thru bolts
- XX700AA Vision Proof Louver, aluminum, inverted "V", 1-3/4" doors, with thru bolts (std. finish is ASL)

**Opening size (width x height)**

Order by rough opening size.  
 Size is always 2 digits for width 2 digits for height (Example: 8" x 8" would be 0808.)

**Finish**

- GY Grey
- DB Dark bronze
- BG Beige

**Special fasteners**

- SEC Security screws or security thru bolts

1. See page 9 for list of available sizes.
2. 700AA and XX700AA available in standard aluminum silver powder coat only, ALF, no code required.
3. 100AFL available in GY finish only. Specify GY when ordering.

Size table

WIDTH (IN)

inches	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
6"	0806	1006	1206	1406	1606	1806	2006	2206	2406	2606	2806	3006	3206	3406	3606
8"	0808	1008	1208	1408	1608	1808	2008	2208	2408	2608	2808	3008	3208	3408	3608
10"	0810	1010	1210	1410	1610	1810	2010	2210	2410	2610	2810	3010	3210	3410	3610
12"	0812	1012	1212	1412	1612	1812	2012	2212	2412	2612	2812	3012	3212	3412	3612
14"	0814	1014	1214	1414	1614	1818	2014	2214	2414	2614	2814	3014	3214	3414	3614
16"	0816	1016	1216	1416	1616	1816	2016	2216	2416	2616	2816	3016	3216	3416	3616
18"	0818	1018	1218	1418	1618	1818	2018	2218	2418	2618	2818	3018	3218	3418	3618
20"	0820	1020	1220	1420	1620	1820	2020	2220	2420	2620	2820	3020	3220	3420	3620
22"	0822	1022	1222	1422	1622	1822	2022	2222	2422	2622	2822	3022	3222	3422	3622
24"	0824	1024	1224	1424	1624	1824	2024	2224	2424	2624	2824	3024	3224	3424	3624
26"	0826	1026	1226	1426	1626	1826	2026	2226	2426	2626	2826	3026	3226	3426	3626
28"	0828	1028	1228	1428	1628	1828	2028	2228	2428	2628	2828	3028	3228	3428	3628
30"	0830	1030	1230	1430	1630	1830	2030	2230	2430	2630	2830	3030	3230	3430	3630
32"	0832	1032	1232	1432	1632	1832	2032	2232	2432	2632	2832	3032	3232	3432	3632
34"	0834	1034	1234	1434	1634	1834	2034	2234	2434	2634	2834	3034	3234	3434	3634
36"	0836	1036	1236	1436	1636	1814	2036	2236	2436	2636	2836	3036	3236	3436	3636
38"	0838	1038	1238	1438	1638	1838	2038	2238	2438	2638	2838	3038	3238	3438	3638
40"	0840	1040	1240	1440	1640	1840	2040	2240	2440	2640	2840	3040	3240	3440	3640
42"	0842	1042	1242	1442	1642	1842	2042	2242	2442	2642	2842	3042	3242	3442	3642
44"	0844	1044	1244	1444	1644	1844	2044	2244	2444	2644	2844	3044	3244	3444	3644
46"	0846	1046	1246	1446	1646	1846	2046	2246	2446	2646	2846	3046	3246	3446	3646
48"	0848	1048	1248	1448	1648	1848	2048	2248	2448	2648	2848	3048	3248	3448	3648
50"	0850	1050	1250	1450	1650	1850	2050	2250	2450	2650	2850	3050	3250	3450	3650
52"	0852	1052	1252	1452	1652	1852	2052	2252	2452	2652	2852	3052	3252	3452	3652
54"	0854	1054	1254	1454	1654	1854	2054	2254	2454	2654	2854	3054	3254	3454	3654
56"	0856	1056	1256	1456	1656	1856	2056	2256	2456	2656	2856	3056	3256	3456	3656
58"	0858	1058	1258	1458	1658	1858	2058	2258	2458	2658	2858	3058	3258	3458	3658
60"	0860	1060	1260	1460	1660	1860	2060	2260	2460	2660	2860	3060	3260	3460	3660
62"	0862	1062	1262	1462	1662	1862	2062	2262	2462	2662	2862	3062	3262	3462	3662
64"	0864	1064	1264	1464	1664	1864	2064	2264	2464	2664	2864	3064	3264	3464	3664
66"	0866	1066	1266	1466	1666	1866	2066	2266	2466	2666	2866	3066	3266	3466	3666
68"	0868	1068	1268	1468	1668	1868	2068	2268	2468	2668	2868	3068	3268	3468	3668
70"	0870	1070	1270	1470	1670	1870	2070	2270	2470	2670	2870	3070	3270	3470	3670
72"	0872	1072	1272	1472	1672	1872	2072	2272	2472	2672	2872	3072	3272	3472	3672

DOOR LOUVERS

VISION LITES

SLIMPORT AND ACCESSORIES

HEIGHT (IN)

4CY, XX4CY  
One-side security-mount



X4CY



XX4CY

WIDTH (IN)

inches	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
8"	130.39	137.66	141.31	145.13	152.26	159.55	166.69	173.79	177.42	202.96	206.59	217.40	232.08	239.20	257.44
10"	137.66	141.31	145.13	152.26	159.55	166.69	173.79	177.42	202.96	206.59	217.40	232.08	239.20	257.44	264.59
12"	141.31	145.13	152.26	159.55	166.69	173.79	177.42	202.96	206.59	217.40	232.08	239.20	257.44	264.59	289.92
14"	145.13	152.26	159.55	166.69	173.79	177.42	202.96	206.59	217.40	232.08	239.20	257.44	264.59	289.92	311.46
16"	152.26	159.55	166.69	173.79	177.42	202.96	206.59	217.40	232.08	239.20	257.44	264.59	289.92	311.46	329.84
18"	159.55	166.69	173.79	177.42	202.96	206.59	217.40	232.08	239.20	257.44	264.59	289.92	311.46	329.84	337.16
20"	166.69	173.79	177.42	202.96	206.59	217.40	232.08	239.20	257.44	264.59	289.92	311.46	329.84	337.16	347.89
22"	173.79	177.42	202.96	206.59	217.40	232.08	239.20	257.44	264.59	289.92	311.46	329.84	337.16	347.89	417.00
24"	177.42	202.96	206.59	217.40	232.08	239.20	257.44	264.59	289.92	311.46	329.84	337.16	347.89	417.00	460.22
26"	202.96	206.59	217.40	232.08	239.20	257.44	264.59	289.92	311.46	329.84	337.16	347.89	417.00	460.22	482.08
28"	206.59	217.40	232.08	239.20	257.44	264.59	289.92	311.46	329.84	337.16	347.89	417.00	460.22	482.08	532.79
30"	217.40	232.08	239.20	257.44	264.59	289.92	311.46	329.84	337.16	347.89	417.00	460.22	482.08	532.79	565.30
32"	232.08	239.20	257.44	264.59	289.92	311.46	329.84	337.16	347.89	417.00	460.22	482.08	532.79	565.30	598.11
34"	239.20	257.44	264.59	289.92	311.46	329.84	337.16	347.89	417.00	460.22	482.08	532.79	565.30	598.11	630.55
36"	257.44	264.59	289.92	311.46	329.84	337.16	347.89	417.00	460.22	482.08	532.79	565.30	598.11	630.55	673.96
38"	264.59	289.92	311.46	329.84	337.16	347.89	417.00	460.22	482.08	532.79	565.30	598.11	630.55	673.96	706.76
40"	289.92	311.46	329.84	337.16	347.89	417.00	460.22	482.08	532.79	565.30	598.11	630.55	673.96	706.76	739.54
42"	311.46	329.84	337.16	347.89	417.00	460.22	482.08	532.79	565.30	598.11	630.55	673.96	706.76	739.54	772.00
44"	329.84	337.16	347.89	417.00	460.22	482.08	532.79	565.30	598.11	630.55	673.96	706.76	739.54	772.00	808.46
46"	337.16	347.89	417.00	460.22	482.08	532.79	565.30	598.11	630.55	673.96	706.76	739.54	772.00	808.46	822.72
48"	347.89	417.00	460.22	482.08	532.79	565.30	598.11	630.55	673.96	706.76	739.54	772.00	808.46	822.72	851.87
50"	417.00	460.22	482.08	532.79	565.30	598.11	630.55	673.96	706.76	739.54	772.00	808.46	822.72	851.87	884.52
52"	460.22	482.08	532.79	565.30	598.11	630.55	673.96	706.76	739.54	772.00	808.46	822.72	851.87	884.52	913.31
54"	482.08	532.79	565.30	598.11	630.55	673.96	706.76	739.54	772.00	808.46	822.72	851.87	884.52	913.31	927.75
56"	532.79	565.30	598.11	630.55	673.96	706.76	739.54	772.00	808.46	822.72	851.87	884.52	913.31	927.75	949.63
58"	565.30	598.11	630.55	673.96	706.76	739.54	772.00	808.46	822.72	851.87	884.52	913.31	927.75	949.63	985.92
60"	598.11	630.55	673.96	706.76	739.54	772.00	808.46	822.72	851.87	884.52	913.31	927.75	949.63	985.92	1,011.25
62"	630.55	673.96	706.76	739.54	772.00	808.46	822.72	851.87	884.52	913.31	927.75	949.63	985.92	1,011.25	1,025.64
64"	673.96	706.76	739.54	772.00	808.46	822.72	851.87	884.52	913.31	927.75	949.63	985.92	1,011.25	1,025.64	1,062.11
66"	706.76	739.54	772.00	808.46	822.72	851.87	884.52	913.31	927.75	949.63	985.92	1,011.25	1,025.64	1,062.11	1,207.07
68"	739.54	772.00	808.46	822.76	851.87	884.52	913.31	927.75	949.63	985.92	1,011.25	1,025.64	1,062.11	1,207.07	1,239.56
70"	772.00	808.46	822.72	851.87	884.52	913.31	927.75	949.63	985.92	1,011.25	1,025.64	1,062.11	1,207.07	1,239.56	1,308.43
72"	808.46	822.72	851.87	884.52	913.31	927.75	949.63	985.92	1,011.25	1,025.64	1,062.11	1,207.07	1,239.56	1,308.43	1,373.55

HEIGHT (IN)

DOOR LOUVERS

VISION LITES

SLIMPOT AND ACCESSORIES

40Y

One-side security-mount



40Y

WIDTH (IN)

inches	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
8"	126.54	133.54	137.18	140.67	147.43	154.56	161.69	168.64	172.47	197.01	200.44	210.94	225.01	232.08	249.65
10"	133.54	137.18	140.67	147.43	154.56	161.69	168.64	172.47	197.01	200.44	210.94	225.01	232.08	249.65	256.79
12"	137.18	140.67	147.43	154.56	161.69	168.64	172.47	197.01	200.44	210.94	225.01	232.08	249.65	256.79	281.17
14"	140.67	147.43	154.56	161.69	168.64	172.47	197.01	200.44	210.94	225.01	232.08	249.65	256.79	281.17	302.35
16"	147.43	154.56	161.69	168.64	172.47	197.01	200.44	210.94	225.01	232.08	249.65	256.79	281.17	302.35	319.76
18"	154.56	161.69	168.64	172.47	197.01	200.44	210.94	225.01	232.08	249.65	256.79	281.17	302.35	319.76	326.88
20"	161.69	168.64	172.47	197.01	200.44	210.94	225.01	232.08	249.65	256.79	281.17	302.35	319.76	326.88	337.45
22"	168.64	172.47	197.01	200.44	210.94	225.01	232.08	249.65	256.79	281.17	302.35	319.76	326.88	337.45	404.22
24"	172.47	197.01	200.44	210.94	225.01	232.08	249.65	256.79	281.17	302.35	319.76	326.88	337.45	404.22	446.51
26"	197.01	200.44	210.94	225.01	232.08	249.65	256.79	281.17	302.35	319.76	326.88	337.45	404.22	446.51	467.71
28"	200.44	210.94	225.01	232.08	249.65	256.79	281.17	302.35	319.76	326.88	337.45	404.22	446.51	467.71	516.90
30"	210.94	225.01	232.08	249.65	256.79	281.17	302.35	319.76	326.88	337.45	404.22	446.51	467.71	516.90	548.39
32"	225.01	232.08	249.65	256.79	281.17	302.35	319.76	326.88	337.45	404.22	446.51	467.71	516.90	548.39	580.16
34"	232.08	249.65	256.79	281.17	302.35	319.76	326.88	337.45	404.22	446.51	467.71	516.90	548.39	580.16	611.65
36"	249.65	256.79	281.17	302.35	319.76	326.88	337.45	404.22	446.51	467.71	516.90	548.39	580.16	611.65	654.09
38"	256.79	281.17	302.35	319.76	326.88	337.45	404.22	446.51	467.71	516.90	548.39	580.16	611.65	654.09	685.53
40"	281.17	302.35	319.76	326.88	337.45	404.22	446.51	467.71	516.90	548.39	580.16	611.65	654.09	685.53	717.37
42"	302.35	319.76	326.88	337.45	404.22	446.51	467.71	516.90	548.39	580.16	611.65	654.09	685.53	717.37	748.83
44"	319.76	326.88	337.45	404.22	446.51	467.71	516.90	548.39	580.16	611.65	654.09	685.53	717.37	748.83	784.11
46"	326.88	337.45	404.22	446.51	467.71	516.90	548.39	580.16	611.65	654.09	685.53	717.37	748.83	784.11	797.86
48"	337.45	404.22	446.51	467.71	516.90	548.39	580.16	611.65	654.09	685.53	717.37	748.83	784.11	797.86	826.05
50"	404.22	446.51	467.71	516.90	548.39	580.16	611.65	654.09	685.53	717.37	748.83	784.11	797.86	826.05	857.87
52"	446.51	467.71	516.90	548.39	580.16	611.65	654.09	685.53	717.37	748.83	784.11	797.86	826.05	857.87	886.00
54"	467.71	516.90	548.39	580.16	611.65	654.09	685.53	717.37	748.83	784.11	797.86	826.05	857.87	886.00	900.29
56"	516.90	548.39	580.16	611.65	654.09	685.53	717.37	748.83	784.11	797.86	826.05	857.87	886.00	900.29	921.27
58"	548.39	580.16	611.65	654.09	685.53	717.37	748.83	784.11	797.86	826.05	857.87	886.00	900.29	921.27	956.12
60"	580.16	611.65	654.09	685.53	717.37	748.83	784.11	797.86	826.05	857.87	886.00	900.29	921.27	956.12	980.92
62"	611.65	654.09	685.53	717.37	748.83	784.11	797.86	826.05	857.87	886.00	900.29	921.27	956.12	980.92	994.82
64"	654.09	685.53	717.37	748.83	784.11	797.86	826.05	857.87	886.00	900.29	921.27	956.12	980.92	994.82	1,030.14
66"	685.53	717.37	748.83	784.11	797.86	826.05	857.87	886.00	900.29	921.27	956.12	980.92	994.82	1,030.14	1,170.78
68"	717.37	748.83	784.11	797.86	826.05	857.87	886.00	900.29	921.27	956.12	980.92	994.82	1,030.14	1,170.78	1,202.41
70"	748.84	784.11	797.86	826.05	857.87	886.00	900.29	921.27	959.95	980.92	994.82	1,030.14	1,170.78	1,202.41	1,269.20
72"	784.11	797.86	826.05	857.87	886.00	900.29	921.27	956.12	980.92	994.82	1,030.14	1,170.78	1,202.41	1,269.20	1,332.27

## 100AFL

One-side security-mount, Vision-proof fusible-link fire-rated

Size (width x height)	List price/each
12" x 12"	\$665.33
18" x 12"	\$760.42
18" x 18"	\$828.83
18" x 24"	\$959.55
24" x 12"	\$848.23
24" x 24"	\$972.00



100AFL

## 700AA, XX700A

One-side security-mount, Vision-proof aluminum door louver

Size (width x height)	List price/each
8" x 8"	\$265.06
10" x 6"	\$241.05
12" x 8"	\$307.30
12" x 12"	\$312.64
12" x 18"	\$356.19
14" x 8"	\$312.64
14" x 12"	\$374.78
16" x 8"	\$326.55
16" x 16"	\$492.07
18" x 12"	\$356.19
18" x 18"	\$616.48
18" x 24"	\$702.78
20" x 10"	\$431.75
20" x 12"	\$472.01
20" x 14"	\$507.11
20" x 16"	\$552.31
20" x 20"	\$781.14
24" x 12"	\$450.80
24" x 16"	\$603.15
24" x 18"	\$702.78
24" x 24"	\$854.52



700AA



XX700AA

**How to order Advantage lites and glass**

Model	Opening size	Finish	Glass	Options
784G3	1010	GY	GL	SEC

**Model**

Single sided fastening (Security) (Comes with sheet metal screws)

88G4	Door thickness 1-3/8", glass thickness 1/4", no glass
88G8	Door thickness 1-3/8", glass thickness 3/8", no glass
88G2	Door thickness 1-3/8", glass thickness 1/2", no glass
784G3 <sup>1</sup>	Door thickness 1-3/4", glass thickness 3/16", Pyran F glass only
784G	Door thickness 1-3/4", glass thickness 3/16", 1/4", and 5/16" no glass
784G5 <sup>1</sup>	Door thickness 1-3/4", glass thickness 5/16" Protect3 glass only
784G-SS <sup>2</sup>	Door thickness 1-3/4", glass thickness 3/16", 1/4", and 5/16", no glass
X500G	Door thickness 1-3/4", glass thickness 1/2", no glass
X625G	Door thickness 1-3/4", glass thickness 5/8", no glass
X750G	Door thickness 1-3/4", glass thickness 3/4", no glass
X875G	Door thickness 1-3/4", glass thickness 7/8", no glass
X1000G (was X84G)	Door thickness 1-3/4", glass thickness 1", no glass

Double sided fastening (Comes with thru sex bolts)

XX784G3 <sup>1</sup>	Door thickness 1-3/4", glass thickness 3/16" Pyran F glass only
XX784G	Door thickness 1-3/4", glass thickness 3/16", 1/4", 5/16" no glass
XX784G5 <sup>1</sup>	Door thickness 1-3/4", glass thickness 5/16" Protect3 glass only
XX500G	Door thickness 1-3/4", glass thickness 1/2", no glass
XX625G	Door thickness 1-3/4", glass thickness 5/8", no glass
XX750G	Door thickness 1-3/4", glass thickness 3/4", no glass
XX875G	Door thickness 1-3/4", glass thickness 7/8", no glass
X1000G (was X84G)	Door thickness 1-3/4", glass thickness 1", no glass

**Opening size (width x height)**

Order by rough opening size.

Size is always 2 digits for width 2 digits for height – Example 8" x 8" would be 0808.

**Finish**

GY	Grey
DB	Dark bronze
BG	Beige

**Glass**

(Blank)	No glass
GL	Comes with available Glass option

**Special fasteners**

(Blank)	Standard screws
SEC	Security screws

1. Models available with glass option only; 3/16" is Pyran F, 5/16" is Protect3.
2. 784G-SS available in 630 (US32D) finish only, no code required.
3. 1/8" glazing tape standard unless specified.

**SLIMPORT - ROUND LITES**

SP250	Round Lite, 9.84" (250mm), Door thickness 1-3/4", Glass thickness 1/4", no glass
SP350	Round Lite, 13.77" (350mm), Door thickness 1-3/4", Glass thickness 1/4", no glass
SP450	Round Lite, 17.71" (450mm), Door thickness 1-3/4", Glass thickness 1/4", no glass
SP550	Round Lite, 21.65" (550mm), Door thickness 1-3/4", Glass thickness 1/4", no glass

**SLIMPORT FINISHES ONLY**

GV	18 gauge cold rolled steel, zinc-plated finish (for color coating)
CP	18 gauge cold rolled steel, chrome pearlite silver-plated (to match Satin Anodized Aluminum)
SS	Grade 304 stainless steel, satin finish
PS	Grade 304 stainless steel, polished (high buff) finish

# 784G, 88G2, 88G4, 88G8, XX784G

One-side security-mount



784G



XX784G



88G2

WIDTH (IN)

inches	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
6"	120.93	120.93	120.93	120.93	120.93	128.90	133.01	149.13	157.06	164.99	173.13	177.14	185.20	197.30	201.44
8"	120.93	120.93	120.93	120.93	128.90	133.01	149.13	157.06	164.99	173.13	177.14	185.20	197.30	201.44	205.58
10"	120.93	120.93	120.93	120.93	133.01	149.13	157.06	164.99	173.13	177.14	185.20	197.30	201.44	205.58	209.58
12"	120.93	120.93	120.93	120.93	149.13	157.06	164.99	173.13	177.14	185.20	197.30	201.44	205.58	209.58	213.55
14"	120.93	120.93	120.93	149.13	157.06	164.99	173.13	177.14	185.20	197.30	201.44	205.58	209.58	213.55	217.40
16"	128.90	133.01	149.13	157.06	164.99	173.13	177.14	185.20	197.30	201.44	205.58	209.58	213.55	217.40	221.51
18"	133.01	149.13	157.06	164.99	173.13	177.14	185.20	197.30	201.44	205.58	209.58	213.55	217.40	221.51	229.45
20"	149.13	157.06	164.99	173.13	177.14	185.20	197.30	201.44	205.58	209.58	213.55	217.40	221.51	229.45	237.61
22"	157.06	164.99	173.13	177.14	185.20	197.30	201.44	205.58	209.58	213.55	217.40	221.51	229.45	237.61	241.56
24"	164.99	173.13	177.14	185.20	197.30	201.44	205.58	209.58	213.55	217.40	221.51	229.45	237.61	241.56	253.64
26"	173.13	177.14	185.20	197.30	201.44	205.58	209.58	213.55	217.40	221.51	229.45	237.61	241.56	253.64	257.82
28"	177.14	185.20	197.30	201.44	205.58	209.58	213.55	217.40	221.51	229.45	237.61	241.56	253.64	257.82	261.75
30"	185.20	197.30	201.44	205.58	209.58	213.55	217.40	221.51	229.45	237.61	241.56	253.64	257.82	261.75	265.74
32"	197.30	201.44	205.58	209.58	213.55	217.40	221.51	229.45	237.61	241.56	253.64	257.82	261.75	265.74	273.82
34"	201.44	205.58	209.58	213.55	217.40	221.51	229.45	237.61	241.56	253.64	257.82	261.75	265.74	273.82	281.80
36"	205.58	209.58	213.55	217.40	221.51	229.45	237.61	241.56	253.64	257.82	261.75	265.74	273.82	281.80	289.92
38"	209.58	213.55	225.49	221.51	229.45	237.61	241.56	253.64	257.82	261.75	265.74	273.82	281.80	289.92	294.08
40"	217.40	225.49	229.45	281.80	289.92	298.05	306.19	314.12	322.24	326.23	354.20	362.33	366.46	374.57	394.81
42"	225.49	229.45	281.80	289.92	298.05	306.19	314.12	322.24	326.23	354.20	362.33	366.46	374.57	394.81	402.56
44"	229.45	281.80	289.92	298.05	306.19	314.12	322.24	326.23	354.20	362.33	366.46	374.57	394.81	402.56	410.69
46"	281.80	289.92	298.05	306.19	314.12	322.24	326.23	354.20	362.33	366.46	374.57	394.81	402.56	410.69	426.75
48"	289.92	298.05	306.19	314.12	322.24	326.23	354.20	362.33	366.46	374.57	394.81	402.56	410.69	426.75	434.93
50"	298.05	306.19	314.12	322.24	326.23	354.20	362.33	366.46	374.57	394.81	402.56	410.69	426.75	434.93	459.26
52"	306.19	314.12	326.23	326.23	354.20	362.33	366.46	374.57	394.81	402.56	410.69	426.75	434.93	459.26	463.19
54"	322.24	326.23	334.33	366.46	374.57	378.57	394.81	398.77	414.63	422.81	434.93	443.17	459.26	463.19	475.11
56"	326.23	334.33	366.46	374.57	378.57	394.81	398.77	414.63	422.81	434.93	443.17	459.26	463.19	475.11	491.21
58"	334.33	366.46	374.57	378.57	394.81	398.77	414.63	422.81	434.93	443.17	459.26	463.19	475.11	491.21	503.29
60"	366.46	374.57	378.57	394.81	398.77	414.63	422.81	434.93	443.17	459.26	463.19	475.11	491.21	503.29	511.42
62"	374.57	378.57	394.81	398.77	414.63	422.81	434.93	443.17	459.26	463.19	475.11	491.21	503.29	511.42	519.53
64"	378.57	394.81	398.77	414.63	422.81	434.93	443.17	459.26	463.19	475.11	491.21	503.29	511.42	519.53	531.63
66"	394.81	398.77	414.63	422.81	434.93	443.17	459.26	463.19	475.11	491.21	503.29	511.42	519.53	531.63	543.71
68"	398.77	414.63	422.81	434.93	443.17	459.26	463.19	475.11	491.21	503.29	511.42	519.53	531.63	543.71	559.77
70"	414.63	422.81	434.93	443.17	459.26	463.19	475.11	491.21	503.29	511.42	519.53	531.63	543.71	559.77	571.88
72"	422.81	434.93	443.17	459.26	463.19	475.11	491.21	503.29	511.42	519.53	531.63	543.71	559.77	571.88	583.99

Glass not included. Using non-fire-rated glass may offset fire ratings.

# 784G3, XX784G3

One-side security-mount, 784G Lite kit plus 3/16" PYRAN® F fire-protective ceramic safety glass



784G3



XX784G3

WIDTH (IN)

	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
6	851.53	851.53	851.53	874.72	874.72	901.24	911.19	911.19	924.43	950.93	1,018.32	1,072.42	1,123.23	1,170.71	1,221.53	1,282.28
8	851.53	851.53	851.53	891.32	901.24	911.19	911.19	1,001.02	1,090.84	1,160.80	1,230.76	1,297.38	1,360.71	1,440.62	1,503.89	1,573.88
10	851.53	851.53	821.74	901.24	911.19	987.76	1,080.16	1,185.81	1,271.61	1,357.39	1,439.86	1,535.55	1,628.00	1,707.12	1,792.88	1,872.05
12	874.72	891.32	901.24	805.18	1,019.40	1,127.67	1,249.14	1,350.75	1,452.38	1,550.66	1,658.92	1,770.44	1,872.05	1,967.03	2,062.05	2,173.59
14	838.29	901.24	911.19	1,019.40	1,136.85	1,280.82	1,398.26	1,515.71	1,643.12	1,753.90	1,881.25	1,998.75	2,109.53	2,250.16	2,360.99	2,504.90
16	901.24	911.19	987.76	1,114.43	1,280.82	1,414.07	1,547.35	1,690.55	1,833.77	1,960.43	2,087.08	2,233.63	2,360.23	2,503.45	2,636.71	2,796.48
18	911.19	911.19	1,083.46	1,249.14	1,398.26	1,547.35	1,666.62	1,865.47	2,007.94	2,150.41	2,312.76	2,455.22	2,614.27	2,789.86	2,945.63	3,098.02
20	911.19	941.04	1,185.81	1,350.75	1,515.71	1,690.55	1,865.47	2,027.04	2,198.62	2,360.23	2,518.55	2,676.82	2,898.14	3,056.44	3,214.68	3,382.98
22	921.13	881.36	1,271.61	1,452.38	1,643.12	1,833.77	2,007.94	2,198.62	2,372.75	2,550.22	2,724.35	2,928.30	3,135.56	3,309.72	3,507.05	3,687.84
24	921.13	1,065.79	1,357.39	1,550.66	1,753.90	1,960.43	2,150.41	2,360.23	2,550.22	2,673.90	2,959.98	3,193.00	3,382.98	3,599.48	3,789.40	3,989.34
26	914.48	1,074.82	1,439.86	1,658.92	1,881.25	2,087.08	2,312.76	2,518.55	2,724.35	2,920.21	3,208.83	3,427.89	3,646.97	3,859.37	4,081.69	4,290.89
28	897.92	1,186.57	1,535.55	1,770.44	1,998.75	2,233.63	2,455.22	2,676.82	2,928.30	3,193.00	3,427.89	3,662.80	3,891.03	4,129.21	4,354.17	4,582.41
30	921.13	1,179.02	1,628.00	1,872.05	2,109.53	2,360.23	2,564.54	2,864.99	3,135.56	3,280.25	3,646.97	3,891.03	4,145.04	4,385.81	4,643.17	4,903.84
32	980.74	1,234.44	1,707.12	1,967.03	2,250.16	2,503.45	2,710.37	3,056.44	3,309.72	3,500.08	3,859.37	4,129.21	4,385.81	4,658.98	4,935.48	5,195.42
34	984.08	1,332.89	1,792.88	2,062.05	2,360.99	2,636.71	2,945.63	3,214.68	3,507.05	3,729.79	4,081.69	4,354.17	4,643.17	4,935.48	5,224.47	5,496.92
36	1,060.29	1,391.62	1,872.05	2,173.59	2,504.90	2,796.48	3,098.02	3,382.98	3,687.84	3,889.93	4,290.89	4,582.41	4,903.84	5,195.42	5,496.92	5,785.17
38	1,172.80	1,460.28	1,951.22	2,301.75	2,625.71	2,939.72	3,253.76	3,574.44	3,878.51	4,199.19	4,503.27	4,840.48	5,147.87	5,465.26	5,902.17	6,239.12
40	1,218.94	1,552.14	2,066.86	2,419.88	2,736.47	3,079.63	3,402.84	3,736.05	4,072.53	4,392.46	4,745.55	5,068.80	5,401.95	5,857.69	6,207.45	6,540.63
42	1,331.42	1,700.32	2,225.50	2,577.81	2,940.10	3,292.39	3,648.03	3,997.11	4,359.34	4,711.62	5,067.31	5,439.50	5,778.57	6,144.16	6,493.15	6,885.23
44	1,384.27	1,782.22	2,324.53	2,689.36	3,070.77	3,429.01	3,807.12	4,185.21	4,553.32	4,924.81	5,299.61	5,667.78	6,049.14	6,414.01	6,821.92	7,186.76
46	1,437.07	1,844.27	2,420.27	2,804.23	3,191.53	3,585.47	3,966.12	4,363.36	4,750.68	5,141.25	5,525.28	5,909.28	6,303.21	6,726.95	7,107.59	7,508.16
48	1,529.71	1,946.08	2,545.81	2,935.67	3,352.06	3,758.48	4,155.03	4,564.75	4,987.76	5,384.32	5,784.10	6,197.15	6,587.05	6,996.81	7,413.18	7,799.74
50	1,595.79	2,018.03	2,634.89	3,067.11	3,476.13	3,901.72	4,327.29	4,752.85	5,178.45	5,594.13	6,023.01	6,428.73	6,854.30	7,286.56	7,688.90	8,107.87
52	1,645.27	2,083.39	2,737.26	3,175.34	3,616.78	4,044.91	4,499.59	4,940.96	5,359.24	5,803.95	6,238.78	6,680.16	7,114.94	7,546.40	7,981.25	8,422.62
54	1,701.42	2,161.97	2,829.66	3,286.86	3,744.14	4,201.41	4,658.62	5,105.95	5,566.51	6,000.53	6,461.14	6,924.98	7,372.34	7,809.65	8,280.20	8,757.32
56	1,757.58	2,243.93	2,925.36	3,398.43	3,871.52	4,357.84	4,807.70	5,284.16	5,747.28	6,223.66	6,680.16	7,153.28	7,619.71	8,106.05	8,599.00	9,062.14
58	1,836.91	2,332.43	3,050.89	3,526.55	4,012.12	4,511.02	4,999.94	5,482.19	5,954.56	6,436.80	6,932.40	7,417.97	7,900.24	8,395.78	8,888.00	9,366.93
60	1,893.07	2,404.41	3,146.63	3,634.76	4,149.49	4,654.26	5,152.33	5,663.70	6,161.82	6,494.24	7,151.42	7,649.49	8,174.13	8,682.16	9,177.01	9,685.08
62	1,945.89	2,476.42	3,239.03	3,769.53	4,290.15	4,790.82	5,317.99	5,831.94	6,349.20	6,813.46	7,380.39	7,920.85	8,431.51	8,942.12	9,479.25	9,999.83
64	1,998.75	2,545.07	3,344.70	3,881.11	4,410.84	4,953.89	5,470.37	6,003.49	6,536.56	6,963.62	7,622.65	8,162.35	8,688.83	9,241.77	9,778.20	10,301.34
66	2,078.06	2,650.16	3,470.25	4,012.53	4,544.87	5,116.97	5,659.30	6,211.55	6,767.07	7,137.05	7,861.59	8,403.88	8,959.44	9,511.69	10,063.91	10,622.75
68	2,137.48	2,728.74	3,556.02	4,120.75	4,692.14	5,250.26	5,818.32	6,389.68	6,971.02	7,529.11	8,087.26	8,658.63	9,226.71	9,794.75	10,369.44	10,927.58
70	2,193.64	2,790.81	3,648.45	4,235.64	4,809.59	5,393.49	5,980.69	6,577.80	7,151.76	7,725.72	8,312.96	8,896.83	9,480.72	10,071.23	10,658.47	11,249.00
72	2,256.39	2,859.48	3,747.44	4,337.25	4,936.95	5,539.96	6,152.96	6,742.75	7,332.54	7,935.58	8,535.30	9,135.01	9,741.39	10,344.39	10,950.79	11,560.43

# 784G5, XX784G5

One-side security-mount, Lite kit plus 5/16" Protect3 Wired Glass and glazing



784G5



XX784G5

WIDTH (IN)

inches	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
6"	603.05	603.05	626.24	626.24	652.76	662.69	662.69	675.97	702.42	749.08	782.49	812.63	839.38	869.50	909.51
8"	603.05	603.05	642.76	652.76	662.69	662.69	724.94	787.10	829.47	871.80	910.84	946.56	998.82	1,034.53	1,076.87
10"	603.05	573.23	652.76	662.69	711.67	769.53	840.68	891.95	943.22	991.14	1,052.37	1,110.28	1,154.90	1,206.18	1,250.80
12"	642.76	652.76	556.68	729.48	796.29	876.37	936.55	996.79	1,053.67	1,120.46	1,190.59	1,250.80	1,304.36	1,357.96	1,428.08
14"	652.76	662.69	729.48	798.62	894.27	963.39	1,032.49	1,111.56	1,174.07	1,253.14	1,322.24	1,384.75	1,477.03	1,539.55	1,635.18
16"	662.69	711.67	783.05	894.27	972.28	1,050.32	1,138.34	1,226.31	1,297.72	1,369.16	1,460.47	1,531.88	1,619.91	1,697.95	1,802.49
18"	662.69	772.86	876.37	963.39	1,050.32	1,107.50	1,244.21	1,324.53	1,404.87	1,505.11	1,585.46	1,682.41	1,795.82	1,889.49	1,979.72
20"	692.49	840.68	936.55	1,032.49	1,138.34	1,244.21	1,336.78	1,439.30	1,531.88	1,621.14	1,710.48	1,862.69	1,951.96	2,041.22	2,140.45
22"	632.85	891.95	996.79	1,111.56	1,226.31	1,324.53	1,439.30	1,537.53	1,639.05	1,737.25	1,865.26	1,996.60	2,094.82	2,216.22	2,321.05
24"	775.90	943.22	1,053.67	1,174.07	1,297.72	1,404.87	1,531.88	1,639.05	1,679.87	1,883.11	2,033.32	2,140.45	2,274.10	2,381.22	2,498.32
26"	760.76	991.14	1,120.46	1,253.14	1,369.16	1,505.11	1,621.14	1,737.25	1,843.38	2,042.25	2,171.53	2,300.91	2,423.57	2,556.20	2,676.09
28"	848.32	1,052.37	1,190.59	1,322.24	1,460.47	1,585.46	1,710.48	1,865.26	2,033.32	2,171.53	2,309.80	2,441.45	2,582.94	2,711.30	2,842.90
30"	816.62	1,110.28	1,250.80	1,384.75	1,531.88	1,632.67	1,829.54	1,996.60	2,037.72	2,300.86	2,441.43	2,591.89	2,729.10	2,882.93	3,040.04
32"	847.87	1,154.90	1,304.36	1,477.03	1,619.91	1,716.34	1,951.96	2,094.82	2,174.74	2,423.57	2,582.94	2,729.10	2,891.84	3,057.92	3,207.39
34"	922.18	1,206.18	1,357.96	1,539.55	1,697.95	1,889.49	2,041.22	2,216.22	2,321.59	2,556.20	2,711.30	2,882.93	3,057.92	3,229.56	3,384.66
36"	956.77	1,250.80	1,428.08	1,635.18	1,802.49	1,979.72	2,140.45	2,321.05	2,398.89	2,675.59	2,842.90	3,040.06	3,207.39	3,384.66	3,548.66
38"	1,001.23	1,295.45	1,514.79	1,707.60	1,890.48	2,073.37	2,262.87	2,435.81	2,625.30	2,798.26	3,004.33	3,180.59	3,366.77	3,675.55	3,878.33
40"	1,068.93	1,376.56	1,591.51	1,770.11	1,975.20	2,160.34	2,355.43	2,553.86	2,735.74	2,950.76	3,135.98	3,331.04	3,648.78	3,860.50	4,055.59
42"	1,192.95	1,500.72	1,708.06	1,925.37	2,132.72	2,343.43	2,547.46	2,764.75	2,972.12	3,182.81	3,410.04	3,604.19	3,824.77	4,028.83	4,275.92
44"	1,250.68	1,565.23	1,778.18	2,007.70	2,214.12	2,440.28	2,666.56	2,882.85	3,102.44	3,325.37	3,541.67	3,771.21	3,984.15	4,240.21	4,453.21
46"	1,288.57	1,626.42	1,851.64	2,080.21	2,315.34	2,537.22	2,775.71	3,004.23	3,236.11	3,461.32	3,686.53	3,921.65	4,186.65	4,408.58	4,650.36
48"	1,366.21	1,717.44	1,941.66	2,192.37	2,433.13	2,663.98	2,908.05	3,165.38	3,396.25	3,630.38	3,877.78	4,102.03	4,346.07	4,596.81	4,817.68
50"	1,414.04	1,772.02	2,031.70	2,268.13	2,521.08	2,774.14	3,027.15	3,280.17	3,523.24	3,779.58	4,012.69	4,265.72	4,525.37	4,755.20	5,001.57
52"	1,455.23	1,839.85	2,098.50	2,360.43	2,609.10	2,884.32	3,146.25	3,385.00	3,650.25	3,905.57	4,167.49	4,422.85	4,674.82	4,930.16	5,192.07
54"	1,509.65	1,897.74	2,168.61	2,439.52	2,710.37	2,981.24	3,242.16	3,519.39	3,764.01	4,038.19	4,315.69	4,576.60	4,827.62	5,111.73	5,402.55
56"	1,567.44	1,958.96	2,238.76	2,518.55	2,811.60	3,068.18	3,351.33	3,621.15	3,904.26	4,167.49	4,447.32	4,720.52	5,013.57	5,313.20	5,583.07
58"	1,631.77	2,049.97	2,325.42	2,610.84	2,909.55	3,198.23	3,480.32	3,752.54	4,034.61	4,329.93	4,582.03	4,897.46	5,192.86	5,484.83	5,764.55
60"	1,663.97	2,088.85	2,365.51	2,668.62	2,961.84	3,248.36	3,548.20	3,834.73	3,955.67	4,401.25	4,687.86	5,000.90	5,297.37	5,580.65	5,877.14

HEIGHT (IN)

# 784G-SS

One-side security-mount, Stainless steel



784G-SS

WIDTH (IN)

inches	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
6"	864.59	864.59	974.13	974.13	1,083.75	1,130.71	1,130.71	1,193.28	1,302.93	1,334.22	1,365.53	1,381.18	1,381.18	1,396.86	1,459.47
8"	864.59	864.59	1,036.74	1,083.75	1,130.71	1,130.71	1,193.28	1,302.93	1,334.22	1,365.53	1,381.18	1,381.18	1,459.47	1,459.47	1,490.80
10"	864.59	723.64	1,083.75	1,130.71	1,130.71	1,193.28	1,302.93	1,334.22	1,365.53	1,381.18	1,459.47	1,459.47	1,459.47	1,490.80	1,490.80
12"	1,036.74	1,083.75	676.65	1,130.71	1,193.28	1,302.93	1,334.22	1,365.53	1,381.18	1,381.18	1,459.47	1,490.80	1,490.80	1,490.80	1,569.08
14"	1,083.75	1,130.71	1,130.71	1,162.00	1,302.93	1,334.22	1,365.53	1,381.18	1,381.18	1,459.47	1,490.80	1,490.80	1,569.08	1,569.08	1,709.95
16"	1,130.71	1,130.71	1,130.71	1,302.93	1,334.22	1,365.53	1,381.18	1,459.47	1,459.47	1,459.47	1,490.80	1,490.80	1,569.08	1,600.37	1,741.25
18"	1,052.42	1,208.96	1,302.93	1,334.22	1,365.53	1,146.34	1,459.47	1,459.47	1,459.47	1,490.80	1,490.80	1,569.08	1,709.95	1,709.95	1,756.92
20"	1,208.96	1,302.93	1,334.22	1,365.53	1,381.18	1,459.47	1,475.11	1,475.11	1,490.80	1,490.80	1,490.80	1,709.95	1,709.95	1,709.95	1,756.92
22"	958.50	1,334.22	1,365.53	1,381.18	1,459.47	1,459.47	1,475.11	1,475.11	1,490.80	1,490.80	1,569.08	1,709.95	1,709.95	1,756.92	1,788.24
24"	1,334.22	1,365.53	1,381.18	1,381.18	1,459.47	1,459.47	1,490.80	1,490.80	1,224.62	1,569.08	1,756.92	1,756.92	1,819.53	1,819.53	1,866.52
26"	1,162.00	1,381.18	1,381.18	1,459.47	1,459.47	1,490.80	1,490.80	1,490.80	1,381.18	1,756.92	1,756.92	1,819.53	1,850.86	1,866.52	1,882.17
28"	1,381.18	1,459.47	1,459.47	1,490.80	1,490.80	1,490.80	1,490.80	1,569.08	1,756.92	1,756.92	1,819.53	1,850.86	1,866.52	1,882.17	1,913.46
30"	1,130.71	1,459.47	1,490.80	1,490.80	1,490.80	1,318.56	1,569.08	1,709.95	1,318.56	1,819.53	1,850.86	1,866.52	1,882.17	1,913.46	2,007.42
32"	1,130.71	1,459.47	1,490.80	1,569.08	1,569.08	1,334.22	1,709.95	1,709.95	1,396.86	1,850.86	1,866.52	1,882.17	1,913.46	2,007.42	2,038.77
34"	1,318.56	1,490.80	1,490.80	1,569.08	1,600.37	1,709.95	1,709.95	1,756.92	1,584.70	1,866.52	1,882.17	1,913.46	2,007.42	2,038.77	2,054.38
36"	1,334.22	1,490.80	1,569.08	1,709.95	1,741.25	1,756.92	1,756.92	1,788.24	1,443.80	1,882.17	1,913.46	2,007.42	2,038.77	2,054.38	2,070.02
38"	1,334.22	1,490.80	1,647.35	1,756.92	1,756.92	1,819.53	1,850.86	1,866.52	1,897.81	1,913.46	2,007.42	2,038.77	2,054.38	2,680.63	2,774.54
40"	1,475.11	1,647.35	1,756.92	1,756.92	1,819.53	1,850.86	1,866.52	1,897.81	1,913.46	2,007.42	2,038.77	2,054.38	2,680.63	2,774.54	2,852.83
42"	1,897.81	2,007.42	2,038.77	2,117.04	2,210.91	2,242.26	2,320.51	2,398.79	2,492.78	2,539.73	2,649.29	2,680.63	2,774.54	2,852.83	3,056.36
44"	2,007.42	2,038.77	2,117.04	2,210.91	2,242.26	2,320.51	2,398.79	2,492.78	2,539.73	2,649.29	2,680.63	2,774.54	2,852.83	3,056.36	3,134.63
46"	2,038.77	2,117.04	2,210.91	2,242.26	2,320.51	2,398.79	2,492.78	2,539.73	2,649.29	2,680.63	2,774.54	2,852.83	3,056.36	3,134.63	3,228.56
48"	2,242.26	2,320.51	2,367.47	2,477.14	2,539.73	2,602.35	2,680.63	2,821.52	2,884.15	2,915.47	3,009.41	3,056.36	3,134.63	3,228.56	3,259.88
50"	2,320.51	2,367.47	2,477.14	2,539.73	2,602.35	2,680.63	2,821.52	2,884.15	2,915.47	3,009.41	3,056.36	3,134.63	3,228.56	3,259.88	3,306.85
52"	2,367.47	2,477.14	2,539.73	2,602.35	2,680.63	2,821.52	2,884.15	2,915.47	3,009.41	3,056.36	3,134.63	3,228.56	3,259.88	3,306.85	3,447.74
54"	2,477.14	2,539.73	2,602.35	2,680.63	2,821.52	2,884.15	2,915.47	3,009.41	3,040.72	3,134.63	3,228.56	3,259.88	3,306.85	3,447.74	3,604.32
56"	2,539.73	2,602.35	2,680.63	2,758.87	2,884.15	2,915.47	3,009.41	3,040.72	2,586.71	3,134.63	3,259.88	3,306.85	3,447.74	3,604.32	3,698.25
58"	2,680.63	2,758.87	2,837.16	2,884.15	3,009.41	3,087.67	3,134.63	3,181.63	3,228.56	3,338.16	3,400.81	3,447.74	3,604.32	3,698.25	3,729.58
60"	2,758.87	2,837.16	2,884.15	3,009.41	3,087.67	3,134.63	3,228.56	3,275.56	2,696.28	3,400.81	3,447.74	3,604.32	3,698.25	3,729.58	3,870.44
62"	2,837.16	2,884.15	3,009.41	3,087.67	3,134.63	3,228.56	3,275.56	3,338.16	3,165.99	3,447.74	3,604.32	3,698.25	3,729.58	3,870.44	3,948.72
64"	2,884.15	3,009.41	3,087.67	3,134.63	3,228.56	3,275.56	3,338.16	3,400.81	3,025.02	3,604.32	3,698.25	3,729.58	3,870.44	3,948.72	4,027.01
66"	3,119.00	3,212.91	3,244.22	3,228.56	3,400.81	3,432.09	3,494.74	3,588.68	2,946.77	3,760.83	3,792.22	3,870.44	3,948.72	4,027.01	4,120.95
68"	3,212.91	3,244.22	3,306.85	3,400.81	3,432.09	3,494.74	3,588.68	3,729.58	3,760.83	3,792.22	3,870.44	3,948.72	4,027.01	4,120.95	4,214.91
70"	3,244.22	3,306.85	3,400.81	3,432.09	3,494.74	3,588.68	3,729.58	3,760.83	3,792.22	3,870.44	3,948.72	4,027.01	4,120.95	4,214.91	4,324.43
72"	3,306.85	3,400.81	3,432.09	3,494.74	3,588.68	3,729.58	3,760.83	3,792.22	3,870.44	3,948.72	4,027.01	4,120.95	4,214.91	4,324.43	4,434.07

Glass not included. Using non-fire-rated glass may offset fire ratings.

# X500G, X625G, X750G, X875G, X1000G

One-side security-mount



X500G

WIDTH (IN)

HEIGHT (IN)	WIDTH (IN)															
	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"	
6"	136.01	136.01	136.01	136.01	136.01	145.13	149.59	167.82	176.78	185.74	194.82	199.48	208.23	222.18	226.47	
8"	136.01	136.01	136.01	136.01	145.13	149.59	167.82	176.78	185.74	194.82	199.48	208.23	222.18	226.47	231.14	
10"	136.01	136.01	136.01	145.13	149.59	167.82	176.78	185.74	194.82	199.48	208.23	222.18	226.47	231.14	235.58	
12"	136.01	136.01	145.13	149.59	167.82	176.78	185.74	194.82	199.48	208.23	222.18	226.47	231.14	235.58	240.39	
14"	136.01	145.13	149.59	167.82	176.78	185.74	194.82	199.48	208.23	222.18	226.47	231.14	235.58	240.39	244.68	
16"	145.13	149.59	167.82	176.78	185.74	194.82	199.48	208.23	222.18	226.47	231.14	235.58	240.39	244.68	249.33	
18"	149.59	167.82	176.78	185.74	194.82	199.48	208.23	222.18	226.47	231.14	235.58	240.39	244.68	249.33	258.27	
20"	167.82	176.78	185.74	194.82	199.48	208.23	222.18	226.47	231.14	235.58	240.39	244.68	249.33	258.27	267.39	
22"	176.78	185.74	194.82	199.48	208.23	222.18	226.47	231.14	235.58	240.39	244.68	249.33	258.27	267.39	271.88	
24"	185.74	194.82	199.48	208.23	222.18	226.47	231.14	235.58	240.39	244.68	249.33	258.27	267.39	271.88	285.45	
26"	194.82	199.48	208.23	222.18	226.47	231.14	235.58	240.39	244.68	249.33	258.27	267.39	271.88	285.45	289.92	
28"	199.48	208.23	222.18	226.47	231.14	235.58	240.39	244.68	249.33	258.27	267.39	271.88	285.45	289.92	294.56	
30"	208.23	222.18	226.47	231.14	235.58	240.39	244.68	249.33	258.27	267.39	271.88	285.45	289.92	294.56	298.89	
32"	222.18	226.47	231.14	235.58	240.39	244.68	249.33	258.27	267.39	271.88	285.45	289.92	294.56	298.89	308.16	
34"	226.47	231.14	235.58	240.39	244.68	249.33	258.27	267.39	271.88	285.45	289.92	294.56	298.89	308.16	317.23	
36"	231.14	235.58	240.39	244.68	249.33	258.27	267.39	271.88	285.45	289.92	294.56	298.89	308.16	317.23	326.23	
38"	235.58	240.39	244.68	249.33	258.27	267.39	271.88	285.45	289.92	294.56	298.89	308.16	317.23	326.23	330.84	
40"	244.68	253.64	258.27	317.23	326.23	335.17	344.44	353.37	362.33	367.10	398.77	407.70	412.36	421.48	444.00	
42"	253.64	258.27	317.23	326.23	335.17	344.44	353.37	362.33	367.10	398.77	407.70	412.36	421.48	444.00	453.11	
44"	258.27	317.23	326.23	335.17	344.44	353.37	362.33	367.10	398.77	407.70	412.36	421.48	444.00	453.11	462.22	
46"	317.23	326.23	335.17	344.44	353.37	362.33	367.10	398.77	407.70	412.36	421.48	444.00	453.11	462.22	480.08	
48"	326.23	335.17	344.44	353.37	362.33	367.10	398.77	407.70	412.36	421.48	444.00	453.11	462.22	480.08	489.55	
50"	335.17	344.44	353.37	362.33	367.10	398.77	407.70	412.36	421.48	444.00	453.11	462.22	480.08	489.55	498.49	
52"	344.44	353.37	362.33	367.10	398.77	407.70	412.36	421.48	444.00	453.11	462.22	480.08	489.55	498.49	502.98	
54"	353.37	367.10	376.25	412.36	421.48	425.93	444.00	448.46	466.70	475.66	489.55	498.49	516.54	521.04	534.61	
56"	367.10	376.25	412.36	421.48	425.93	444.00	448.46	466.70	475.66	489.55	498.49	516.54	521.04	534.61	552.70	
58"	376.06	412.36	421.48	425.93	444.00	448.46	466.70	475.66	489.55	498.49	516.54	521.04	534.61	552.70	566.59	
60"	412.36	421.48	425.93	444.00	448.46	466.70	475.66	489.55	498.49	516.54	521.04	534.61	552.70	566.59	575.52	
62"	421.48	425.93	444.00	448.46	466.70	475.66	489.55	498.49	516.54	521.04	534.61	552.70	566.59	575.52	584.48	
64"	425.93	444.00	448.46	466.70	475.66	489.55	498.49	516.54	521.04	534.61	552.70	566.59	575.52	584.48	598.11	
66"	444.00	448.46	466.70	475.66	489.55	498.49	516.54	521.04	534.61	552.70	566.59	575.52	584.48	598.11	611.65	
68"	448.46	466.70	475.66	489.55	498.49	516.54	521.04	534.61	552.70	566.59	575.52	584.48	598.11	611.65	629.72	
70"	466.70	475.66	489.55	498.49	516.54	521.04	534.61	552.70	566.59	575.52	584.48	598.11	611.65	629.72	643.30	
72"	475.66	489.55	498.49	516.54	521.04	534.61	552.70	566.59	575.52	584.48	598.11	611.65	629.72	643.30	657.05	

Glass not included. Using non-fire-rated glass may offset fire ratings.

# XX500G, XX625G, XX750G, XX875G, XX1000G

## One-side security-mount

WIDTH (IN)

inches	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
6"	136.01	136.01	136.01	136.01	136.01	145.13	149.59	167.82	176.78	185.74	194.82	199.48	208.23	222.18	226.47
8"	136.01	136.01	136.01	136.01	145.13	149.59	167.82	176.78	185.74	194.82	199.48	208.23	222.18	226.47	231.14
10"	136.01	136.01	136.01	145.13	149.59	167.82	176.78	185.74	194.82	199.48	208.23	222.18	226.47	231.14	235.58
12"	136.01	136.01	145.13	149.59	167.82	176.78	185.74	194.82	199.48	208.23	222.18	226.47	231.14	235.58	240.39
14"	136.01	145.13	149.59	167.82	176.78	185.74	194.82	199.48	208.23	222.18	226.47	231.14	235.58	240.39	244.68
16"	145.13	149.59	167.82	176.78	185.74	194.82	199.48	208.23	222.18	226.47	231.14	235.58	240.39	244.68	249.33
18"	149.59	167.82	176.78	185.74	194.82	199.48	208.23	222.18	226.47	231.14	235.58	240.39	244.68	249.33	258.27
20"	167.82	176.78	185.74	194.82	199.48	208.23	222.18	226.47	231.14	235.58	240.39	244.68	249.33	258.27	267.39
22"	176.78	185.74	194.82	199.48	208.23	222.18	226.47	231.14	235.58	240.39	244.68	249.33	258.27	267.39	271.88
24"	185.74	194.82	199.48	208.23	222.18	226.47	231.14	235.58	240.39	244.68	249.33	258.27	267.39	271.88	285.45
26"	194.82	199.48	208.23	222.18	226.47	231.14	235.58	240.39	244.68	249.33	258.27	267.39	271.88	285.45	289.92
28"	199.48	208.23	222.18	226.47	231.14	235.58	240.39	244.68	249.33	258.27	267.39	271.88	285.45	289.92	294.56
30"	208.23	222.18	226.47	231.14	235.58	240.39	244.68	249.33	258.27	267.39	271.88	285.45	289.92	294.56	298.89
32"	222.18	226.47	231.14	235.58	240.39	244.68	249.33	258.27	267.39	271.88	285.45	289.92	294.56	298.89	308.16
34"	226.47	231.14	235.58	240.39	244.68	249.33	258.27	267.39	271.88	285.45	289.92	294.56	298.89	308.16	317.23
36"	231.14	235.58	240.39	244.68	249.33	258.27	267.39	271.88	285.45	289.92	294.56	298.89	308.16	317.23	326.23
38"	235.58	240.39	244.68	249.33	258.27	267.39	271.88	285.45	289.92	294.56	298.89	308.16	317.23	326.23	330.84
40"	244.68	253.64	258.27	317.23	326.23	335.17	344.44	353.37	362.33	367.10	398.77	407.70	412.36	421.48	444.00
42"	253.64	258.27	317.23	326.23	335.17	344.44	353.37	362.33	367.10	398.77	407.70	412.36	421.48	444.00	453.11
44"	258.27	317.23	326.23	335.17	344.44	353.37	362.33	367.10	398.77	407.70	412.36	421.48	444.00	453.11	462.22
46"	317.23	326.23	335.17	344.44	353.37	362.33	367.10	398.77	407.70	412.36	421.48	444.00	453.11	462.22	480.08
48"	326.23	335.17	344.44	353.37	362.33	367.10	398.77	407.70	412.36	421.48	444.00	453.11	462.22	480.08	489.55
50"	335.17	344.44	353.37	362.33	367.10	398.77	407.70	412.36	421.48	444.00	453.11	462.22	480.08	489.55	498.49
52"	344.44	353.37	362.33	367.10	398.77	407.70	412.36	421.48	444.00	453.11	462.22	480.08	489.55	498.49	502.98
54"	353.37	367.10	376.25	412.36	421.48	425.93	444.00	448.46	466.70	475.66	489.55	498.49	516.54	521.04	534.61
56"	367.10	376.25	412.36	421.48	425.93	444.00	448.46	466.70	475.66	489.55	498.49	516.54	521.04	534.61	552.70
58"	376.06	412.36	421.48	425.93	444.00	448.46	466.70	475.66	489.55	498.49	516.54	521.04	534.61	552.70	566.59
60"	412.36	421.48	425.93	444.00	448.46	466.70	475.66	489.55	498.49	516.54	521.04	534.61	552.70	566.59	575.52
62"	421.48	425.93	444.00	448.46	466.70	475.66	489.55	498.49	516.54	521.04	534.61	552.70	566.59	575.52	584.48
64"	425.93	444.00	448.46	466.70	475.66	489.55	498.49	516.54	521.04	534.61	552.70	566.59	575.52	584.48	598.11
66"	444.00	448.46	466.70	475.66	489.55	498.49	516.54	521.04	534.61	552.70	566.59	575.52	584.48	598.11	611.65
68"	448.46	466.70	475.66	489.55	498.49	516.54	521.04	534.61	552.70	566.59	575.52	584.48	598.11	611.65	629.72
70"	466.70	475.66	489.55	498.49	516.54	521.04	534.61	552.70	566.59	575.52	584.48	598.11	611.65	629.72	643.30
72"	475.66	489.55	483.98	516.54	521.04	534.61	552.70	566.59	575.52	584.48	598.11	611.65	629.72	643.30	657.05

Glass not included. Using non-fire-rated glass may offset fire ratings.

## Slimport™ Vision lites

- For use with 1-3/4" (44mm) doors
- 1/4" (6.4mm) glass
- Slimport frames are available in four finishes
- Glass supplied by others

SLIMPORT			
Model/Size - Finish	Description	UOM	List price
SP250-GV	Slimport, 18g. Cold rolled steel, zinc plated finish	Each	\$978.44
SP250-SS	Slimport, Stainless steel, satin finish	Each	\$1,638.40
SP250-CP	Slimport, 18 g. cold rolled steel, chrome pearlite silver-plated, (to match Satin Anodized Aluminum)	Each	\$978.44
SP250-PS	Slimport, Stainless steel, polished buff finish	Each	\$1,638.40
SP350-GV	Slimport, 18 g. Cold rolled steel, zinc plated finish	Each	\$1,084.88
SP350-SS	Slimport, Stainless steel, satin finish	Each	\$1,718.03
SP350-CP	Slimport, 18 g. cold rolled steel, chrome pearlite silver-plated, (to match Satin Anodized Aluminum)	Each	\$1,084.88
SP350-PS	Slimport, Stainless steel, polished buff finish	Each	\$1,718.03
SP450-GV	Slimport, 18 g. Cold rolled steel, zinc plated finish	Each	\$1,237.50
SP450-SS	Slimport, Stainless steel, satin finish	Each	\$1,872.84
SP450-CP	Slimport, 18 g. Cold rolled steel, chrome pearlite silver-plated, (to match Satin Anodized Aluminum)	Each	\$1,237.50
SP450-PS	Slimport, Stainless steel, polished buff finish	Each	\$1,872.84
SP550-GV	Slimport, 18 g. Cold rolled steel, zinc plated finish	Each	\$1,365.85
SP550-SS	Slimport, Stainless steel, satin finish	Each	\$1,982.37
SP550-CP	Slimport, 18 g. Cold rolled steel, chrome pearlite silver-plated, (to match Satin Anodized Aluminum)	Each	\$1,365.85
SP550-PS	Slimport, Stainless steel, polished buff finish	Each	\$1,982.37

ACCESSORIES		LIST PRICE	
Part number	Description	Each	Per Meter
134C <sup>1</sup>	20 Gauge clip for 1-3/4" hollow metal doors	\$15.24	\$50.00
7228Z <sup>2,3</sup>	Optional wood screw pack (order separately from kit) for thru-bolt XX models. 12 screws per pack.	\$4.43	-
7283Z <sup>2,3</sup>	Optional sheet metal screw pack (order separately from kit) for thru-bolt XX models. 12 screws per pack.	\$1.46	-

1. Advantage lite kits on fire-rated hollow metal doors do not require door support clips or channels welded in the doors.
2. Thru-bolt applications require double the number of SMS screws.
3. Use of accessory mounting screws voids UL and fire ratings on all XX model lites and louvers.

SELF-ADHESIVE WEATHERSTRIPPING										
Closed cell sponge neoprene seals		Length (Feet)								
Part number	Description	8 ft	17 ft	18 ft	19 ft	20 ft	21 ft	25 ft	100 ft	500 ft
8172N	Neoprene/PSA .250" x 1/8" (6.4 x 3.2) - Minimum order 75ft.(22.8m), roll UOM	\$14.72	\$31.28	\$33.12	\$34.96	\$36.80	38.64	\$46.00	\$184.00	\$920.00
8770N	Neoprene/PSA .500" x 1/8" (12.7 x 3.2) - Minimum order 75ft.(22.8m), order in UOM	\$32.32	\$68.68	\$72.72	\$76.76	\$80.80	84.84	\$101.00	N/A	\$2,020.00

## About Allegion

At Allegion (NYSE: ALLE), we design and manufacture innovative security and access solutions that help keep people safe where they live, learn, work and connect. We're pioneering safety with our strong legacy of brands like CISA®, Interflex®, LCN®, Schlage®, SimonsVoss® and Von Duprin®. Our comprehensive portfolio of hardware, software and electronic solutions is sold around the world and spans residential and commercial locks, door closer and exit devices, steel doors and frames, access control and workforce productivity systems.

For more, visit [www.allegion.com](http://www.allegion.com)

KRYPTONITE ■ LCN ■  ■ STEELCRAFT ■ VON DUPRIN