




DCN325



DCN516



APL



ED910



QL



E50



MLX



Arrow Lock Price Book Effective March 3, 2025 – Revised 12/1/2025

[Click here for details on Tariff Price Adjustments.](#)



ASSA ABLOY



Experience a safer
and more open world



ASSA ABLOY



ARROW USA

Dock 2
225 Episcopal Road
Berlin, CT 06037
Phone: (800) 839-3157
Fax: (866) 636-9995
info@arrowlock.com

ORDERS & CUSTOMER SERVICE:

Arrow Lock & Door Hardware
225 Episcopal Road
Berlin, CT 06037
orders.arrow@assaabloy.com
Phone: (800) 839-3157
Fax: (866) 636-9995

INVOICE PAYMENTS ONLY

Arrow Lock Accounts Receivable
P.O. Box 640711
Pittsburgh, PA 15264

RETURN GOODS ONLY (RGA# REQUIRED)

Arrow Lock & Door Hardware
Dock 2
225 Episcopal Road
Berlin, CT 06037

Table of Contents

Terms & Condition of Sale	2
Limited Warranty	8
General Procedure/Finishes	9
Mortise Locks	
BMX Series	10
Competitor Mortise Indicators	16
Cylindrical Locks	
QL Series	20
APL Series	22
GL Series	23
HK Series	25
MK Series	27
MLX Series	31
RK Series	33
RL Series	34
RLX Series	36
Auxiliary Locks	
DBX Series	38
D Series	40
E Series	41
N Series	44
Padlocks	46
Keys & Cylinders	
Keys & Keying Charges	47
Mortise & Rim Cylinders	48
KIK, Lever & Deadbolt Cylinders	49
IC Housings	50
Arrow Pointe SFIC Cylinders	51
Arrow Pointe Flex SFIC Cylinders	52
Sliding Door Lock	52
Cam Locks	53
Plus IC Housings	54
Cylinder Parts & Tools	55

Panic Devices	
S1150/S1250	56
ED910/PEC910 Series	56
S1150, S1250, ED910, & PEC910 Series Exit Trim	57
S1150 & S1250 Series Parts	58
Mullions	59
Closers and Operators	
7800/7900 Series	60
DCN300 Series	62
DCN500 Series	63
5016N Series	64
Alarmed Hardware	
AL500 & 130N Series	65

DISCONTINUED PRODUCTS	
Panic Devices	
3880 Series Rim Exit Device	67
3700 Series Surface Vertical Rod Exit Device	68
3900 Series Mortise Exit Device	69
4800 Series Narrow Stile Rim Exit Device	70
4900 Series Narrow Stile Mortise Exit Device	71

**ASSA ABLOY**

Terms & Conditions of Sale

Acceptance

ARROW LOCK reserves the right to decline an order, in whole or in part, when the type or quantity of goods or credit worthiness of the Purchaser is not satisfactory to us in our sole and absolute discretion.

Purchase Orders, Quote requests, Acknowledgements or the like issued by the Purchaser that have contrary standard terms and conditions are not binding on ARROW LOCK, unless such terms and conditions are approved in a separate written agreement by ARROW LOCK's authorized representatives. In the event of an acceptance of Purchaser's Purchase Order by ARROW LOCK, the Purchaser agrees that such acceptance is solely conditioned on Purchaser's acceptance of the terms and conditions set forth in this instrument, regardless of the terms and conditions specified in the Purchaser's Purchase order. The terms and conditions in Purchaser's Purchase order which conflict with terms and conditions of this instrument shall be disregarded and are hereby rejected, and this instrument shall constitute the entire agreement between ARROW LOCK and the Purchaser.

In the event that ARROW LOCK does not enforce or require strict performance of any term or condition hereof, or of any other document, instrument or other agreement relating to goods sold, such lack of enforcement or requirement of strict performance will not waive, affect or diminish any right of ARROW LOCK to enforce or require strict performance of such term or condition in the future.

Prices

All prices are subject to change without notice and are not guaranteed. All shipments will be made at prices in effect at the time of order acceptance.

Possession of this price list does not constitute an agreement to sell. We reserve the right to correct clerical, stenographic and other obvious errors at any time.

Price Adjustments and/or Surcharges may be necessary due to a change in laws, including but not limited to, tariffs, duties and surtaxes. Any price change, if applicable, are in addition to any regularly announced price adjustments and are subject to implementation without advanced notice.

Terms

2% 10 net 30 days after invoice date.

It is understood that ARROW LOCK may impose and charge a finance charge which is the lesser or one and one-half percent (1-1/2%) per month or the highest rate allowed by law on any amount which becomes past due and delinquent. Additionally the customer shall be responsible for all collection costs, court costs and reasonable attorney's fees (where allowed by law) in connection with the recovery of any delinquent amount.

Freight

All orders are shipped FOB factory/warehouse, except as expressly provided below. When delivered to the Transportation Company, the Purchaser assumes the risk of loss or damage in transit.

Customer orders with net product value in excess of \$5,000.00 will be shipped prepaid by ARROW LOCK's carrier of choice and routing to a single destination point in the United States.

Customer orders with net product value less than \$5,000.00 will be shipped prepaid by ARROW LOCK's carrier of choice and routing and shipping and handling charges will be added to customer's invoice.

If the customer requests an expedited method of shipment such as "Next Day Air" the charges will be prepaid by ARROW LOCK and the full rate for the service, as published by the carrier, will be added to the customer's invoice.

Great Grand Master keys, Grand Master keys, Master keys, Construction Master keys, Control Keys, which are shipped separate from customer order for security reasons, on orders with net product value in excess of \$5,000 will be shipped prepaid by ARROW LOCK's carrier of choice. If the total order value is less than \$5,000.00, the shipping charges will be added to customer's invoice.

ARROW LOCK will pack, mark and ship the products according to its standard procedures for shipment, unless the parties agree, in writing, that ARROW LOCK will comply with any special instructions provided by the customer. Special instructions must be submitted, in writing, at time of order placement. Compliance with special instructions may result in an increased price.



Terms & Conditions of Sale

Minimum Invoice

Minimum invoice for complete product is \$200.00 net product value. The minimum invoice for parts orders is \$100.00 net product value. In the event that the net product value does not meet the required net minimum, ARROW LOCK may, at its sole discretion (a) apply a minimum order charge, (b) reject the order or (c) waive the minimum requirement provided that the waiver of the requirement for one order shall not constitute a waiver of the requirement for any future orders.

This policy does not include the following: Cut (bitted) Keys of any type, Master Keyed Cylinders, Master Keyed Padlocks and factory-generated bitting Lists.

Same day order expedites will be invoiced at book net.

Quotations

If ARROW LOCK elects to offer a quote; such quote will be valid until the expiration date on that quote. Complete shipment of the order must be accepted by Purchaser within standard lead times.

The quote number must be referenced on the order. Any invoiced order that has the incorrect discount applied to it and did not have the quote number written on the order will have a service fee of \$100.00 net DEDUCTED from any sales credit issued for the difference in discount.

The quote is null and void if the Purchase Order does not include ALL product lines listed on the quote or if the quantities for an item covered by the quote deviate by 10% or more.

With the issuance and acceptance of a quote for the purchase of products, the Purchaser agrees that products so purchased will not be resold or transferred to any Distributor not authorized by ARROW LOCK to sell its products. This would be inclusive of branches of the quoted Distributor. Failure to abide by this restriction may result in the Distributor's ineligibility for Price Concession Authorizations, or other actions in ARROW LOCK's discretion.

ARROW LOCK and its sales representatives reserve the right, in their sole discretion and for any reason, to refuse a Distributor's request to quote a price other than ARROW LOCK's standard list price and regardless of whether ARROW LOCK or its sales representatives have previously quoted discounted prices to the Distributor on some or all of its orders.

Non-Cataloged Products

Products not cataloged or listed in this price book will be considered as special products, and will not be manufactured without prior approval from ARROW LOCK. All non-cataloged goods cannot be changed or cancelled.

A minimum special handling charge of \$50.00 will be added for non-cataloged product. Any additional labor or material required will be charged accordingly. Any additional labor or material required will be charged accordingly.

Special products require special handling, and therefore standard lead times may not apply. Please consult with your Sales Representative for further details.

Change or Cancellation of Orders

Changes or cancellations to an order will result in a charge of costs for material and labor expenses that have been incurred prior to notification from customer. Handling charges are billed on customer's original order. If products have already been made and/or are located in the shipping room, a 45% restocking fee will apply.

Arrow Express Orders may not be changed or cancelled.

Except for the reasons stated above, all change requests must be submitted in writing to customer Service within two (2) business days of receipt of acknowledgment of the order.

Add-On Orders to Quote

Any new order requesting special pricing to match an existing quote number, which has already been ordered, will be accepted up to sixty (60) days after the acknowledgment of the original order. All add-on orders must reference the original factory order number and the corresponding quote number to receive the quoted pricing discount. Add-on orders for stock will not be accepted.



Terms & Conditions of Sale

Delivery

Orders will be acknowledged and given a scheduled delivery date based on estimated manufacturing lead times. Complete information is required to process all orders. Orders with insufficient information for processing (i.e. keying information, door sizes, etc.) may be subject to extended lead times which are relative to the time required in obtaining the necessary information for order processing. Manufacturing lead time will begin once all information is received to process an order. ARROW LOCK will use reasonable efforts to deliver products as estimated, but makes no guarantees as to delivery dates.

ARROW LOCK will not be liable for back charges incurred based on availability of product or as a result of delays in delivery caused by insufficient information required to process an order.

ARROW LOCK will not be held responsible for delays in delivery caused by strikes, fires, floods or any other causes beyond our control, including the delivery of material to us. Under no circumstances shall ARROW LOCK be liable or accountable for consequential damages due to failure of delivery.

Claims

In the event of Company or customer error, claims for shortages, pricing errors and/or incorrectly filled orders must be submitted in writing to Customer Service within thirty (30) days from receipt of material.

Any claims for shortages or damage by the Carrier must be made by the customer directly to the Carrier.

Invoice Deduction

An ARROW LOCK Sales Representative or Customer Service Representative must be notified of any disputed invoices within sixty (60) days from the date of invoice. Deductions should only be taken for the disputed amount and the balance of the invoice is due and payable within standard payment terms.

Returned Goods

It is the policy of ARROW LOCK to not accept returns of any materials that are correctly furnished as per the Distributor's Purchase Order. Return of product due to customer order error or accommodation must be pre-arranged with ARROW LOCK and approved in writing by Sales Management.

All products returned as "Goodwill" must meet the following criteria to be considered a return:

- Be in original, unmarked, and undamaged cartons
- Be valued in excess of \$200.00 net
- Shipped and invoiced within the previous one-hundred twenty (120) days
- Custom, non-cataloged goods, master-keyed or ARROW LOCK Arrow Express shipped products are not returnable

A MINIMUM restocking fee of 45% will be charged. Upon receipt and verification by ARROW LOCK that the returned merchandise meets the foregoing conditions, a credit will be issued for the original invoice amount less the MINIMUM 45% restocking fee. Defective goods and "Goodwill" products that meet the foregoing criteria may be returned by fulfilling the following conditions:

- Send an RGA request in writing to the ARROW LOCK Sales Representative serving the Purchaser's area
- Ensure the RGA labels that are sent to Purchaser by ARROW LOCK are visible on return goods shipment
- Ensure that the RGA number appears on the return shipment label and is legible
- Return the authorized merchandise within sixty (60) days from the date of RGA issuance date
- Return shipments must be freight prepaid to the location specified on the RGA. ARROW LOCK is not liable for damages to product during shipping.

No credit may be taken or issued prior to RGA approval and receipt of product. All defective goods within the terms of our limited warranty may be returned for credit or replacement.

Taxes

Experience a safer
and more open world



Terms & Conditions of Sale

Prices do not include any present or future Federal, State, or Local property, license, privilege, sales, use, and excise, gross receipts or other like taxes or assessments, which may result from transactions or any services performed in connection herewith.

Governing Law

The rights and obligations of the parties shall be governed by the laws of the State of New York, excluding any conflicts of law provisions. The United Nations Convention on Contracts for the International Sale of Goods shall not apply to this Agreement.

Limited Warranty

The Terms and Conditions outlined above are subject to ARROW LOCK Limited Warranty, which is included in this Price List and incorporated herein by reference.

Product Modifications

ARROW LOCK products are not designed for or intended for aftermarket modification. The warranty on ARROW LOCK products becomes void if the product is modified in any way, regardless of whether the modification causes or contributes to any alleged defect. Warranty voiding modifications include, but are not limited to, third-party electrification of non-electric products and/or the installation of non-approved or non-ARROW LOCK components.

If an ARROW LOCK product is modified it no longer meets industry certification and quality control standards applicable to the original product and is no longer a genuine ARROW LOCK product. A modified product may not be sold as an ARROW LOCK product and no ARROW LOCK trademarks or certification marks based on the original ARROW LOCK product, such as U.L. or ANSI/BHMA marks, may appear anywhere on the modified product or on any packaging, literature or instructions sold with the modified product.

All original ARROW LOCK packaging and literature carrying ARROW LOCK trademarks and must be destroyed if the original ARROW LOCK product is modified. Portions of the product that carry an ARROW LOCK trademark or certification mark, such as mortise faceplates, lock bodies, etc. must be discarded and/or replaced by the party making the modification. U.L. and other certification testing and marking are also the responsibility of the party making modification. The use of ARROW LOCK trademarks on modified products constitutes trademark infringement.

Individual Components

Component parts including but not limited to latches sold separate from locksets are intended to be sold as replacement components for appropriate ARROW LOCK products only. All other uses require prior written approval from ARROW LOCK.

Fire-Rated Openings

Any retrofit or other field modification to a fire-rated opening can potentially impact the fire rating of the opening, and ARROW LOCK makes no representations or warranties concerning what such impact may be in any specific situation. When retrofitting any portion of an existing fire-rated opening, or specifying and installing a new fire-rated opening, please consult with a code specialist or local code official (Authority Having Jurisdiction) to ensure compliance with all applicable codes and ratings.

Technical Information and Advice

(a) All designs, data, and specifications provided by ARROW LOCK are proprietary and will not be disclosed or reused by customer without the prior written consent of ARROW LOCK; (b) ARROW LOCK assumes no obligation or liability for any advice given by ARROW LOCK, the results obtained, or damages incurred, and all such advice is given and accepted at customer's risk.

Trademark Use

ARROW LOCK is a registered trademark of ARROW LOCK Manufacturing Company.

Other product brand names may be trademarks or registered trademarks of their respective owners and are mentioned for reference purposes only.

Terms & Conditions of Sale

1. Export Control and Sanctions:

The Customer represents and warrants to ARROW LOCK that it will always act in compliance with Economic Sanctions and Export Control Laws, and that:

a) neither the Customer, its affiliates, or any of their respective directors, officers, employees nor, so far as the Customer is aware, any agents or other persons acting on behalf of any of the foregoing:

- i) is, or has been, a Listed Person;
- ii) has engaged in any business dealings or activities that would reasonably be expected to result in it becoming a Listed Person;
- iii) directly or indirectly, has conducted or is conducting any business dealings or activities with or for the benefit of, or is otherwise involved in any business with a Listed Person, or otherwise acting in violation of Economic Sanctions and Export Control Laws;
- iv) has engaged or is engaging in any transaction that circumvents, evades or avoids, or has the purpose or effect of circumvention, evading or avoiding, or attempts to violate, any Economic Sanctions and Export Control Laws; or
- v) is, or has been, in violation of, or subject to, any investigation or enquiry by, or on behalf of, any governmental or other regulatory body relating to Economic Sanctions and Export Control Laws.

b) the Customer shall act in compliance with Economic Sanctions and Export Control Laws, and shall not sell nor re-export the Product without all requisite licenses and approvals under Economic Sanctions and Export Control Laws;

c) the Customer shall not sell, export or re-export, the Product, directly or indirectly, to the Russian Federation or Belarus or for use in the Russian Federation or Belarus (whether or not permitted under Economic Sanctions and Export Control Laws applicable to the Customer);

d) the Customer shall undertake its best efforts to ensure that the purpose of this Clause is not frustrated by any third parties further down the commercial chain, including by possible resellers;

e) the Customer agrees to (i) cascade the contractual obligations set forth in this Clause. in contracts with third parties, including possible resellers, further down the commercial chain.; and (ii) set up and maintain an adequate monitoring mechanism to detect conduct by any third parties further down the commercial chain, including by possible resellers, that would frustrate the purpose of this Clause.;

f) the representations and warranties set forth in Clause 10 above shall always remain true and correct;

g) the Customer will provide written notice to ARROW LOCK as promptly as possible and in any event within five business days, if (i) any representation or warranty should cease to be true at any time., or (ii) the Customer should encounter any problems in applying Clauses b)- e), above, including any relevant activities by third parties that could frustrate the purpose of said clause; and

h) the Customer will not engage in any transaction for Military End-Use unless explicitly approved by ARROW LOCK.

Terms & Conditions of Sale

i) The Customer will provide all information relating to requests for Products, that the Customer suspects could violate or circumvent Economic Sanctions and Export Control Laws, including requests from or on behalf of a Listed Person, and other attempts to acquire ASSA ABLOY Canada DSS Products in violation of Economic Sanctions and Export Control Laws. The Customer will, to the best of its abilities, cooperate with ARROW LOCK to facilitate compliance with Economic Sanctions and Export Control Laws and will upon ARROW LOCK's request provide ARROW LOCK with true, complete and correct copies of all documentation relating to any business dealings involving the Product, including but not limited to, end-user certifications, information concerning compliance with the obligations under Clause. b)- e), and other information as may be required by ASSA ABLOY within two weeks of the simple request of such information.

ARROW LOCK shall not be obliged to make any payment or take any other action if ARROW LOCK believes in good faith that such action may constitute a violation, contribute to a violation, or constitute a circumvention of any Economic Sanctions and Export Control Laws.

2. Compliance with Anti-Trust, Anti-Corruption and Data Privacy Laws:

The Customer, its directors, officers, and employees shall perform their obligations under these Terms and Conditions in full compliance with the ASSA ABLOY Code of Conduct which is accessible online at: [CoC Business partner 2019 English.pdf](#)



Limited Warranty

Limited Warranty

ARROW LOCK warrants that its products sold under the ARROW LOCK trade name in the United States of America are free from defects in workmanship and materials under normal use and service.

This warranty does not cover defects or damage arising from improper installation, lack of or improper maintenance, improper storage, shipping and handling, corrosion, erosion, ordinary wear and tear, misuse, abuse, accident, unauthorized service, or use with unauthorized non-ARROW LOCK products or parts. This warranty is void if any modification is made to the warranty product, regardless of whether the modification causes or contributes to the alleged defect. All modifications are made at the risk of the party making the modification.

The only liability of ARROW LOCK in tort or contract whether under this warranty or otherwise shall be limited to the repair or replacement of any product or component part which shall prove defective as covered by this warranty. The warranty period after delivery to the original purchaser in all cases is as follows:

Locks

BMX Series.....	5 Years
GL Series.....	5 Years
HK Series.....	10 Years
MLX Series.....	10 Years
QL Series.....	10 Years
RK & RL Series.....	5 Years
RLX Series.....	10 Years

Door Controls

5016N Series.....	10 Years
7800 & 7900 Series.....	2 Years
DCN300 Series.....	5 Years Limited
DCN500 Series.....	10 Years

Exit Devices

ED910 & PEC910 Series.....	10 Years
S1150 & S1250 Series.....	3 Years

Other

All other ARROW LOCK products.....	1 year
------------------------------------	--------

Warranty Requirements for Cylinders Factory or Field Combined

Cylinders shall be periodically lubricated depending on environmental conditions. Petroleum based lubricant is recommended. Petroleum based liquid lubricants should only be used in cylinders in harsh or corrosive environments and should never be mixed with dry lubricants.

Warranty for cylinders Field Combined

1. Keys shall be cut to the ARROW LOCK key biting specifications required for the particular keyway and depth system.
2. All pin lengths shall be selected according to prevailing factory standards.
3. Original ARROW LOCK cylinder components, including pin tumblers and key blanks, shall be used. We reserve the right to void the warranty if we deem that a malfunction is a result of non-original components which do not conform to ARROW LOCK® standards.

Keying Systems

All bittings shall be originated or authorized by the ARROW LOCK Key Systems Department to be compatible with one another in a specific type of cylinder (conventional, security, high security, interchangeable core, removable core) and within a particular keying system.

General Procedure/Finishes

General Procedure

ARROW LOCK will not pay for the cost of repair, replacement, or associated charges under this warranty unless prior written authorization has been given by ARROW LOCK.

Refer to our Returned Goods Policy regarding the return of a product or component part believed to be defective as covered by this warranty. A brief description of the defect will be required. Product will be examined upon return. In the event such examination reveals a defect covered by this warranty, the product will be repaired or replaced.

THIS WARRANTY IS IN LIEU OF ALL OTHER EXPRESS WARRANTIES. TO THE EXTENT PERMITTED BY LAW, ALL IMPLIED WARRANTIES ARE LIMITED TO THE DURATION OF THIS WARRANTY. ARROW LOCK MANUFACTURING COMPANY SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES. NO AGENT, SALES REPRESENTATIVE OR DEALER HAS THE AUTHORITY TO INCREASE OR ALTER THE OBLIGATIONS OF THIS WARRANTY.

SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS OR EXCLUSIONS MAY NOT APPLY TO YOU.

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.


Finishes

Description	Arrow Code	BHMA Code	U.S. Code
Bright brass	03	605	US3
Satin brass	04	606	US4
Antique brass	05A	609	US5
Satin bronze	10	612	US10
Dark oxidized satin bronze, oil rubbed (for interior use only)	10B	613	US10B
Dark oxidized satin bronze, equivalent	10BE	613E	US10BE
Satin nickel	15	619	US15
Bright chromium plated	26	625	US26
Satin chromium plated	26D	626	US26D
Bright stainless steel	32	629	US32
Satin stainless steel	32D	630	US32D


Description	Arrow Code	BHMA Code	
Aluminum painted or powder coated	AL	689	-
Black painted or powder coated	BLK	693	-
Dark bronze painted or powder coated	BRZ/DBZ	690	-
Satin brass painted or powder coated	GL	696	-
Light bronze painted or powder coated	LBZ	691	-
Black suede powder coated	BSP	-	-

- Not all finishes are available for all product lines. Consult product sections for applicable finishes.

BMX Series



BMX-BL



BMX-XL

Features

Certification	BHMA A156.13, Series 1000, Operations I Grade 1, UL Listed
Door Thickness	1-3/4"
Strike	Standard: ANSI 1-1/4" x 4-7/8", straight lip, with box; curved lip available
Latch	3/4" throw, stainless steel
Bolt	1" throw, stainless steel
Backset	2-3/4"
Cylinder	Standard: 6-pin, solid brass, 2 nickel-silver keys; IC prep available
Handing	Handed, field reversible without disassembling lock case
Case Quantity	10
Average Case Weight	Knob trim 58 lbs./Lever trim 62 lbs.
Warranty	5 years


Available Finishes	Arrow Code	BHMA Code	U.S. Code
Bright Brass	605	605	US3
Satin Brass	606	606	US4
Dark Oxidized Satin Bronze, Equivalent	613E	613E	US10BE
Satin Chromium Plated	626	626	US26D
Black Suede Powder Coated	BSP	-	-

How to Order

Function	BMX11
Trim	BMX11-XL
Finish	BMX11-XL- 626
Strike	BMX11-XL-626- 460
Handing	BMX11-XL-626-460- RH
Keying	BMX11-XL-626-460-RH- KD-AR

BMX Series

Knob Trim



BL


Non-Keyed Functions

Function	ANSI	Description	626, BSP, 613E	605, 606
BMX01	F01	Passage	\$588.00	\$630.00
BMX02	F19	Privacy	\$685.00	\$727.00

Keyed Functions

Function	ANSI	Description	626, BSP, 613E	605, 606
BMX11	F08/F10	Apartment	\$823.00	\$865.00
BMX12	F07	Storeroom	\$813.00	\$855.00
BMX17	F05	Classroom	\$813.00	\$855.00
BMX19	F13	Dormitory	\$823.00	\$865.00
BMX20	F20	Entrance	\$823.00	\$865.00
BMX22	F04	Office	\$813.00	\$855.00

Full Working Trim Only ¹	626, BSP, 613E	605, 606
Full configuration string + option code M31	\$316.00	\$358.00



BG

Non-Keyed Functions

Function	ANSI	Description	626, BSP, 613E	605, 606
BMX01	F01	Passage	\$606.00	\$648.00
BMX02	F19	Privacy	\$703.00	\$745.00

Keyed Functions

Function	ANSI	Description	626, BSP, 613E	605, 606
BMX11	F08/F10	Apartment	\$841.00	\$883.00
BMX12	F07	Storeroom	\$831.00	\$873.00
BMX17	F05	Classroom	\$831.00	\$873.00
BMX19	F13	Dormitory	\$841.00	\$883.00
BMX20	F20	Entrance	\$841.00	\$883.00
BMX22	F04	Office	\$831.00	\$873.00

Full Working Trim Only ¹	626, BSP, 613E	605, 606
Full configuration string + option code M31	\$334.00	\$376.00

¹ Includes knobs and roses or escutcheons with mechanism for both sides of door, screw pack, door marker, and instructions. Cylinder not included.
 Example: BMX11-BL-626-460-RH-KD-AR-M31

BMX Series

Lever Trim



BRL



HSL

Mortise Locks

Non-Keyed Functions

Function	ANSI	Description	626, BSP, 613E	605, 606
BMX01	F01	Passage	\$620.00	\$662.00
BMX02	F19	Privacy	\$706.00	\$748.00


Keyed Functions

Function	ANSI	Description	626, BSP, 613E	605, 606
BMX11	F08/F10	Apartment	\$808.00	\$850.00
BMX12	F07	Storeroom	\$783.00	\$825.00
BMX17	F05	Classroom	\$783.00	\$825.00
BMX19	F13	Dormitory	\$808.00	\$850.00
BMX20	F20	Entrance	\$808.00	\$850.00
BMX22	F04	Office	\$783.00	\$825.00

Full Working Trim Only ¹	626, BSP, 613E	605, 606
Full configuration string + option code M31	\$386.00	\$428.00



XL



VL

Non-Keyed Functions

Function	ANSI	Description	626, BSP, 613E	605, 606
BMX01	F01	Passage	\$714.00	\$756.00
BMX02	F19	Privacy	\$800.00	\$842.00

Keyed Functions

Function	ANSI	Description	626, BSP, 613E	605, 606
BMX11	F08/F10	Apartment	\$902.00	\$944.00
BMX12	F07	Storeroom	\$877.00	\$919.00
BMX17	F05	Classroom	\$877.00	\$919.00
BMX19	F13	Dormitory	\$902.00	\$944.00
BMX20	F20	Entrance	\$902.00	\$944.00
BMX22	F04	Office	\$877.00	\$919.00

Full Working Trim Only ¹	626, BSP, 613E	605, 606
Full configuration string + option code M31	\$480.00	\$522.00

¹ Includes knobs and roses or escutcheons with mechanism for both sides of door, screw pack, door marker, and instructions. Cylinder not included.
 Example: BMX11-XL-626-460-RH-KD-AR-M31

BMX Series Lever Trim



BRG



HSG

Non-Keyed Functions

Function	ANSI	Description	626, BSP, 613E	605, 606
BMX01	F01	Passage	\$664.00	\$706.00
BMX02	F19	Privacy	\$750.00	\$792.00

Keyed Functions

Function	ANSI	Description	626, BSP, 613E	605, 606
BMX11	F08/F10	Apartment	\$852.00	\$894.00
BMX12	F07	Storeroom	\$827.00	\$869.00
BMX17	F05	Classroom	\$827.00	\$869.00
BMX19	F13	Dormitory	\$852.00	\$894.00
BMX20	F20	Entrance	\$852.00	\$894.00
BMX22	F04	Office	\$827.00	\$869.00

Full Working Trim Only ¹	626, BSP, 613E	605, 606
Full configuration string + option code M31	\$430.00	\$472.00



XG



VG

Non-Keyed Functions

Function	ANSI	Description	626, BSP, 613E	605, 606
BMX01	F01	Passage	\$758.00	\$800.00
BMX02	F19	Privacy	\$844.00	\$886.00

Keyed Functions

Function	ANSI	Description	626, BSP, 613E	605, 606
BMX11	F08/F10	Apartment	\$946.00	\$988.00
BMX12	F07	Storeroom	\$921.00	\$963.00
BMX17	F05	Classroom	\$921.00	\$963.00
BMX19	F13	Dormitory	\$946.00	\$988.00
BMX20	F20	Entrance	\$946.00	\$988.00
BMX22	F04	Office	\$921.00	\$963.00

Full Working Trim Only ¹	626, BSP, 613E	605, 606
Full configuration string + option code M31	\$524.00	\$566.00

¹ Includes knobs and roses or escutcheons with mechanism for both sides of door, screw pack, door marker, and instructions. Cylinder not included.
 Example: BMX11-HSG-626-460-RH-KD-AR-M31



ASSA ABLOY

BMX Series Options & Parts

Mortise Locks

Strike Options	Lip-to-Center Dimension	Handing	Specify	Price Add
Straight lip	1-1/8"		BMX-460	Standard
Curved lip	1-1/4"	LH, RHR	BMX-466	No Add
		RH, LHR	BMX-468	No Add

Keying & Cylinder Options	Specify	Price Add
Keyed different, AR keyway	KD	Standard
Less cylinder	LC	(\$18.30)
Lock prepared to accept 6-pin IC cylinder, less core	IC6	No Add
Lock prepared to accept 7-pin IC cylinder, less core	IC7	No Add

Part Description	Part No.	Price	
Strike	Straight lip Lip-to-center 1-1/8"	BMX-460 \$46.00	
	Curved lip Lip-to-center 1-1/4"	BMX-466 (LH, RHR) \$46.00	
		BMX-468 (RH, LHR) \$46.00	
Box	BMX-BX70	\$7.40	
Cylinder	Standard mortise cylinder	MC61-001 \$54.90	
		MC61-AM2 \$54.90	
	Cylinder cam	For lock function 12, 17, or 22	001 \$4.75
		For lock function 11, 19, or 20	AM2 \$4.75
Cylinder collar & spring	16-113A	\$12.67	
IC Housing (less core)	Prepared for 6-pin IC cylinder	16CR-16X001 \$53.90	
		16CR-16XAM2 \$53.90	
	Prepared for 7-pin IC cylinder	16CR-27X001 \$53.90	
		16CR-27XAM2 \$53.90	
		Housing cam	For lock function 12, 17, or 22
For lock function 11, 19, or 20	16CR-AM2 \$4.75		
Spindle (all trims)	BMX-385A	\$33.00	
Thumbturn for sectional trim	BMX-17A	\$60.70	
Emergency key for 02 function	BMX-207	\$5.00	
Emergency key plate pack for 02 function	BMX-L17A	\$23.00	
Rose pack (2 roses)	BMX-03PK	\$90.00	
Screw pack	Standard screw pack	BMX-201L \$5.90	
	Supplemental screw pack for escutcheon	BMX-201E \$6.60	
Cylinder set screw	BMX-201C	\$3.60	
Nylon bushing	BMX-14	\$2.70	
Lever/Knob set screw	BMX-SET-SCREW	\$3.60	
Lever/Knob roll pin	BMX-PIN	\$2.70	

NOTE: Arrow mortise locks are designed for standard 1-3/4" door applications. See **Non-Cataloged Products** in the **Terms & Conditions of Sale** section for additional details.

Experience a safer
and more open world

BMX Series

Parts

Faceplates	Part No.	Price
For lock function 01	AM01-305	\$45.00
For lock function 02 or 19	AM02-305	\$45.00
For lock function 11	AM11-305	\$45.00
For lock function 12 or 17	AM12-305	\$45.00
For lock function 20	AM20-305	\$45.00
For lock function 22	AM22-305	\$45.00

Lockbodies ¹	Price
BMX01	\$295.00
BMX02, BMX11, BMX19, or BMX20	\$406.00
BMX12, BMX17, or BMX22	\$389.00


Lockbody Ordering Examples	Function	–	Trim Prep	–	Finish	–	Strike	–	Hand
For LEVER trim	BMX11	–	LL	–	626	–	460	–	RH
For KNOB trim	BMX11	–	KK	–	626	–	460	–	RH

¹ Includes lock case, faceplate, strike, and standard screw pack. Cylinders, thumbturns, and trims are not included.

Description	Part No.	Price
Knobs	Inside	BMX-B-01 \$232.00
	Outside	BMX-B-56 \$232.00
Levers	BR Lever Inside	BMX-BR-01 \$170.00
	BR Lever Outside	BMX-BR-56 \$170.00
	HS Lever Inside	BMX-HS-01 \$159.00
	HS Lever Outside	BMX-HS-56 \$159.00
Levers	X Lever Inside	BMX-X-01 \$198.00
	X Lever Outside	BMX-X-56 \$198.00
Levers	V Lever Inside	BMX-V-01 \$251.00
	V Lever Outside	BMX-V-56 \$251.00
Escutcheons	(see below)	\$103.00



Inside Grip Only
BMX-86A-03



Inside Grip x
Thumbturn
BMX-88A-03



Outside Grip Only
BMX-86A-53



Outside Grip x
Cylinder
BMX-87A-53




Outside Grip x
Emergency Key
BMX-88A-53

Competitor Mortise Indicators

Escutcheon Kits


 ABE190
ASC190

 ABE193
ASC193

 ABE194
ASC194


ASC197

Available Finishes	Arrow Code	BHMA Code	U.S. Code
Bright Brass	605	605	US3
Satin Brass	606	606	US4
Satin Bronze	612	612	US10
Dark Oxidized Satin Bronze Equivalent	613E	613E	US10BE
Bright Nickel	618	618	US14
Satin Nickel	619	619	US15
Bright Chromium Plated	625	625	US26
Satin Chromium Plated	626	626	US26D

Indicator Kits for Best® Mortise Locks	Part No.	Price
Keyed Functions ¹	ABE190	\$286.00
Cointurn for Emergency Override	ABE193	\$286.00
Thumbturn	ABE194	\$286.00

Indicator Kits for Schlage® Mortise Locks	Part No.	Price
Keyed Functions ¹	ASC190	\$286.00
Cointurn for Emergency Override	ASC193	\$286.00
Thumbturn	ASC194	\$286.00
No Input - Blank	ASC197	\$286.00

Options	Specify	Price
Unlocked/Locked - Green/Red	V10	No Add
Vacant/Occupied - Green/Red	V20	No Add
Icons Only - Green/Red	V30	No Add
Unlocked/Locked - White/Red	V40	No Add
Vacant/Occupied - White/Red	V50	No Add
Icons Only - White/Red	V60	No Add

¹ Supplied less cylinder.



ASSA ABLOY

March 3, 2025 – Rev. 12/1/2025

[Click here for details on Tariff Price Adjustments.](#)

Competitor Mortise Indicators

Parts

Mortise Locks

Description	Part No.	Price
Best® Sectional Escutcheon – Cylinder ¹	50-8800-2304	\$124.00
Schlage® Sectional Escutcheon – Cylinder ¹	50-8800-2303	\$124.00
Best® Sectional Escutcheon – Thumbturn (includes thumbturn) ^{1,2}	50-8800-0390	\$124.00
Schlage® Sectional Escutcheon – Thumbturn (includes thumbturn) ^{1,2}	50-8800-0389	\$124.00
Best® or Schlage® Sectional Escutcheon – No Input / Blank ¹	50-8800-2302	\$124.00
Best® or Schlage® Sectional Escutcheon – Cointurn (cointurn not included) ¹	50-8800-2301	\$123.00
Indicator Window	856F049	\$5.00
Display Assembly – Green Unlocked / Red Locked	858F241	\$86.00
Display Assembly – Green Vacant / Red Occupied	858F251	\$86.00
Display Assembly – Green Unlocked Icon / Red Locked Icon	858F261	\$86.00
Display Assembly – White Unlocked / Red Locked	858F271	\$86.00
Display Assembly – White Vacant / Red Occupied	858F281	\$86.00
Display Assembly – White Unlocked Icon / Red Locked Icon	858F291	\$86.00
Best® Spindle Cam – Thumbturn	855F619	\$18.00
Best® Spindle Cam – Cylinder / No Input / Blank ²	855F707	\$18.00
Best® Spindle Cam – Cointurn (includes cointurn) ^{1,2}	855F747	\$21.00
Schlage® Spindle Cam – Cointurn (includes cointurn) ^{1,2}	50-8800-7318	\$21.00
Schlage® Spindle Cam – Thumbturn	50-8800-9322	\$18.00
Schlage® Spindle Cam – Cylinder / No Input / Blank ²	50-8800-7314	\$18.00
Retaining Pad and Screw Kit	50-8800-0391	\$5.00
Mounting Plate	855F658	\$17.00
Screw Pack ¹	858F497	\$16.00
Template Kit	50-8800-9327	\$19.00

¹ Finish required.

² Prepared for standard 1-3/4" thick door.

Competitor Mortise Indicators

Cross-Reference Table

Best® Mortise Locks

Sectional trim indicator kits are available to retrofit to Best® 45H, 34H or 35H series mortise locks. Kits can be ordered to be used on the inside, outside or both sides of the door. Each kit includes a single side indicator plate with mechanism, screw pack, plastic template and instructions.

- Kits available for use on sectional trim installations only
- Can only be used with H or R roses. Roses greater than 3-1/4" in diameter cannot be used.
- L and LT privacy functions will use a coin turn for emergency override

The following chart details the functions that can be accommodated.

Mortise Locks

Best® Function	Illustration	Description	Outside	Inside
L		Privacy F19	 ABE193	 ABE194
LT		Privacy		
AB		Office F20	 ABE190*	
AT		Office F04		
RD		Classroom DL F29		
TA		Dormitory F12		
TD		Dormitory		
IND		Intruder F33		
INL		Intruder F32		

*Cylinder not included. Accepts a standard 1-1/8" mortise cylinder.

Function numbers, illustrations and descriptions above are from the Best® 40H series catalog. Refer to that catalog for more information and function details.

Competitor Mortise Indicators

Cross-Reference Table

Schlage® Mortise Locks

Sectional trim indicator kits are available to retrofit to Schlage® L series mortise locks. Kits can be ordered to be used on the inside, outside or both sides of the door. Each kit includes a single side indicator plate with mechanism, screw pack, plastic template and instructions.

- Kits available for use on sectional trim installations only
- Can be used with A, B, C, AVA or MER roses. Roses greater than 3-1/4" in diameter cannot be used.
- L/LV9040 and L/LV9044 privacy functions will use a coin turn for emergency override


The following chart details the functions that can be accommodated.

Schlage® Function	Illustration	Description	Outside	Inside
L/LV9040		Privacy F22	 ASC193	 ASC194
L/LV9044		Privacy		
L/LV9050		Office F04	 ASC190*	 ASC190*
L/LV9456		Corridor F13		
L9473		Dormitory F21		
L/LV9060		Apartment Entrance Lock F09		
L/LV9071		Classroom Security F32		
L/LV9077		Classroom Security Holdback		
L/LV9457		Classroom Security F33		
L/LV9458		Classroom Security F34		
L9466		Store/utility Room Lock with Deadbolt F14		
L/LV9070		Classroom Lock F05		

*Cylinder not included. Accepts a standard 1-1/8" mortise cylinder.

Function numbers, illustrations and descriptions above are from the Schlage® L series catalog. Refer to that catalog for more information and function details.

Experience a safer
and more open world



QL Series

Features	
Certification	BHMA A156.2, Series 4000, Grade 1, UL Listed
Freewheeling Lever Action	Standard
Door Thickness	Fits 1-3/8" to 1-3/4", factory set for 1-3/4"
Strike	ANSI 1-1/4" x 4-7/8"
Latch	2-3/4" backset, 1-1/8" front
Cylinder	Standard 6 Pin, solid brass, 2 nickel-plated brass keys, IC prep available
Handing	Non-handed
Case Quantity	6 per case
Average Case Weight	27 lbs.
Warranty	10 years

Available Finishes	Arrow Code	BHMA Code	U.S. Code
Bright Brass	03	605	US3
Dark Oxidized Satin Bronze, equivalent	613E	613E	US10BE
Satin Chromium Plated	26D	626	US26D
Black Suede Powder Coated ¹	BSP	-	-

How to Order	
Function & Trim	QL81-SR
Finish	QL81-SR-26D
Strike	QL81-SR-26D-306
Latch	QL81-SR-26D-306-Q71
Keying	QL81-SR-26D-306-Q71-ARKD

Function	Description	03, 613E, 26D, BSP ¹
QL01-SR	Passage	\$272.00
QL72-SR	Privacy	\$317.00
QL81-SR	Entrance	\$353.00
QL82-SR	Storeroom	\$353.00
QL87-SR	Classroom	\$353.00
QL97-SR	Classroom Intruder	\$440.00
QL33-SR ² (rigid lever)	Asylum	\$404.00
QL93-SR ²	Asylum	\$404.00

*** CONTACT FACTORY FOR AVAILABILITY ***

Rigid Lever Function	Description	03, 613E, 26D, BSP
QL02-SR	Privacy	\$317.00
QL11-SR	Entrance	\$353.00
QL12-SR	Storeroom	\$353.00
QL17-SR	Classroom	\$353.00
QL33-SR	Asylum	\$404.00
Freewheeling Function	Description	03, 613E, 26D, BSP
QL93-SR	Asylum	\$404.00

¹ Contact factory for availability.

² 26D finish only.

Experience a safer
and more open world



ASSA ABLOY

QL Series

Options & Parts

Cylindrical Locks

Keying & Cylinder Options	Specify	Price Add
Keyed different, AR keyway	ARKD	Standard
Keyed different, CS keyway	CSKD	No Add
Lock prepared to accept a 6- or 7-pin SFIC cylinder (not included)	IC	No Add
Lock prepared to accept Schlage LFIC cylinder (not included)	SIC ^{1,3}	\$25.00
Lock prepared to accept a Medeco 320201 or ASSA LFIC cylinder (not included)	LIC ^{2,4}	\$25.00

Latch Options	Spring Latch	Dead Latch	Price Add
2-3/4" backset x 1-1/8" front	Q73	Q71	Standard

Parts	Part No.	Price
Standard cylinder with tailpiece – AR keyway	C700HD	\$35.30
Standard cylinder with tailpiece – CS keyway	C700HD-CS	\$35.30
Strike	306	\$36.75
Latch - 2-3/4" backset	Q73 ⁵ or Q71 ⁶	\$29.30
Latch - 2-3/8" backset (sold only as a separate part)	R22 ^{5,7} or R20 ^{6,7}	\$21.37
Screw pack for latch & strike	RLX-201	\$2.59
Screw pack for chassis, rose, & thru-bolts	RLX-201A	\$2.59
Standard cylinder tailpiece	1001SC-44	\$3.56
Standard cylinder screw cap	SC-01	\$11.62
Standard cylinder cap pin	SC-02	\$4.20
Standard cylinder cap spring	SC-03	\$1.31
IC tailpiece kit (tailpiece & spacer for 6- & 7- pin cores)	RLX-44-201	\$6.88
SIC Tailpiece	QL-44S	\$19.28
LIC tailpiece	QL-44	\$4.35
LIC tailpiece retainer	QL-66	\$0.61
Drill jig	CYL-DRILL-JIG	\$25.00

¹ Not available for QL97 function.

² Not available for rigid lever functions.

³ Stocked in 26D finish. Contact factory for other finishes.


⁴ Stocked in 26D & 613E finishes. Contact factory for other finishes.

⁵ Use with non-keyed functions.

⁶ Use with keyed functions.

⁷ Sold only as a separate part. Not tested to Grade 1 specifications. If substituted for standard latch, Grade 1 rating is voided.

APL Series With Indicator



BRT (APL02)

TT (APL42)

ST (APL42)

Features

Certification	BHMA A156.2, Series 4000, Grade 1, UL Listed
Door Thickness ¹	Fits 1-3/8" to 1-3/4", factory set for 1-3/4" ¹
Strike	ANSI 1-1/4" x 4-7/8"
Latch	2-3/4" backset, 1-1/8" front
Handing	Non-handed
Case Quantity	6 per case
Average Case Weight	28 lbs.
Warranty	3 years

Available Finishes	Arrow Code	BHMA Code	U.S. Code
Bright Brass	605	605	US3
Dark Oxidized Satin Bronze, equivalent	613E	613E	US10BE
Satin Chromium Plated	626	626	US26D
Black Suede Powder Coated	BSP	-	-

How to Order

Function	APL02
Trim	APL02- ST
Finish	APL02-ST- 626
Strike	APL02-ST-626- 306
Latch	APL02-ST-626-306- Q73

Function	Description	Price
APL02	Privacy w/Coin Turn Override	\$324.00
APL42	Privacy w/Emergency Key/Tool Override	\$324.00

Strike & Latch Options	Part No.	Price Add
ANSI Strike	306	Standard
T-Strike	300	No Add
Full lip strike	302	No Add
Radius D-Type	303	No Add
2-3/4" Backset latch x 1-1/8" front	Q73	Standard
2-3/8" Backset latch x 1-1/8" front ²	R22 ²	No Add


Parts	Part No.	Price
Thin Door Spacer Kit (includes 2 spacers)	138-SPACER-KIT	\$21.00
Screw Pack (mounting, strike, & latch screws)	QL-201	\$2.59
2-3/4" Spring Latch	Q73	\$29.30
2-3/8" Spring Latch	R22	\$21.37
ANSI Strike	306	\$36.75
T-Strike	300	\$11.62
Full Lip Strike	302	\$11.62
Radius D-Type	303	\$11.62
Drill Jig	CYL-DRILL-JIG	\$25.00
Emergency Key/Tool for APL42 ³	APL-207	\$4.10

¹ 1-3/8" thick doors require the use of Part No. 138-SPACER-KIT.

² Not tested to Grade 1 specifications. If substituted for standard latch, Grade 1 rating is voided.

³ Provided with APL42 function.

Experience a safer
and more open world



GL Series

Features

Certification	BHMA A156.2, Series 4000, Grade 1, UL Listed
Door Thickness	Fits 1-3/4" - 2", factory set for 1-3/4"
Strike	ANSI 1-1/4" x 4-7/8"
Latch	2-3/4" backset, 1-1/8" front
Cylinder	Standard: 6-pin, solid brass, 2 brass keys; IC prep available
Handing	Non-handed
Case Quantity	6
Average Case Weight	31 lbs.
Warranty	5 years

Available Finishes	Arrow Code	BHMA Code	U.S. Code
Satin Chromium Plated	26D	626	US26D

How to Order

Function & Trim	GL81-SR
Finish	GL81-SR- 26D
Strike	GL81-SR-26D- 306
Latch	GL81-SR-26D-306- G71
Keying	GL81-SR-26D-306-G71- KD-AR

Function	ANSI	Description	26D
GL01-SR	F75	Passage	\$291.00
GL02-SR	F76	Privacy	\$339.00
GL08-SR	-	Single Dummy	\$157.00
GL81-SR	F109	Entrance	\$376.00
GL82-SR	F86	Storeroom	\$376.00
GL87-SR	F84	Classroom	\$376.00
GL97-SR	F110	Classroom Intruder	\$473.00



ASSA ABLOY

March 3, 2025 – Rev. 12/1/2025

[Click here for details on Tariff Price Adjustments.](#)

GL Series Options & Parts

Cylindrical Locks

Strike & Latch Options	Specify	Price Add
ANSI Strike	306	Standard
Latch (keyed functions) - 2-3/4" backset, 1-1/8" front	G71	Standard
Latch (non-keyed functions) - 2-3/4" backset, 1-1/8" front	G73	Standard


Keying & Cylinder Options	Specify	Price Add
Keyed different, AR keyway	ARKD	Standard
Keyed different, CS keyway	CSKD	No Add
Master keyed	MK	\$17.95 per cylinder
Keyed alike	KA	No Add
O-Bitted	OB	No Add
Less cylinder	LC	(\$11.75)
Lock prepared to accept 6 or 7-pin SFIC cylinder, less core	IC	No Add

Parts	Part No.	Price
ANSI Strike	306	\$36.75
Standard dead latch (for keyed functions)	G71	\$29.30
Standard spring latch (for passage & privacy functions)	G73	\$29.30
Standard cylinder w/tailpiece	600HD-GL	\$35.30
Standard keyblank	K6A	\$1.76
Standard tailpiece	1001GL-44	\$3.56
Drill Jig	CYL-DRILL-JIG	\$25.00

Alternate Latches (sold only as separate parts)

Backset	Description	Spring Latch	Dead Latch	Price
2-3/8" Backset	1" front	G72	G70	\$29.30
3-3/4" Backset	1-1/8" front	G83	G81	\$37.40
5" Backset	1-1/8" front	G93	G91	\$43.55

Experience a safer
and more open world



HK Series

Features	
Certification	BHMA A156.2, Series 4000, Grade 1, UL Listed
Door Thickness	Fits 1-3/8" to 2" factory set to 1-3/4"
Strike	ANSI 1-1/4" x 4-7/8"
Latch	2-3/4" backset, 1-1/8" front
Cylinder	Standard 6 Pin, solid brass, 2 nickel-plated brass keys, IC prep available
Handing	Non-handed
Case Quantity	10
Average Case Weight	31 lbs.
Warranty	10 years


Available Finishes	Arrow Code	BHMA Code	U.S. Code
Bright Brass	605	605	US3
Dark Oxidized Satin Bronze, equivalent	613E	613E	US10BE
Satin Stainless Steel	630	630	US32D

How to Order	
Function & Trim	HK11-BB
Finish	HK11-BB-630
Strike	HK11-BB-630-306
Latch	HK11-BB-630-306-Q71
Keying	HK11-BB-630-306-Q71-ARKD

Function	Description	605, 613E, 630
HK01-BB	Passage	\$288.00
HK02-BB	Privacy	\$348.00
HK08-BB	Single Dummy	\$173.00
HK11-BB	Entrance	\$406.00
HK12-BB	Storeroom	\$406.00
HK17-BB	Classroom	\$406.00
HK33-BB	Asylum	\$445.00

Keying & Cylinder Options	Specify	Price Add
Keyed different, AR keyway	ARKD	Standard
Keyed different, CS keyway	CSKD	No Add
Lock prepared to accept a 6- or 7-pin SFIC cylinder (not included)	IC	No Add

Latch Options	Spring Latch	Dead Latch	Price Add
2-3/4" backset x 1-1/8" front	Q73	Q71	Standard




HK Series Parts

Parts	Part No.	Price
Standard cylinder with tailpiece – AR keyway	C700HD	\$35.30
Standard cylinder with tailpiece – CS keyway	C700HD-CS	\$35.30
Strike	306	\$36.75
Latch - 2-3/4" backset	Q73 ¹ or Q71 ²	\$29.30
Latch - 2-3/8" backset (sold only as a separate part)	R22 ^{1,3} or R20 ^{2,3}	\$21.37
Screw pack	HK-201	\$6.88
Standard cylinder tailpiece	1001SC-44	\$3.56
Standard cylinder screw cap	SC-01	\$11.62
Standard cylinder cap pin	SC-02	\$4.20
Standard cylinder cap spring	SC-03	\$1.31
IC tailpiece kit (tailpiece & spacer for 6- & 7-pin cores)	HK-44-201	\$6.88

¹ Used only with non-keyed functions.

² Used only with keyed functions.

³ Sold only as a separate part. Not tested to grade 1 specifications. If substituted for standard latch, grade 1 rating is voided.




MK Series

Features	
Certification	BHMA A156.2, Series 4000, Grade 2, UL Listed
Door Thickness	Fits 1-3/8" - 1-3/4", factory set for 1-3/4"
Strike	Standard: T-strike, 1-1/8" x 2-3/4"; alternate strikes available
Latch	Standard: 2-3/4" backset, 1-1/8" front; alternate latches available
Cylinder	Standard: 6-pin, keyed 5, solid brass, 2 brass keys; IC prep available
Handing	Non-handed
Case Quantity	12
Average Case Weight	21 lbs.
Warranty	1 year

Available Finishes	Arrow Code	BHMA Code	U.S. Code
Bright brass	03	605	US3
Satin brass	04	606	US4
Antique brass	05A	609	US5
Satin bronze	10	612	US10
Dark oxidized satin bronze, oil rubbed (for interior use only)	10B	613	US10B
Dark oxidized satin bronze, equivalent	10BE	613E	US10BE
Satin nickel	15	619	US15
Bright chromium plated	26	625	US26
Satin chromium plated	26D	626	US26D

How to Order	
Function	MK11
Trim	MK11-TA
Finish	MK11-TA-26D
Strike	MK11-TA-26D-300
Latch	MK11-TA-26D-300-114
Keying	MK11-TA-26D-300-114-KD-AR

MK Series



TA

BD¹

DD¹

Non-Keyed Functions

Function	ANSI	Description	03, 26D	04, 05A, 10, 10B, 10BE, 15, 26
MK01	F75	Passage	\$113.00	\$123.00
MK02	F76	Privacy	\$121.00	\$131.00
MK03	F111	Communicating Passage	\$113.00	\$118.00
MK04	F77	Patio	\$122.00	\$132.00
MK05	F78	Communicating	\$164.00	\$174.00
MK08	-	Single Dummy	\$81.00	\$86.00

Single Cylinder Functions

Function	ANSI	Description	03, 26D	04, 05A, 10, 10B, 10BE, 15, 26
MK11	F109 (F81 & F82)	Entrance/Office	\$169.00	\$179.00
MK12	F86	Storeroom	\$169.00	\$179.00
MK13	F82	Exterior	\$169.00	\$179.00
MK14	F92	Service Station	\$192.00	\$202.00
MK17	F84	Classroom	\$192.00	\$202.00
MK18	F113	Communicating Classroom	\$169.00	\$174.00

Double Cylinder Functions

Function	ANSI	Description	03, 26D	04, 05A, 10, 10B, 10BE, 15, 26
MK31	F80	Communicating	\$288.00	\$298.00
MK32	-	Public Entrance	\$288.00	\$298.00
MK33	-	Asylum	\$288.00	\$298.00
MK34	-	Exterior	\$288.00	\$298.00

Prices include IC option, ANSI strike, and UL latch.	
03, 26D	04, 05A, 10, 10B, 10BE, 15, 26
\$246.51	\$256.51
\$246.51	\$256.51
\$246.51	\$256.51
\$269.51	\$279.51
\$269.51	\$279.51
\$246.51	\$251.51
03, 26D	04, 05A, 10, 10B, 10BE, 15, 26
\$365.51	\$375.51
\$365.51	\$375.51
\$365.51	\$375.51
\$365.51	\$375.51

¹ Not available with IC option.



ASSA ABLOY

March 3, 2025 – Rev. 12/1/2025

[Click here for details on Tariff Price Adjustments.](#)

MK Series Options

Strike Options	Description	Specify	Price Add
T-Strike	1-1/8" x 2-3/4", 1-1/4" lip, square corner, no box	300	Standard
ANSI ¹	1-1/4" x 4-7/8", 1-1/4" lip, square corner, no box	306 ¹	\$25.13
Full Lip D-Type	1-3/4" x 2-1/4", 1-1/4" lip, square corner	302	No Add
Radius D-Type	1-3/4" x 2-1/4", 1-1/4" lip, 1/4" radius corner	303	No Add
Box Strike	Supplied when specified	WBS	No Add

Latch Options	Description	Spring Latch	Dead Latch	Price Add
	1-1/8", square corner	104	114	Standard
	1-1/8", square corner, UL ¹	224 ¹	124 ¹	\$27.38
2-3/4" Backset	1", square corner	102	112	\$6.00
	1", square corner, UL	222	122	\$27.38
	Drive-in	-	116	\$9.03
2-3/8" Backset	1", square corner	101	111	No Add
	1", square corner, UL	221	121	\$27.38
	1", round corner	109	-	\$6.00
	Drive-in	-	115	\$9.03
Less Latch			LAT	(\$5.35)

Keying & Cylinder Options	Specify	Price Add
Keyed alike in four (quantity permitting otherwise KD)	KA4	Standard
Keyed different	KD	No Add
Master keyed	MK	\$17.95 per cylinder
O-Bitted	OB	No Add
Less Cylinder	LC	(\$11.75)
TA design prepared to accept 6 or 7-pin SFIC cylinder, less core	IC ¹	\$25.00

AR keyway standard. CS keyway optional.

¹ Unless otherwise specified, locksets requesting "IC" option will be provided with an ANSI strike and UL latch at additional costs shown above.

Cylindrical Locks



ASSA ABLOY

March 3, 2025 – Rev. 12/1/2025

[Click here for details on Tariff Price Adjustments.](#)

MK Series Parts

Cylindrical Locks


Strikes	Description	Strike No.	Price
T-Strike	1-1/8" x 2-3/4", 1-1/4" lip, square corner	300	\$11.62
ANSI	1-1/4" x 4-7/8", 1-1/4" lip, square corner	306	\$36.75
Full Lip D-Type	1-3/4" x 2-1/4", 1-1/4" lip, square corner	302	\$11.62
Radius D-Type	1-3/4" x 2-1/4", 1-1/4" lip, 1/4" radius corner	303	\$11.62
Box Strike	Used with 306 ANSI strike	BX70	\$6.96
Box Strike	Used with 300, 302, or 303 strike	BX10	\$6.96

Latches	Description	Spring Latch	Dead Latch	Price
2-3/4" Backset	1-1/8", square corner	104	114	\$16.17
	1-1/8", square corner, UL	224	124	\$43.55
	1", square corner	102	112	\$22.17
	1", square corner, UL	222	122	\$43.55
	Drive-in	-	116	\$25.20
2-3/8" Backset	1", square corner	101	111	\$16.17
	1", square corner, UL	221	121	\$43.55
	1", round corner	109	-	\$22.17
	Drive-in	-	115	\$25.20

Cylinder & Related	Part No.	Price
Standard cylinder (except for B knob) (drilled 6, pinned 5)	100C	\$35.30
Standard cylinder for B knob (drilled 6, pinned 5)	100C-750	\$35.30
Alternate cylinder (except for B knob) (drilled 6, pinned 6)	300C	\$35.30
Alternate cylinder for B knob (drilled 6, pinned 6)	300C-750	\$35.30
Standard keyblank	K5A	\$1.76
Standard tailpiece (except for B knob)	550AM-44	\$3.56
Standard tailpiece for B knob	750-44	\$3.56
IC core cylinder - See Keys & Cylinders section	-	-
IC core tailpiece pack for 6- & 7-pin cores	550CR-44-201	\$6.88

Experience a safer
and more open world

MLX Series



Features	
Certification	BHMA A156.2, Series 4000, Grade 2, UL Listed
Freewheeling Lever Action	Standard
Door Thickness	Fits 1-3/8" to 1-3/4", factory set for 1-3/4"
Strike	ANSI 1-1/4" x 4-7/8"
Latch	2-3/4" backset, 1-1/8" front
Cylinder	Standard: 6 Pin, solid brass, 2 nickel-plated brass keys; IC prep available
Handing	Non-handed
Case Quantity	6 per case
Average Case Weight	27 lbs.
Warranty	10 years

Available Finishes	Arrow Code	BHMA Code	U.S. Code
Bright Brass	03	605	US3
Dark Oxidized Satin Bronze, equivalent	613E	613E	US10BE
Satin Chromium Plated	26D	626	US26D
Black Suede Powder Coated ¹	BSP	-	-

How to Order	
Function & Trim	MLX81-SR
Finish	MLX81-SR-26D
Strike	MLX81-SR-26D-306
Latch	MLX81-SR-26D-306-R21
Keying	MLX81-SR-26D-306-R21-ARKD

Function	Description	03, 613E, 26D, BSP ¹
MLX01-SR	Passage	\$171.00
MLX08-SR	Single Dummy	\$71.00
MLX72-SR	Privacy	\$185.00
MLX81-SR	Entrance/Office	\$201.00
MLX82-SR	Storeroom	\$201.00
MLX87-SR	Classroom	\$201.00
MLX33-SR ² (rigid lever)	Asylum	\$253.00
MLX93-SR ²	Asylum	\$253.00

*** CONTACT FACTORY FOR AVAILABILITY ***		
Rigid Lever Function	Description	03, 613E, 26D, BSP
MLX02-SR	Privacy	\$185.00
MLX11-SR	Entrance	\$201.00
MLX12-SR	Storeroom	\$201.00
MLX17-SR	Classroom	\$201.00
MLX33-SR	Asylum	\$253.00

¹ Contact factory for availability.

² 26D finish only.



ASSA ABLOY

March 3, 2025 – Rev. 12/1/2025

[Click here for details on Tariff Price Adjustments.](#)

MLX Series Options & Parts

Cylindrical Locks

Keying & Cylinder Options	Specify	Price Add
Keyed different, AR keyway	ARKD	Standard
Keyed different, CS keyway	CSKD	No Add
Lock prepared to accept a 6- or 7-pin SFIC cylinder (not included)	IC	No Add
Lock prepared to accept Schlage LFIC cylinder (not included)	SIC ¹	\$25.00

Strike & Latch Options	Spring Latch	Dead Latch	Price Add
2-3/4" backset x 1-1/8" front	R23	R21	Standard


Parts	Part No.	Price
Standard cylinder with tailpiece – AR keyway	C700HD	\$35.30
Standard cylinder with tailpiece – CS keyway	C700HD-CS	\$35.30
Strike	306	\$36.75
Latch - 2-3/4" backset	R23 ² or R21 ³	\$21.37
Screw pack for latch & strike	RLX-201	\$2.59
Screw pack for chassis, rose, & thru-bolts	RLX-201A	\$2.59
Standard cylinder tailpiece	1001SC-44	\$3.56
Standard cylinder screw cap	SC-01	\$11.62
Standard cylinder cap pin	SC-02	\$4.20
Standard cylinder cap spring	SC-03	\$1.31
IC tailpiece kit (tailpiece & spacer for 6- & 7- pin cores)	RLX-44-201	\$6.88
Alternate latch – 2-3/8" backset x 1" front (sold only as a separate part)	R22 ² or R20 ³	\$21.37
Drill jig	CYL-DRILL-JIG	\$25.00

¹ Not available for rigid lever functions. Stocked in 26D finish. Contact factory for other finishes.

² Use with non-keyed functions.

³ Use with keyed functions.

RK Series



Features	
Certification	BHMA A156.2, Series 4000, Grade 2, UL Listed
Door Thickness	Fits 1-3/8" - 1-3/4", factory set for 1-3/4"
Strike	Standard: T-strike, 1-1/8" x 2-3/4"; alternate strikes available
Latch	Standard: 2-3/8" backset, 1" front; alternate latches available
Cylinder	Standard: 6-pin, solid brass, 2 brass keys; IC prep available
Handing	Non-handed
Case Quantity	10
Average Case Weight	13 lbs.
Warranty	5 years


Available Finishes	Arrow Code	BHMA Code	U.S. Code
Bright Brass	03	605	US3
Satin Brass	04	606	US4
Polished Stainless Steel	32	629	US32
Satin Stainless Steel	32D	630	US32D
Dark Oxide Satin Bronze, Equivalent ¹	613E	613E	US10BE
Black Suede Powder Coated ¹	BSP	—	—

How to Order	
Function & Trim	RK11-BD
Finish	RK11-BD-32D
Strike	RK11-BD-32D-R60
Latch	RK11-BD-32D-R60-R70
Keying	RK11-BD-32D-R60-R70-KD-AR


Function	ANSI	Description	03, 32D	04, 32, 613E ¹ , BSP ¹
RK01	F75	Passage	\$70.00	\$80.00
RK02	F76A	Privacy	\$71.00	\$81.00
RK08	—	Single Dummy	\$38.00	\$43.00
RK11	F109	Entrance	\$78.00	\$88.00
RK12	F86	Storeroom	\$78.00	\$88.00
RK17	F84	Classroom	\$78.00	\$88.00

¹ Refer to the Arrow Express catalog for available configurations..


RL Series



SR Trim



BRR Trim


 TR Trim²

Features

Certification	BHMA A156.2, Series 4000, Grade 2, UL Listed
Door Thickness	Fits 1-3/8" - 1-3/4", factory set for 1-3/4"
Strike	Standard: ANSI 1-1/4" x 4-7/8"; alternate strikes available
Latch	Standard: 2-3/4" backset, 1-1/8" front; alternate latches available
Cylinder	Standard: 6-pin, solid brass, 2 brass keys; IC prep available
Handing	Non-handed
Case Quantity	10
Average Case Weight	38 lbs.
Warranty	5 years

Available Finishes	Arrow Code	BHMA Code	U.S. Code
Bright Brass	03	605	US3
Satin Brass	04	606	US4
Bright Chromium Plated	26	625	US26
Satin Chromium Plated	26D	626	US26D
Dark Oxide Satin Bronze, Equivalent ¹	613E	613E	US10BE
Black Suede Powder Coated ¹	BSP	—	—

How to Order

Function	RL11
Trim	RL11-SR
Finish	RL11-SR-26D
Strike	RL11-SR-26D-R62
Latch	RL11-SR-26D-R62-R71
Keying	RL11-SR-26D-R62-R71-KD-AR

Function with SR or BRR trim	ANSI	Description	03, 26D, 613E ¹ , BSP ¹	04, 26
RL01	F75	Passage	\$127.00	\$137.00
RL02	F76A	Privacy	\$130.00	\$140.00
RL03	—	Communicating	\$130.00	\$135.00
RL08	—	Single Dummy	\$60.00	\$65.00
RL11	F109	Entrance	\$154.00	\$164.00
RL12	F86	Storeroom	\$154.00	\$164.00
RL17	F84	Classroom	\$154.00	\$164.00

Function with TR trim ²	ANSI	Description	26D, 613E, BSP
RL01	F75	Passage	\$138.00
RL02	F76A	Privacy	\$142.00
RL08	—	Single Dummy	\$65.00
RL11	F109	Entrance	\$168.00
RL12	F86	Storeroom	\$168.00
RL17	F84	Classroom	\$168.00

¹ Refer to the Arrow Express catalog for available configurations.

² Contact factory for availability.



ASSA ABLOY

RK & RL Series Options & Parts

Cylindrical Locks

Strike Options	Description	Specify	Price Add
T-Strike	1-1/8" x 2-3/4", 1-1/4" lip, square corner – standard with RK Series	R60	No Add
Square Corner	1-3/4" x 2-1/4", 1-1/4" lip, square corner – full lip	R61	No Add
ANSI	1-1/4" x 4-7/8", 1-1/4" lip, square corner – standard with RL Series	R62	No Add

Latch Options	Description	Spring Latch	Dead Latch	Price Add
2-3/8" Backset	1", square corner – standard with RK Series	R72	R70	No Add
2-3/4" Backset	1-1/8", square corner – standard with RL Series	R73	R71	No Add

Keying & Cylinder Options	Specify	Price Add
Keyed different, AR Keyway	ARKD	Standard
Keyed different, CS Keyway	CSKD	No Add
Master Keyed	MK	\$17.95 per cylinder
Keyed Alike	KA	No Add
O-bitted	OB	No Add
Less Cylinder	LC	(\$11.75)
Lock prepared to accept 6 or 7-pin SFIC Cylinder, less core	IC	No Add

Parts


Strikes	Description	Part No.	Price
T-Strike	1-1/8" x 2-3/4", 1-1/4" lip, square corner	R60	\$10.90
Square Corner	1-3/4" x 2-1/4", 1-1/4" lip, square corner	R61	\$10.90
ANSI	1-1/4" x 4-7/8", 1-1/4" lip, square corner	R62	\$36.75

Latches	Description	Spring Latch	Dead Latch	Price
2-3/8" Backset	1", square corner	R72	R70	\$22.17
	Drive-in ¹	R76	R74	\$22.17
2-3/4" Backset	1-1/8", square corner	R73	R71	\$22.17
	Drive-in ¹	R77	R75	\$22.17

Cylinders & Related	Part No.	Price	
RK Series	Standard cylinder	100C-RK	\$35.30
	Standard keyblank	K5A	\$1.76
	Standard tailpiece	550RK-44	\$3.56
	IC tailpiece pack for 6- & 7-pin cores	100CR-44-201	\$6.88
RL Series	Standard cylinder	600HD	\$35.30
	Standard keyblank	K6A	\$1.76
	Standard tailpiece	1001-44	\$3.56
	6-Pin IC core tailpiece	HSCR6-44	\$4.25
	7-Pin IC core tailpiece	HSCR7-44	\$4.25

¹ Sold only as a separate part; specify 26D or O3 finish.

RLX Series


Features

Certification	BHMA A156.2, Series 4000, Grade 2, UL Listed
Freewheeling Lever Action	Standard
Door Thickness	Fits 1-3/8" to 1-3/4", factory set for 1-3/4"
Strike	ANSI 1-1/4" x 4-7/8"
Latch	2-3/4" backset, 1-1/8" front
Cylinder	Standard: 6-pin, solid brass, 2 nickel-plated brass keys; IC prep available
Handing	Non-handed
Case Quantity	6 per case
Average Case Weight	26 lbs.
Warranty	10 years

Available Finishes	Arrow Code	BHMA Code	U.S. Code
Bright Brass	03	605	US3
Dark Oxidized Satin Bronze, equivalent	613E	613E	US10BE
Satin Chromium Plated	26D	626	US26D
Black Suede Powder Coated	BSP	-	-

How to Order

Function & Trim	RLX81-SR
Finish	RLX81-SR-26D
Strike	RLX81-SR-26D-306
Latch	RLX81-SR-26D-306-R21
Keying	RLX81-SR-26D-306-R21-ARKD

*** CONTACT FACTORY FOR AVAILABILITY ***

Function	Description	03, 26D	613E, BSP
RLX01-SR	Passage	\$145.00	\$160.00
RLX08-SR	Single Dummy	\$57.00	\$64.00
RLX72-SR	Privacy	\$151.00	\$166.00
RLX81-SR	Entrance/Office	\$175.00	\$190.00
RLX82-SR	Storeroom	\$175.00	\$190.00
RLX87-SR	Classroom	\$175.00	\$190.00



ASSA ABLOY

RLX Series Options & Parts

Strike Option		Specify	Price Add
ANSI		306	Standard

Latch Options	Spring Latch	Dead Latch	Price Add
2-3/4" backset x 1-1/8" front	R23	R21	Standard

Keying & Cylinder Options	Specify	Price Add
Keyed different, AR keyway	ARKD	Standard
Keyed different, CS keyway	CSKD	No add
Lock prepared to accept a 6- or 7-pin SFIC cylinder (not included)	IC	No add


Parts	Part No.	Price
Standard cylinder with tailpiece – AR keyway	C700HD	\$35.30
Standard cylinder with tailpiece – CS keyway	C700HD-CS	\$35.30
Strike	306	\$36.75
Latch - 2-3/4" backset	R23 ¹ or R21 ²	\$21.37
Latch - 2-3/8" backset latch x 1" front (sold only as separate part)	R22 ¹ or R20 ²	\$21.37
Screw pack for latch & strike	RLX-201	\$2.59
Screw pack for chassis, rose, & thru-bolts	RLX-201A	\$2.59
Standard cylinder tailpiece	1001SC-44	\$3.56
Standard cylinder screw cap	SC-01	\$11.62
Standard cylinder cap pin	SC-02	\$4.20
Standard cylinder cap spring	SC-03	\$1.31
IC tailpiece kit (tailpiece & spacer for 6- & 7-pin cores)	RLX-44-201	\$6.88
Drill Jig	CYL-DRILL-JIG	\$25.00

Cylindrical Locks


¹Used only with non-keyed functions

²Used only with keyed functions

DBX Series



DBX61



DBX62

Features

Certification	BHMA A156.36 Auxiliary Locks, Grade 2, UL Listed
Door Thickness	Fits 1-3/8" - 1-3/4", factory set for 1-3/4"
Strike	2-3/4" x 1-1/8", square corners
Latch	2-3/8" - 2-3/4", adjustable backset, 1" front, includes spacer for 1-1/8" door prep
Cylinder	6-pin, solid brass, keyed alike 4 in AR or CS keyway, includes 2 brass keys, IC prep available
Handing	Non-handed
Case Quantity	12
Average Case Weight	DBX61 - 18lbs. / DBX62 - 22lbs.
Warranty	1 year

Cylindrical Locks

Available Finishes	Arrow Code	BHMA Code	U.S. Code
Bright Brass	605	605	US3
Dark Oxidized Satin Bronze, equivalent	613E	613E	US10BE
Satin Stainless Steel	630	630	US32D
Black Painted or Powder Coated	693	693	—

How to Order

Function	DBX61
Finish	DBX61-630
Keying	DBX61-630-CS-KA4

Function	Description	630	605, 613E, 693
DBX61	Cylinder x Thumbturn	\$62.00	\$72.00
DBX62	Cylinder x Cylinder	\$88.00	\$98.00



ASSA ABLOY

DBX Series Options & Parts


Options

Strike Option	Specify	Price Add
2-3/4" x 1-1/8", square corners	394	Standard
Latch Option	Specify	Price Add
2-3/8" - 2-3/4", adjustable backset	L14	Standard
Keying & Cylinder Options	Specify	Price Add
CS keyway, keyed alike in 4	CS-KA4	Standard
AR keyway, keyed alike in 4	AR-KA4	No Add
Lock prepared to accept a 6- or 7-pin SFIC cylinder (not included)	IC	\$20.00

Parts

Parts	Part No.	Price
Cylinder for DBX61 x CS keyway, keyed different	96C-CS-DBX	\$27.45
Cylinder for DBX61 x AR keyway, keyed different	96C-DBX	\$27.45
Cylinder for DBX62 x CS keyway, keyed different	96DC-CS-DBX	\$27.45
Cylinder for DBX62 x AR keyway, keyed different	96DC-DBX	\$27.45
Strike	DBX-394	\$9.02
Standard bolt	DBX-L14	\$19.56
Optional drive in bolt (sold only as a separate part)	DBX-L18	\$19.56
Screw pack for DBX61	DBX61-201	\$11.62
Screw pack for DBX62	DBX62-201	\$11.62
Thick door pack for DBX61, up to 2" thick doors	DBX61-TDP	\$11.62
Thick door pack for DBX62, up to 2" thick doors	DBX62-TDP	\$11.62

D Series



Features

Certification	BHMA A156.5, Grade 1, UL Listed
Door Thickness	Fits 1-3/8" - 1-3/4", factory set for 1-3/4"
Strike	Standard: 1-1/8" x 2-1/4"; alternate strikes available
Latch	Standard: 2-3/4" backset, 1-1/8" front; alternate bolts available
Cylinder	Standard: 6-pin, solid brass, 2 nickel-silver keys; IC prep available
Handing	Non-handed
Case Quantity	12
Average Case Weight	22 lbs.
Warranty	1 year

Available Finishes	Arrow Code	BHMA Code	U.S. Code
Bright Brass	03	605	US3
Satin Brass	04	606	US4
Black Suede Powder	BSP	-	-
Antique Brass	05A	609	US5
Satin Bronze	10	612	US10
Dark Oxidized Satin Bronze, Oil Rubbed (for interior use only)	10B	613	US10B
Dark Oxidized Satin Bronze, equivalent	10BE	613E	US10BE
Bright Chromium Plated	26	625	US26
Satin Chromium Plated	26D	626	US26D


How to Order

Function	D61
Finish	D61-26D
Strike	D61-26D-346
Latch	D61-26D-346-144
Keying	D61-26D-346-144-KD-AR

Function	ANSI	Description	03, 26D	04, 05A, 10, 10B, 10BE, 26, BSP
D60	E01111	Thumbturn x Blank Plate	\$131.00	\$141.00
D61	E0151	Cylinder x Thumbturn	\$152.00	\$162.00
D62	E0141	Double Cylinder	\$197.00	\$207.00
D63	E0161	Cylinder x Blank Plate	\$159.00	\$169.00
D64	E0171	Cylinder x Thumbturn (classroom)	\$159.00	\$169.00
D71-IC ¹	E0151	Cylinder x Thumbturn	\$231.00	\$241.00
D73-IC ¹	E0161	Cylinder x Blank Plate	\$231.00	\$241.00
D74-IC ¹	E0171	Cylinder x Thumbturn (classroom)	\$231.00	\$241.00

¹Concealed mounting screws standard on D71 & D73 functions. IC price add required. See Options page.

E Series



Features	
Certification	BHMA A156.5, Grade 2, UL Listed
Door Thickness	Fits 1-3/8" - 1-3/4", factory set for 1-3/4"
Strike	Standard: 1-1/8" x 2-1/4"; alternate strikes available
Latch	Standard: 2-3/8" backset, 1-1/8" front; alternate bolts available
Cylinder	Standard: 6-pin, keyed 5, solid brass, 2 brass keys; IC prep available
Handing	Non-handed
Case Quantity	12
Average Case Weight	E61 - 20 lbs. / E62 - 25 lbs.
Warranty	1 year

Available Finishes	Arrow Code	BHMA Code	U.S. Code
Bright Brass	03	605	US3
Satin Brass	04	606	US4
Black Suede Powder	BSP	-	-
Antique Brass	05A	609	US5
Satin Bronze	10	612	US10
Dark Oxidized Satin Bronze, Oil Rubbed (for interior use only)	10B	613	US10B
Dark Oxidized Satin Bronze, equivalent	10BE	613E	US10BE
Satin Nickel	15	619	US15
Bright Chromium Plated	26	625	US26
Satin Chromium Plated	26D	626	US26D

How to Order	
Function	E61
Finish	E61-26D
Strike	E61-26D-346
Latch	E61-26D-346-141
Keying	E61-26D-346-141-KD-AR

Function	ANSI	Description	03, 26D	04, 05A, 10, 10B, 10BE, 15, 26, BSP
E50	-	Occupancy Indicator	\$83.00	\$93.00
E60	E01112	Thumbturn x Blank Plate	\$73.00	\$83.00
E61	E0152	Cylinder x Thumbturn	\$88.00	\$98.00
E62	E0142	Double Cylinder	\$108.00	\$118.00
E63	E0162	Cylinder x Blank Plate	\$97.00	\$107.00
E64	E0172	Cylinder x Thumbturn (classroom)	\$97.00	\$107.00
E71-IC ¹	E0152	Cylinder x Thumbturn	\$115.00	\$125.00
E74-IC ¹	E0172	Cylinder x Thumbturn (classroom)	\$124.00	\$134.00
E41 Low Profile ²	-	Cylinder x Thumbturn	\$83.00	\$93.00
E42 Low Profile ²	-	Double Cylinder	\$105.00	\$115.00

¹ Furnished with concealed mounting screws. IC price add required. See Options page.

² Only available in 03, 26D, and 15 finishes. Supplied with 5-pin cylinder.


D & E Series Options




345



346



347



350

Strike Options	Description	Specify	Price Add
Square Corner	345 & 346 strikes	395	Standard
Square Corner	1-1/8" x 2-3/4", for wood jambs (4 mounting holes)	345	No Add
Square Corner	1-1/8" x 2-3/4", for metal jambs (2 mounting holes)	346	No Add
ANSI	1-1/4" x 4-7/8", 1-1/4" lip, square corner	347	No Add
T-Strike	1-1/8" x 2-3/4", 1-1/4" lip, square corner	350	No Add

Bolt Options	Description	Dead Latch	Price Add
2-3/4" Backset	1-1/8", square corner	144	Standard (D Series)
2-3/8" Backset	1", square corner	141	Standard (E Series)
2-3/4" Backset	1", square corner	142	No Add
2-3/8" Backset	Drive-in	145	No Add
2-3/4" Backset	Drive-in	146	No Add
2-3/8" & 2-3/4" Backsets for E50	Includes 141 & 144 latches	149	\$8.40
2-3/8" & 2-3/4" Backsets for E50	Includes 145 & 146 latches	148	\$8.40
Less Latch		LAT	(\$8.40)


Keying & Cylinder Options	Specify	Price Add
Keyed different	KD	Standard (D Series)
Keyed alike in four (quantity permitting)	KA4	Standard (E Series)
Master keyed ¹	MK	\$17.95 per cylinder
O-Bitted ¹	OB	No Add
Less Cylinder ¹	LC	(\$11.75)
Lock prepared to accept 6 or 7-pin IC cylinder, less core	IC	\$25.00

AR keyway standard. CS keyway optional.

¹ Not available with E41 or E42 function.



Exterior



Interior



Visual Indicator Option	Exterior Display	Interior Display	Colors	Price Add	
E61	V01	No Indicator	Unlocked/Locked	Red/Green	\$30.00
	V04	No Indicator	Unlocked/Locked	Red/White	\$30.00
E50	Standard	Vacant/Occupied	Unlocked/Locked	Red/Green	No Add
	V54	Vacant/Occupied	Unlocked/Locked	Red/White	No Add



ASSA ABLOY

D & E Series Parts

Strikes	Description	Part No.	Price
Square Corner	1-1/8" x 2-3/4", for metal jambs (4 mounting holes)	345	\$11.62
Square Corner	1-1/8" x 2-3/4", for wood jambs (2 mounting holes)	346	\$11.62
ANSI	1-1/4" x 4-7/8"	347	\$22.94
T-Strike	1-1/8" x 2-3/4", 1-1/4" lip	350	\$11.62
Box strike for E Series		BX91	\$3.75
Box strike for D Series		BX91D	\$3.75

Bolts	Description	Part No.	Price
2-3/4"	1-1/8", square corner	144	\$25.20
2-3/8"	1", square corner	141	\$25.20
2-3/4"	1", square corner	142	\$25.20
2-3/8"	Drive-in	145	\$25.20
2-3/4"	Drive-in	146	\$25.20

Cylinder by Function	Part No.	Price
E41	100	\$35.30
E42	100DC	\$35.30
E61, E63, E64	96C ¹	\$35.30
E62	96DC	\$35.30
D61, D63, D64	692C	\$35.30
D62	692DC	\$35.30


Tailpiece by Function	Part No.	Price
E42	D62CR-44	\$3.56
E42, E62, D62	D62-44	\$3.56
E50	E50-1-44	\$3.56
E60, D60	E60-44	\$3.56
E61, D61	D61-44	\$3.56
E62-IC, D62-IC	D62-44-13/8	\$3.56

Screw Pack by Function	Part No.	Price
E50 Without Indicator or With Single Indicator	E50-201	\$11.62
E50 x Double Visual Indicator	E50-1-201	\$11.62
E60	E60-201	\$11.62
E61	E61-201	\$11.62
E61 x Visual Indicator	D61-201	\$11.62
E62, D62	DE62-201	\$11.62
D60	D60-201	\$11.62
D61	D61-201	\$11.62

Miscellaneous Parts	Part No.	Price
E61 Thick door pack, up to 2-1/4"	E61-TDP	\$11.62
E62, D62 Thick door pack, up to 2-1/4"	E62-TDP	\$11.62
D61 Thick door pack, up to 2-1/4"	D61-TDP	\$11.62
E50 Emergency key	EMER-INDICATOR.KEY	\$2.52
Cam assembly for 6 & 7-pin IC cylinders	D61CR-121A	\$6.88

¹ Can be used with E41 on 1-3/4" thick doors.

Experience a safer
and more open world



N Series

Features

Certification	UL Listed
Door Thickness	Fits 1-3/8" - 1-3/4"
Strike	Standard: 1-1/8" x 3-1/2"; alternate strikes available
Bolt	1" throw with hardened pin
Backset	2-3/4"
Cylinder	Standard: 6-pin, solid brass, 2 nickel-silver keys; IC prep available
Handing	Non-handed
Case Quantity	20
Average Case Weight	38 lbs.
Warranty	1 year


Available Finishes	Arrow Code	BHMA Code	U.S. Code
Bright Brass	03	605	US3
Satin Brass	04	606	US4
Satin Bronze	10	612	US10
Dark Oxidized Satin Bronze, Oil Rubbed (for interior use only)	10B	613	US10B
Bright Chromium Plated	26	625	US26
Satin Chromium Plated	26D	626	US26D

How to Order


Function	N41
Finish	N41-26D
Strike	N41-26D-380
Keying	N41-26D-380-KD-AR

Function	ANSI	Description	26D	03, 04, 10, 10B, 26
N40	-	Thumbturn One Side	\$287.00	\$294.00
N41	E06071	Cylinder x Thumbturn	\$328.00	\$335.00
N42	E06061	Double Cylinder	\$340.00	\$347.00
N43	E06081	Cylinder One Side	\$298.00	\$305.00
N44	E06091	Cylinder x Thumbturn (classroom)	\$333.00	\$340.00

N Series Options & Parts



380



356

Strike Options	Description	Specify	Price Add
Square Corner	1-1/8" x 3-1/2"	380	Standard
ANSI	1-1/4" x 4-7/8"	356	\$11.32


Keying & Cylinder Options	Specify	Price Add
Keyed different	KD	Standard
Master keyed	MK	\$17.95 per cylinder
O-Bitted	OB	No Add
Less Cylinder	LC	(\$18.30)
Lock prepared to accept 6-pin SFIC cylinder, less core	IC6	No Add
Lock prepared to accept 7-pin SFIC cylinder, less core	IC7	No Add



836-17A


Parts	Part No.	Price
Standard mortise cylinder	MC61-004	\$54.90
Square corner strike, 1-1/8" x 3-1/2"	380	\$11.62
ANSI strike, 1-1/4" x 4-7/8"	356	\$22.94
Thumbturn	836-17A	\$31.55
Faceplate & screw pack	836-204	\$27.05
Lock body only	836K-LB	\$218.00

Padlocks



SFIC Padlocks (cylinder not included)

Shackle	Part No.	Price
1"	EPC1-IC	\$99.00
3"	EPC3-IC	\$103.00



K Bow

L Bow

Keys & Keying Charges Standard Cylinders

Key Blanks	Part No.	Price
Standard bow, 5-pin key blank, "A" keyway	K5A	\$1.76
Standard bow, 6-pin key blank, "A" keyway	K6A	\$1.76
Large bow, 6-pin key blank, "A" keyway	L6A	\$2.82
Sectional keyway, standard bow, 6-pin	K671 x (kwy ¹)	\$2.82
Sectional keyway, large bow, 6-pin	L671 x (kwy ¹)	\$2.82

¹ Consult factory for Arrow sectional keyways.

Cut Keys	Price
Extra cut keys	\$5.90 per key
Master or Grandmaster key	\$11.93

Keying Charges	Price
Master keyed	\$17.95 per cylinder
Keyed different	No Add
Keyed alike	No Add
0-Bitted	No Add

Key Stamping	Price
Stamping key with letters and/or numbers (limited to key space)	\$6.40 per side
Stamping key with <i>US Property Do Not Duplicate</i>	\$2.31 per side
Stamping non-IC key ² with <i>Do Not Duplicate</i>	\$2.31 per side

Key Control for factory-master-keyed systems	Specify	Price
Stamping cylinder (visual) and 2 keys with standard keying symbols	VKC	\$6.40 per set
Stamping cylinder (concealed) and 2 keys with standard keying symbols	CKC	\$6.40 per set
Stamping each additional key with standard keying symbols		\$4.28 per key

² Coining on IC keys include: *Duplication Prohibited* or *It Is Unlawful To Duplicate This Key*.

Bitting list only or bitting list copy	Bitting List	\$110.00
--	--------------	----------


- Bitting lists are provided on USB flash drives. Systems not available on a flash drive will be provided on paper.
- Large key systems on paper will be priced on a case-by-case basis.
- Copies of bitting lists may require prior factory approval.

Cylinders

Mortise & Rim



Mortise Cylinder



Rim Cylinder


Mortise Cylinders ¹	Part No.	Price
Standard 1-1/8" cylinder	MC61-(cam)	\$54.90
1-1/4" Cylinder	MC61-2-(cam)	\$54.90
1-1/2" Cylinder	MC61-3-(cam)	\$81.10
2" Cylinder	MC61-4-(cam)	\$81.10

¹ Standard 001 cam supplied unless otherwise specified.


Mortise Cylinder Parts	Part No.	Price
Cam for mortise lock functions 12, 17, 22, 23, 24, 27, 32 (I/S), 33, 37	001	\$4.75
Cam for mortise lock functions 11, 13, 19, 20, 21, 31, 32 (O/S), 34, 38, 40, 41, 42, 44	AM2	\$4.75
Cam for N series, panic device trims, alarms	004	\$4.75
Cam for Schlage locks	006	\$4.75
Cam for Adam Rite locks	AR18	\$4.75
Cylinder collar and spring	16-113A	\$12.67

Rim Cylinders	Part No.	Price
Standard 6-pin cylinder	RC62	\$54.90

Rim Cylinder Parts	Part No.	Price
Cam bar for RC62	16RC-44	\$3.56
Plug/cam bar retainer	16RC-103	\$1.69



Cylindrical Lock Cylinder



Deadbolt Cylinder

Conventional Cylinders Cylindrical Locks & Deadbolts

Cylindrical Lock Cylinders	Part No.	Price
MK Series (except hotel function)	100C	\$35.30
Cylinder kit (D/B style cyl w/3 D/B cambars, 3 KIK/KIL tail pcs, D/B washer)	K100C	\$41.65


Tailpiece Application	Part No.	Price
Q, W, H, S, ML, L & RL Series (except hotel function)	1001-44	\$3.56
Q, W, H, & ML Series hotel function	1001H-44	\$3.56
MK Series with TA or DD trim (except hotel function)	550AM-44	\$3.56
MK Series with BD trim (except hotel function), and RK Series	750-44	\$3.56
MK Series hotel function with TA or DD trim	550H-44	\$3.56
MK Series hotel function with BD trim	750H-44	\$3.56

Deadbolt Cylinders	Part No.	Price
E Series single cylinder	96C	\$35.30
E Series double cylinder	96DC	\$35.30
D Series single cylinder	692C	\$35.30
D Series double cylinder	692DC	\$35.30


Tailpiece Application	Part No.	Price
D & E Series single cylinder, 1-3/8" to 1-3/4" thick door	D61-44	\$3.56
D & E Series double cylinder, 1-3/4" thick door	D62-44	\$3.56
D & E Series double cylinder, 1-3/8" thick door	D62-44-13/8	\$3.56

Available Keyways	Arrow Equivalent
Arrow A	AR
Schlage C	CS

IC Housings



Mortise IC Housing



Rim IC Housing

Mortise Housings ¹		Part No.	Price
6-pin housings, 1-1/8"	Standard	16CR-16X (cam)	\$53.90
	Tapered	16CRT-16XAR18	\$55.90
7-pin housings, 1-1/4"	Standard	16CR-27X (cam)	\$53.90
	Tapered	16CRT-27XAR18	\$55.90

¹ Standard 16CR-001 cam supplied unless otherwise specified.

Mortise Housing Parts	Part No.	Price
Cam for mortise lock functions 12, 17, 22, 23, 24, 27, 32 (I/S), 33, 37	16CR-001	\$4.75
Cam for mortise lock functions 11, 13, 19, 20, 21, 31, 32 (O/S), 34, 38, 40, 41, 42, 44	16CR-AM2	\$4.75
Cam for N series, panic device trims, alarms	16CR-004	\$4.75
Cam for Schlage locks	16CR-006	\$4.75
Cam for Adams Rite locks	16CR-AR18	\$4.75
1/8" Spacer ring	16CR-123-1	\$18.46
1/4" Spacer ring	16CR-123-2	\$18.46
3/8" Spacer ring	16CR-123-3	\$18.46

Rim Housings	Part No.	Price
6-pin housing	16RCR-16	\$53.90
7-pin housing	16RCR-27	\$53.90


Rim Housing Parts	Part No.	Price
Cam bar	16RCR-44	\$3.56
Cam assembly (equal leg prongs)	16RCR-121A	\$11.62
Spring washer	16RCR-125	\$1.08
Yoke plate	961CR-117	\$1.32
Pan head screw (2 required)	4-40X1/4	\$0.61

• See *Plus Housings* section for Plus-related components.

Pointe SFIC Cylinders



Barrel Caps



Slide Cover



IC Key Blank

SFIC Cylinders with Standard Barrel Caps		Part No.	04, 26D
6-pin core	Uncombined	100CR-UCX (kwy)	\$27.90
	Combined ¹	100CR- (kwy)	\$52.80
7-pin core	Uncombined	7100CR-UCX (kwy)	\$27.90
	Combined ¹	7100CR- (kwy)	\$52.80

SFIC Cylinders with Slide Cover		Part No.	04, 26D
6-pin core	Uncombined	100SR-UCX (kwy)	\$30.75
	Combined ¹	100SR- (kwy)	\$57.60
7-pin core	Uncombined	7100SR-UCX (kwy)	\$30.75
	Combined ¹	7100SR- (kwy)	\$57.60

¹ Includes 2 operating keys and keying charges.

Construction Cores & Components	Part No.	04, 26D
6-pin construction core	100CR.RED	\$52.80
7-pin construction core	7100CR.RED	\$52.80
Disposable SFIC plug adapter	13-5176	\$1.18
Construction master key		\$11.93
Construction control key		\$11.93

Keys


For Keyways: 1C, 1D, AB, BB, CB, DB, EB, FB, GB, HB, JB, KB, LB, MB, QB, RB, TA, TB, TC, TD, TE	Part No.	Price
Key blank	C(kwy)	\$1.76
Operating key		\$5.90
Master, Grandmaster, or Control key		\$11.93

For Keyways: WA, WB, WC, WG, WH, WY	Part No.	Price
Key blank	GB(kwy)	\$4.39
Operating key		\$13.20
Control key		\$13.20

Stamping Charges	Price
Stamping key with letters and/or numbers (limited to key space)	\$6.40 per side
Stamping key with <i>US Property Do Not Duplicate</i>	\$2.31 per side
Stamping cylinder with standard keying symbols (specify visual or concealed)	\$4.28

Stamping Charges for factory systems	Specify	Price
Stamping cylinder (visual) and 2 keys with standard keying symbols	VKC	No Add
Stamping cylinder (concealed) and 2 keys with standard keying symbols	CKC	No Add
Stamping each additional key with standard keying symbols		\$4.28 per key

Experience a safer
and more open world




Pointe Flex SFIC Cylinders

Pointe Flex SFIC Cylinders & Keys ¹		Part No.	04, 26D
6-pin core	Uncombined	X1CR-UCX (kwy)	\$42.55
	Combined	X1CR-(kwy)	\$69.00
7-pin core	Uncombined	X71CR-UCX (kwy)	\$42.55
	Combined	X71CR-(kwy)	\$69.00
Standard Flex key blank		CH (kwy)	\$1.76
Flex key blank with hole in key blade		CHX (kwy)	\$5.90
Standard Flex operating key			\$7.22
Flex operating key with hole in key blade			\$11.93
Master, Grandmaster, or Control key			\$11.93

¹ See Pointe SFIC page for stamping charges.


- Contact factory for Flex keyway information.

Tailpieces & Components	Application	Part No.	Price
IC core tailpiece pack for 6- & 7-pin cores	RL Series 6-pin IC core tailpiece	HSCR6-44	\$4.25
	RL Series 7-pin IC core tailpiece	HSCR7-44	\$4.25
	MK Series	550CR-44-201	\$6.88
	RK Series	100CR-44-201	\$6.88
Tailpiece for use with Falcon...	6-pin core levers	X1CRF6-44	\$3.54
	7-pin core levers	X71CRF7-44	\$3.54
Tailpiece for use with Best...	6-pin core levers or knobs	X1CRB6-44	\$3.54
	7-pin core levers or knobs	X71CRB7-44	\$3.54
Tailpiece insert for cylindrical locks – 100-piece pack		X1CR-125PK	\$11.51



Sliding Door Lock	Part No.	04, 26D
7-Pin uncombined	SD7100CR-UCX (kwy)	\$62.90
7-Pin combined	SD7100CR- (kwy)	\$80.10

Cam Locks



Cam Lock Kits	Part No.	Price
Sub-Assembled	CLK-10-(kwy ¹).26D	\$79.90
Keyed different or keyed alike w/2 cut keys (not master-keyed)	CLK-11-(kwy ¹).26D	\$102.00
Master-keyed w/2 cut keys	CLK-11M-(kwy ¹).26D	\$121.00

¹ Available with standard Arrow IC keyways except for W and Flex.

Cam Lock Parts	Part No.	Price
Machined Plug	IKMPLG-(kwy).26D	\$16.33
Shell	IKSHELL2.26D	\$26.85
4-40 Screw	IKSCRPLT	\$1.31
Retainer	CP-021810	\$0.52
90° Stop	IKSTOP2	\$3.86
3/4" Hex Nut	IKHXNUT	\$0.48
Drive Pin	IKDRPIN	\$2.21
360° Drive Plate (NKR)	IKDRPLT	\$3.91
90° Drive Plate (KR)	IKDRPLT2	\$5.98
Cam, Straight	IKCAM2	\$4.32
Cam, Offset	IKCAM3	\$9.51
Pronged Washer	IKWSH1	\$1.09
Tumbler Spring	IKTSPRING ²	\$7.19
Pin Hole Cover	IKPNCVR ²	\$14.40

² Unit price shown. Sold in package quantities of 100.

Cam Lock Accessories	Part No.	Price
Spacer, 1/16"	IKSPCR1.26D	\$6.31
Spacer, 1/8"	IKSPCR3.26D	\$7.28
Spacer, 3/16"	IKSPCR4.26D	\$7.68
Spacer, 1/4" (provided with cam lock kit)	IKSPCR5.26D	\$7.87
Spacer, 5/16"	IKSPCR2.26D	\$7.96
Spacer, 3/8"	IKSPCR6.26D	\$8.89
Spacer, 7/16"	IKSPCR7.26D	\$9.30

Plus IC Housings

Mortise Housings for Plus Cores ^{1,2}		Part No.	Price
6-pin housings, 1-1/8"	Standard	C16CR-16X (cam)	\$53.90
	Tapered	C16CRT-16XAR18	\$55.90
7-pin housings, 1-1/4"	Standard	C16CR-27X (cam)	\$53.90
	Tapered	C16CRT-27XAR18	\$55.90

Mortise Housing Parts	Part No.	Price
Cam for mortise lock functions 12, 17, 22, 23, 24, 27, 32 (I/S), 33, 37	001	\$4.75
Cam for mortise lock functions 11, 13, 19, 20, 21, 31, 32 (O/S), 34, 38, 40, 41, 42, 44	AM2	\$4.75
Cam for N series, panic device trims, alarms	004	\$4.75
Cam for Schlage locks	006	\$4.75
Cam for Adam Rite locks	AR18	\$4.75
Cam assembly (unequal leg prongs) for 7-pin mortise housing	C16CR-121A	\$11.62
Cam assembly (unequal leg prongs) for 6-pin mortise housing	C16CR-121A-1	\$11.62

Rim Housings for Plus Cores ¹	Part No.	Price
6-pin housing	C16RCR-16	\$53.90
7-pin housing	C16RCR-27	\$53.90

Rim Housing Parts	Part No.	Price
Cam bar	16RCR-44	\$3.56
Cam assembly (unequal leg prongs) for 7-pin rim housing	C16RCR-121A	\$11.62
Cam assembly (unequal leg prongs) for 6-pin rim housing	C16RCR-121A-1	\$11.62
Spring washer	16RCR-125	\$1.08
Yoke plate	961CR-117	\$1.32
Pan head screw (2 required)	4-40X1/4	\$0.61

Tools & Components	Application	Part No.	Price
IC Housing shear tool		IC281	\$258.00
MK Series IC core tailpiece pack for 6- & 7-pin cores		CM-44-201	\$6.88
RK Series 6-pin IC core tailpiece		CH6-44	\$4.25
RK Series 7-pin IC core tailpiece		CH7-44	\$4.25
RL Series 6-pin IC core tailpiece		CL6-44	\$4.25
RL Series 7-pin IC core tailpiece		CL7-44	\$4.25

¹ Unequal leg prongs.

² Screw-on cams. Standard 001 cam supplied unless otherwise specified.



ASSA ABLOY

Cylinder Parts & Tools

IC Tools	Part No.	Price
Mortise cylinder installation tool	IC230	\$68.80
Ejector pin (single ejector)	IC235	\$48.15
50 Capping strips (200 cores)	IC237	\$90.70


Keying Kits & Components

For conventional cylinders	Part No.	Price	
Keying kit - pins, springs, slides, retainer rings, plug followers, tail pieces	60-Key-Kit	\$316.00	
Replacement pins Note: Bulk packed 100 pcs per pack	Top pins	AD142PK	\$10.98
	Bottom pins	AB140PK to 149PK	\$10.98
	Master pins	AM142PK to 149PK	\$10.98

For IC cylinders	Part No.	Price	
Replacement pins & caps Note: Bulk packed 100 pcs per pack	Bottom pins	RB100PK to 109PK	\$12.12
	Top pins	RM102PK to 119PK	\$12.12
	Springs	100CR-107PK	\$12.12
	Barrel caps	100CR-111PK	\$12.12
Key gauge	IC205	\$25.20	
Pin ejector	IC206	\$88.00	
Replacement pin for IC206	IC206-1	\$14.37	
Capping tool	IC207	\$415.00	
Capping pin	IC208	\$83.90	
Slide cap cover	For 6-pin cores	100CR-130 ¹	\$66.50
	For 7-pin cores	7100CR-130 ¹	\$66.50

¹ Package price shown. Sold in package quantities of 100.

S1150, S1250, ED910, & PEC910 Series Panic Devices




S1150/S1250 Devices Less Trim

Standard Panic Devices for 32-1/4" to 36" Door Widths	AL, BRZ, LBZ	Price
Surface vertical rod	S1150	\$960.00
Rim	S1250	\$507.00

Fire-Rated Panic Devices for 32-1/4" to 36" Door Widths	AL, BRZ, LBZ	Price
Surface vertical rod	FS1150	\$1,150.00
Rim	FS1250	\$672.00

Panic Device Options	Add Suffix	Price Add
Cylinder dogging	CD	\$117.00
Cylinder dogging prepared to accept 6- or 7-pin SFIC cylinder (not included)	CDIC	\$117.00
For 24" to 32" door widths	24	No Add
For 36-1/4" to 48" door widths	48	No Add



ED910 Rim

PEC910 Rim

ED910/PEC910 Panic Devices

ED910 Rim Panic Device	Part No.	689, 613E	630
For 31" to 36" door widths	ED910-36	\$324.00	\$440.00
For 43" to 48" door widths	ED910-48	\$324.00	\$440.00

PEC910 Permanent End Cap Rim Panic Device	Part No.	689, 613E	630
For 31" to 36" door widths	PEC910-36	\$393.00	\$508.00

Parts	Part No.	689, 613E	630
Strike	ES90	\$32.30	-
Screw pack	ES9-201	\$17.19	\$17.19
End cap	ES9CAP	\$29.05	\$29.05
Installation Template	ES9TMPLT-36	\$110.00	-

Experience a safer
and more open world



ASSA ABLOY

March 3, 2025 – Rev. 12/1/2025
[Click here for details on Tariff Price Adjustments.](#)

S1150, S1250, ED910, & PEC910 Series Exit Trim

Trims

Lever Trim		613E, 26D	Price
Passage		SRX01	\$156.00
Storeroom	Standard cylinder	SRX82	\$156.00
	SFIC prep, less core	SRX82-IC	\$156.00
Classroom	Standard cylinder	SRX87	\$156.00
	SFIC prep, less core	SRX87-IC	\$156.00

Knob Trim		03, 04, 10, 10B, 26D	Price
Passage		BD01 or TA01	\$200.00
Storeroom	Standard cylinder	BD12 or TA12	\$219.00
	SFIC prep, less core	TA12-IC	\$244.00
Classroom	Standard cylinder	BD17 or TA17	\$219.00
	SFIC prep, less core	TA17-IC	\$244.00

Plate Trim		AL, BRZ, LBZ	Price
Blank Plate		SF01	\$107.00
Dummy Pull		SF02	\$117.00
Storeroom Pull	Standard cylinder	SF12	\$213.00



ASSA ABLOY

March 3, 2025 – Rev. 12/1/2025
[Click here for details on Tariff Price Adjustments.](#)

S1150 & S1250 Series Parts


Parts for S1150 & S1250			Part No.	Price
Shim Kit		For S1150	SH64	\$174.00
		For S1250	SH65	\$142.00
Thru-bolts		For S1150	S51	\$78.00
		For FS1150	FS51	\$89.10
		For S1250 or FS1250	FS52	\$26.85
18" extension rod kit for S1150			VRX-18	\$142.00
End cap			28-0112	\$29.05
End cap mounting bracket			68-0080	\$29.05
Dogging kit (key not included)			68-2596	\$29.05
Dogging key			97-0001	\$13.44
Rail assembly	Standard rail	For 24" – 32" doors	PR-24	\$366.00
		For 32-1/4" – 36" doors	PR-36	\$366.00
		For 36-1/4" – 48" doors	PR-48	\$366.00
	Fire-rated rail	For 24" – 32" doors	PRF-24	\$366.00
		For 32-1/4" – 36" doors	PRF-36	\$366.00
		For 36-1/4" – 48" doors	PRF-48	\$366.00
	Cylinder dogging rail	For 24" – 32" doors	PR-24CD	\$483.00
		For 32-1/4" – 36" doors	PR-36CD	\$483.00
		For 36-1/4" – 48" doors	PR-48CD	\$483.00
	Strike	S1150	Standard & fire-rated	S646
Standard bottom			S23	\$67.10
Fire-rated bottom			S43	\$67.10
S1250		Standard & fire-rated	S38	\$61.00
		Double door	S36	\$61.00



ASSA ABLOY

Mullions

Description	Part No.	Price
Removable mullion – 86", extruded aluminum	S20	\$620.00
Removable mullion – 120", extruded aluminum	S20-120	\$719.00
Key removable mullion – 86", extruded aluminum, less cylinder	S20-K	\$1,356.00
Key removable mullion – 120", extruded aluminum, less cylinder	S20L-K	\$1,421.00
Removable mullion for narrow stile devices – 86", extruded aluminum	S20-N	\$1,326.00
Removable mullion for narrow stile devices – 120", extruded aluminum	S120-N-120	\$1,540.00
Fire-rated removable mullion – 86", steel	S21	\$830.00
Fire-rated key removable mullion – 86", steel, less cylinder	S21K	\$1,547.00
Top retainer for S20	S10	\$69.30
Bottom retainer for S20	S11A	\$69.30
Top retainer for S20-N	S91	\$120.00
Bottom retainer for S20-N	S92	\$120.00
Stabilizer for S20-N	S90	\$69.30
Top retainer for S21	S88	\$120.00
Bottom retainer for S21	S89	\$120.00
Mortise cylinder for key removable mullion or cylinder dogging	MC61-004	\$54.90
IC housing for key removable mullion or cylinder dogging	16CR-27X004	\$53.90



7800/7900 Series Door Operator

7800 Series Power Door Operators – Sizes 1-6

Mount Application	Radio Frequency	2 Wall Switches	Part No.	AL, DBZ
Hinge/Pull			7836H	\$4,880.00
	✓		7836HR	\$5,067.00
	✓	✓	7836HRP	\$5,919.00
Stop/Push			7836S	\$4,880.00
	✓		7836SR	\$5,067.00
	✓	✓	7836SRP	\$5,919.00
Universal			7836U	\$4,937.00
	✓		7836UR	\$5,124.00

7900 Series Power Door Operators (Power Cord Version) – Sizes 1-6

Mount Application	Radio Frequency	2 Wall Switches	Part No.	AL, DBZ
Hinge/Pull			7936H	\$4,915.00
	✓		7936HR	\$5,102.00
	✓	✓	7936HRP	\$5,954.00
Stop/Push			7936S	\$4,915.00
	✓		7936SR	\$5,102.00
	✓	✓	7936SRP	\$5,954.00
Universal			7936U	\$4,972.00
	✓		7936UR	\$5,159.00



ASSA ABLOY


March 3, 2025 – Rev. 12/1/2025
[Click here for details on Tariff Price Adjustments.](#)

7800/7900 Series Parts

Parts/Accessories	Part No.	Price
Motor Assembly	7800MA	\$1,650.00
Inverter	7800IN	\$1,026.00
On/Off Switch	7800PS	\$9.60
Cover	7800CO	\$158.00
Arm & Track Assembly (Pull)	7800TC	\$479.00
Arm Assembly	7800TA	\$161.00
Track Assembly	7800TO	\$349.00
Arm Assembly (Push)	7800SC	\$153.00
Main Arm & Rod	7800SA	\$135.00
Adjusting Tube & Shoe	7800ST	\$59.00
Single Channel Hand Held Transmitter	7800T1	\$185.00
Double Channel Hand Held Transmitter	7800T2	\$235.00
Reed Switch	7800RS	\$35.00
RF Power Supply	7800PWS	\$172.00
Operational Signs	7800SK9	\$66.00
Closer Body	914BO	\$272.00



ASSA ABLOY



March 3, 2025 – Rev. 12/1/2025
[Click here for details on Tariff Price Adjustments.](#)

DCN300 Series Door Closer

Standard Features

ANSI/BHMA A156.4	Sizes	Cover	Thru-Bolts
Certified Grade 1	1-4 & 1-6	Sold Separately	Included


Case Quantity	Average Case Weight	Warranty
6 (DCN314 or DCN325)	37 lbs	5 Year Limited
4 (DCN314-1 or DCN325-1)	32 lbs	5 Year Limited

Finishes	Arrow Code	BHMA Code
Aluminum painted or powder coated	689	689
Dark bronze painted or powder coated	690	690
Black painted or powder coated*	693 ¹	693 ¹

Description	Part No.	Price
Size 1-4, NHO, Tri-Pack	DCN314	\$220.00
Size 1-4, HO, Tri-Pack	DCN314-1	\$259.00
Size 1-6 NHO, Tri-Pack	DCN325	\$220.00
Size 1-6, HO, Tri-Pack	DCN325-1	\$259.00

Parts & Accessories	Part No.	Price
Full Plastic Cover & 1-3/8" Thru-Bolts	DC3CVR	\$36.60
Thru-Bolts 1-3/4"	DCNTB1	\$9.28
Thru-Bolts 2-1/4"	DCNTB2	\$9.28

¹ Contact factory for availability.



DCN500 Series Door Closer

Standard Features

ANSI/BHMA A156.4	Sizes	Cover	Thru-Bolts
Certified Grade 1	1-6	Included	Included


Case Quantity	Average Case Weight	Warranty
3	40 lbs	10 Years

Finishes	Arrow Code	BHMA Code
Aluminum painted or powder coated	689	689
Dark bronze painted or powder coated	690	690
Black painted or powder coated*	693 ¹	693 ¹

Description	Part No.	Price
Sizes 1-6, NHO, Tri-Pack	DCN516	\$343.00
Sizes 1-6, HO, Tri-Pack	DCN516-1	\$419.00
Sizes 1-6, HD, NHO, PA, Positive Stop	DCN516-2	\$416.00
Sizes 1-6, HD, HO, PA, Thumbturn, Positive Stop	DCN516-3	\$457.00

Parts & Accessories	Part No.	Price
Full Plastic Cover	DCN500CV	\$34.55
Drop Plate - Regular	DCN500DP	\$33.45
Drop Plate - Parallel Arm	DCN500DP1	\$36.95
Drop Plate - Top Jamb	DCN500DP2	\$33.45
Drop Plate - Top Jamb, Flush Ceiling	DCN500DP3	\$33.45
Thru-bolts 1-3/4"	DCNTB1	\$9.28
Thru-bolts 2-1/4"	DCNTB2	\$9.28
Screw Pack	DCN500SP	\$14.82
NHO Arm	DCN500A	\$123.00
HO Arm	DCN500A1	\$142.00
HD NHO Arm	DCN500A2	\$149.00
HD HO Arm	DCN500A3	\$165.00
HD NHO Cushion Arm Kit	DCN500A4	\$192.00
HD HO Cushion Arm Kit	DCN500A5	\$218.00

¹ Contact factory for availability.




5016N Series Door Closer

Tri-pack Models – Sizes 1-6	Part No.	Price
Standard arm, slim plastic cover	5016NS	\$488.00
Standard arm, full plastic cover	5016N	\$494.00
Standard arm, slim plastic cover, delayed action	5016NSD	\$543.00
Standard arm, full plastic cover, delayed action	5016ND	\$549.00
Hold-open arm, slim plastic cover	5016NSH	\$548.00
Hold-open arm, full plastic cover	5016NH	\$554.00
Hold-open arm, slim plastic cover, delayed action	5016NSHD	\$603.00
Hold-open arm, full plastic cover, delayed action	5016NHD	\$609.00

Door Saver Parallel Arm Models – Sizes 1-6	Part No.	Price
Slim plastic cover	5016NPS	\$549.00
Full plastic cover	5016NP	\$554.00
Slim plastic cover, delayed action	5016NPSD	\$604.00
Full plastic cover, delayed action	5016NPD	\$609.00
Hold-open arm, slim plastic cover	5016NPSH	\$624.00
Hold-open arm, full plastic cover	5016NPH	\$629.00
Hold-open arm, slim plastic cover, delayed action	5016NPSHD	\$679.00
Hold-open arm, full plastic cover, delayed action	5016NPHD	\$684.00

Parts & Accessories	Part No.	Price
Drop plate	5016DP	\$61.00
Full plastic cover	5016FC	\$39.00
Slim plastic cover	5016SC	\$34.00
5016N Closer body	5016BO	\$338.00
5016N Closer body with delayed action	5016BOD	\$393.00
Thru-bolts for 1-3/8" thick doors	5016TB38	\$17.60
Thru-bolts for 1-3/4" thick doors	5016TB34	\$17.60
Thru-bolts for 2-1/4" thick doors	5016TB214	\$17.60
Complete (tri-pack) standard arm assembly	5016CNA	\$122.00
Complete (tri-pack) hold-open arm assembly	5016CHA	\$177.00
Door saver arm assembly, non-hold-open	5016CDNA	\$214.00
Door saver arm assembly, hold-open	5016CDHA	\$293.00

- Packed 4 per case. Average case weight 16 lbs.
- Specify AL, DBZ, LBZ, GL, or BLK finish.



AL500

130N

AL500 & 130N Series

Alarmed Hardware

Push Bar Alarm (handed)	Part No.	689, 690, BSP, RD	630
For 32-1/4" to 36" door width	AL500 ¹	\$1,223.00	\$1,410.00
	AL500F (fire rated) ¹	\$1,368.00	\$1,555.00
For 36-1/4" to 48" door width	AL500-48 ¹	\$1,223.00	\$1,410.00
	AL500F-48 (fire rated) ¹	\$1,368.00	\$1,555.00

Stand Alone Alarm	Part No.	Price
Standard unit	130N	\$475.00
Standard unit with remote mounting	130NXL	\$547.00

AL500 Lever Trim	Description	613E, 26D	Price
Passage		SRX01	\$156.00
	Standard cylinder	SRX82	\$156.00
Storeroom	SFIC prep, less core	SRX82-IC	\$156.00
	Standard cylinder	SRX87	\$156.00
Classroom	SFIC prep, less core	SRX87-IC	\$156.00

AL500 Knob Trim	Description	03, 04, 10, 10B, 26D	Price
Passage		BD01 or TA01	\$200.00
	Standard cylinder	BD12 or TA12	\$219.00
Storeroom	SFIC prep, less core	TA12-IC	\$244.00
	Standard cylinder	BD17 or TA17	\$219.00
Classroom	SFIC prep, less core	TA17-IC	\$244.00


AL500 Plate Trim	Description	689, 690, BSP, RD	Price
Passage		PT01	\$90.00
Dummy Pull		PT02	\$97.00
	Standard cylinder	PT03	\$164.00
Classroom	SFIC prep, less core	PT03-IC	\$164.00

AL500 Parts	Part No.	Price
Single door strike	S38	\$61.00
Double door strike	S36	\$61.00
Thru-bolts	FS54	\$26.85
Mortise cylinder for inside rail	MC61-004	\$54.90
IC Housing for inside rail	16CR-27X004	\$53.90

¹ Inside cylinder to arm or disarm unit sold separately.



Discontinued Products



3880 Series Rim Exit Device

Discontinued
Products

Function	Description	03, 04, 10, 10B, 10BE, 32, 32D
Exit Only		38-81
Classroom	Less SL lever trim	38-88
	Less pull trim	38-05
Storeroom	Less trim	38-83
	Less SL lever trim	38-8A
Passage	Less pull trim	38-5A


Panic Device With Trim

With SL ¹ Trim	03, 04, 10, 10B, 10BE, 26, 32, 32D
Classroom	38-88-SL
Storeroom	38-83-SL
Passage	38-8A-SL
Dummy	38-82-SL
With SS Trim	03, 04, 10, 10B, 10BE, 32, 32D
Classroom	38-05-SS
Storeroom	38-83-SS
Passage	38-5A-SS
Dummy	38-82-SS
With SN Trim	03, 04, 10, 10B, 10BE, 32, 32D
Classroom	38-05-SN
Storeroom	38-83-SN
Passage	38-5A-SN
Dummy	38-82-SN
With SB Trim	03, 04, 10, 10B, 10BE, 32, 32D
Classroom	38-05-SB
Storeroom	38-83-SB
Passage	38-5A-SB
Dummy	38-82-SB
With SP Trim	03, 04, 10, 10B, 10BE, 32, 32D
Classroom	38-05-SP
Storeroom	38-83-SP
Passage	38-5A-SP
Dummy	38-82-SP

Trim Only

03, 04, 10, 10B, 10BE, 26, 32, 32D
SL88
SL83
SL88A
SL02
03, 04, 10, 10B, 10BE, 32, 32D
SS05
SS83
SS05A
SS02
03, 04, 10, 10B, 10BE, 32, 32D
SN05
SN83
SN05A
SN02
03, 04, 10, 10B, 10BE, 32, 32D
SB05
SB83
SB05A
SB02
03, 04, 10, 10B, 10BE, 32, 32D
SP05
SP83
SP05A
SP02

¹ SL trims are not available in 32D or 32 finish; 26D or 26 supplied.



March 3, 2025 – Rev. 12/1/2025
[Click here for details on Tariff Price Adjustments.](#)

3700 Series Surface Vertical Rod Exit Device

Function	Description	03, 04, 10, 10B, 10BE, 32, 32D
Exit Only		37-01
Classroom	Less SL lever trim	37-08
	Less pull trim	37-05
Passage	Less SL lever trim	37-8A
	Less pull trim	37-5A


Panic Device With Trim

With SL ¹ Trim	03, 04, 10, 10B, 10BE, 26, 32, 32D
Classroom	37-88-SL
Passage	37-8A-SL
Dummy	37-02-SL
With SS Trim	03, 04, 10, 10B, 10BE, 32, 32D
Classroom	37-05-SS
Passage	37-5A-SS
Dummy	37-02-SS
With SN Trim	03, 04, 10, 10B, 10BE, 32, 32D
Classroom	37-05-SN
Passage	37-5A-SN
Dummy	37-02-SN
With SB Trim	03, 04, 10, 10B, 10BE, 32, 32D
Classroom	37-05-SB
Passage	37-5A-SB
Dummy	37-02-SB
With SP Trim	03, 04, 10, 10B, 10BE, 32, 32D
Classroom	37-05-SP
Passage	37-5A-SP
Dummy	37-02-SP
With Auxiliary Control	03, 04, 10, 10B, 10BE, 32, 32D
Classroom	37-11-S3
Storeroom	37-12-S3

Trim Only

03, 04, 10, 10B, 10BE, 26, 32, 32D
SL08
SL08A
SL02
03, 04, 10, 10B, 10BE, 32, 32D
SS05
SS05A
SS02
03, 04, 10, 10B, 10BE, 32, 32D
SN05
SN05A
SN02
03, 04, 10, 10B, 10BE, 32, 32D
SB05
SB05A
SB02
03, 04, 10, 10B, 10BE, 32, 32D
SP05
SP05A
SP02
Auxiliary Control – 03, 04, 10, 10B, 10BE, 32, 32D
S311
S312

¹ SL trims are not available in 32D or 32 finish; 26D or 26 supplied.



3900 Series Mortise Exit Device

Discontinued
Products

Function	Description	03, 04, 10, 10B, 10BE, 32, 32D
Exit Only		39-01
Classroom	Less SL lever trim	39-08
	Less pull trim	39-05
Storeroom	Less trim	39-03
Passage	Less SL lever trim	39-8A
	Less pull trim	39-5A


Panic Device With Trim

With SL ¹ Trim	03, 04, 10, 10B, 10BE, 26, 32, 32D
Classroom	39-08-SL
Storeroom	39-03-SL
Passage	39-8A-SL
Dummy	39-02-SL
With SS Trim	03, 04, 10, 10B, 10BE, 32, 32D
Classroom	39-05-SS
Storeroom	39-03-SS
Passage	39-5A-SS
Dummy	39-02-SS
With SN Trim	03, 04, 10, 10B, 10BE, 32, 32D
Classroom	39-05-SN
Storeroom	39-03-SN
Passage	39-5A-SN
Dummy	39-02-SN
With SB Trim	03, 04, 10, 10B, 10BE, 32, 32D
Classroom	39-05-SB
Storeroom	39-03-SB
Passage	39-5A-SB
Dummy	39-02-SB
With SP Trim	03, 04, 10, 10B, 10BE, 32, 32D
Classroom	39-05-SP
Storeroom	39-03-SP
Passage	39-5A-SP
Dummy	39-02-SP

Trim Only

03, 04, 10, 10B, 10BE, 26, 32, 32D
SL08
SL03
SL08A
SL02
03, 04, 10, 10B, 10BE, 32, 32D
SS05
SS83
SS05A
SS02
03, 04, 10, 10B, 10BE, 32, 32D
SN05
SN83
SN05A
SN02
03, 04, 10, 10B, 10BE, 32, 32D
SB05
SB83
SB05A
SB02
03, 04, 10, 10B, 10BE, 32, 32D
SP05
SP83
SP05A
SP02

¹ SL trims are not available in 32D or 32 finish; 26D or 26 supplied.



4800 Series Narrow Stile Rim Exit Device

Function	Description	03, 04, 10, 10B, 10BE, 32, 32D
Exit Only		48-01
Classroom	Less SL lever trim	48-08
Storeroom	Less trim	48-03
Passage	Less SL lever trim	48-8A

Panic Device With Trim

With SL ¹ Trim	03, 04, 10, 10B, 10BE, 26, 32, 32D
Classroom	48-08-SL
Storeroom	48-03-SL
Passage	48-8A-SL
Dummy	48-02-SL
With SS Trim	03, 04, 10, 10B, 10BE, 32, 32D
Storeroom	48-03-SS
Dummy	48-02-SS
With SN Trim	03, 04, 10, 10B, 10BE, 32, 32D
Storeroom	48-03-SN
Dummy	48-02-SN

Trim Only

03, 04, 10, 10B, 10BE, 32, 32D
SL08
SL03
SL08A
SL02
03, 04, 10, 10B, 10BE, 32, 32D
SS03
SS02
03, 04, 10, 10B, 10BE, 32, 32D
SN03
SN02

¹ SL trims are not available in 32D or 32 finish; 26D or 26 supplied.




ASSA ABLOY

March 3, 2025 – Rev. 12/1/2025

[Click here for details on Tariff Price Adjustments.](#)

Discontinued Products

4900 Series Narrow Stile Mortise Exit Device



Function	Description	03, 04, 10, 10B, 10BE, 32, 32D
Exit Only		49-01
Classroom	Less SL lever trim	49-08
Storeroom	Less trim	49-03
Passage	Less SL lever trim	49-8A

Panic Device With Trim

With SL ¹ Trim	03, 04, 10, 10B, 10BE, 26, 32, 32D
Classroom	49-08-SL
Storeroom	49-03-SL
Passage	49-8A-SL
Dummy	49-02-SL
With SS Trim	03, 04, 10, 10B, 10BE, 32, 32D
Storeroom	49-03-SS
Dummy	49-02-SS
With SN Trim	03, 04, 10, 10B, 10BE, 32, 32D
Storeroom	49-03-SN
Dummy	49-02-SN

Trim Only

03, 04, 10, 10B, 10BE, 32, 32D
SL08
SL03
SL08A
SL02
03, 04, 10, 10B, 10BE, 32, 32D
SS03
SS02
03, 04, 10, 10B, 10BE, 32, 32D
SN03
SN02

¹ SL trims are not available in 32D or 32 finish; 26D or 26 supplied.

The ASSA ABLOY Group is the global leader in access solutions. Every day, we help billions of people experience a more open world.

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, locks, perimeter fencing, access control and service.



ARROW USA
Phone: 1-800-839-3157
Fax: 1-800-421-6615

Visit us at our Website:
www.arrowlock.com

For more information regarding
Arrow locksets, exit devices,
door closers and key systems,
contact your authorized
Arrow distributor.