



# The **radically simplified** access control platform for small and growing businesses.


US and Canada Pricing Catalog Effective February 20th, 2026

## TARIFF PRICE ADJUSTMENTS EFFECTIVE:

(In Addition to Prices Herein)

**Canada: January 12th, 2026**

**CA LINK: [2026 Tariff Price Adjustments](#)**



# Manage Access With a Simple App.

Centrios is the radically simplified access control platform for small and growing businesses.

Easily send mobile credentials to employees or vendors, unlock openings with a touch of your phone, manage access schedules, and review activity history — all in one place.



Software and hardware designed for businesses — easy to install and simple to use.





2-year warranty and 24/7 support resources.



Training and video installation guides available on demand.



Manage up to 50 doors and 200+ users in a single system — while also being part of multiple systems.



# Subscription Plans

No contracts. No hidden fees. No fine print.

 centrios Subscription Plans	<b>Free</b> starting at <b>\$0<sup>USD</sup></b> per month	<b>Select</b> starting at <b>\$10<sup>USD</sup></b> per month	 <b>PRO</b> starting at <b>\$20<sup>USD</sup></b> per month
Number of openings	Up to 5	Up to 20	Up to 50
Number of people	Up to 10	Up to 100	Up to 200+
Update hardware and change settings	Locally via phone	Locally via phone	Locally via phone
People access schedules	24/7 access	Customizable schedules	Customizable schedules
Audit and event reports	✓	✓	✓
Phone app credentials	✓	✓	✓
PIN codes (Smart Reader only)	✓	✓	✓
Centrios Card or Fob credentials			✓
People and Padlock add-ons			✓

To learn more about our Subscription Plans, features, or to upgrade, visit: [centrios.com](http://centrios.com)

## Cards & Fobs.

Cards and Fobs offer even more options to lock or unlock openings in your business. Compatible with Centrios Cylindrical Locks and Smart Readers, Centrios Cards and Fobs make it easy to share and manage access, even if you or your employees don't have a phone!

Cards and Fobs are enabled by the Pro Plan



### How to order


Model	Description	List Price
CE-FOB	Centrios Branded Fob - Must order in multiples of 25 pieces	\$14 ea
CE-CARD-B	Centrios Branded Card - Must order in multiples of 25 pieces	\$14 ea
CE-CARD-NB	Centrios Plain White Card - Must order in multiples of 50 pieces	\$17 ea

List prices shown are for each credential.  
 Branded Cards or Fobs are only available in denominations of 25. For example 25, 50 etc.  
 Plain White Cards only available in denominations of 50. For example 50, 100 etc.


# Mobile App

The Centrios Mobile App is designed to work seamlessly together with Centrios hardware. Get started, enroll devices, add users, manage schedules, and access your business all in one place!


## Manage Systems





## Manage Schedules



## Manage Devices



## Manage People



The Centrios mobile app is incredibly easy to navigate and use — no training required.

Quickly and securely manage who has access to your business. And with one flat monthly fee, you always know exactly how much you are paying to access all of the features, devices, and users in your plan.

Download the **Centrios App** today



# Padlock

CEP

The Centrios Padlock was designed to safeguard your assets both inside and outside your business. It's the perfect way to share secure access with one or multiple people without handing out a key.

## Features & Benefits

- IP67 rated waterproof and dust-tight for indoor and outdoor applications
- For use in harsh environments, 240 hour salt spray tested
- Solid brass body (corrosion resistant)
- Reinforced chromed steel shackle with 28.1 kN cutting resistance (6300lbs of cutting force)
- Operational temperature: 2°F to 120°F (-19°C to 49°C)
- Charging temperature: 32°F to 113°F (0°C to 45°C)



Bluetooth mobile access via the Centrios mobile app.



Operates up to 6 months on one charge.  
USB-C cable and 5V charger required (not included).



Unique LED for device status.



Configurable settings for people access schedules.



## How to order

Model	Description	List Price
CEP200-626	Centrios Padlock Satin Chrome	\$276

# Smart Reader

CER

The Centrios Smart Reader enables you to unlock virtually any door with electrified hardware from perimeter openings, to garages, glass doors, and gates.

## Features & Benefits

- Capacitive keypad
- FCC/IC Certified
- ADA Compliant
- 2 configurable output relays
- 2 inputs (Door Position Switch & Request to Exit)
- -40°F to 122°F (-40°C to 50°C)
- Compatible with Centrios Cards & Fobs



Bluetooth mobile access via the Centrios mobile app.



Two relays, one designed for an electronic lock, the second for an auto-operator with configurable delay. Request to exit input (REX). Door position switch (DPS) input. Triggers auto-operator on delay.



12-24 VDC. Dedicated power source recommended. Relays support up to 2 amps.



Mounts to frames, walls, or a J-box (trim plate included). Simple installation: 2 screws and back plate.



## How to order

Model	Description	List Price
CER	Centrios Smart Reader	\$799

# Smart Reader Kits


Bundled kits make purchasing everything you need for your Smart Reader convenient and hassle-free. Each kit includes your Smart Reader and the products from whichever kit you choose below.

		Orderable kits					
Products	Description	CER-5000C-630	CER-1500C-630	CER-9400-630	CER-9600-630	CER-7400-628	CER-CYOH-KIT
CER	Centrios Smart Reader	✓	✓	✓	✓	✓	✓
HES-5000C-630	Compact electric strike; selectable fail secure/fail safe, accommodates 5/8" latchbolts, stainless steel.	✓					
HES-1500C-630	Electric strike with 1500lbs static strength, field selectable, fail secure/fail safe, non-handed, 3-hour fire rating, stainless steel finish.		✓				
HES-9400-630	Slim line outdoor rated strike ideal for rim exit devices with a 1/2" throw latch.			✓			
HES-9600-630	Outdoor rated strike ideal for rim exit devices with a 3/4" throw latch.				✓		
Adams Rite 7400-628	Ultra-compact strike, over 1,500 lbs holding force. Adjustable stainless steel keepers, release electrically with up to 25 lbs preload.					✓	
Securitron AQD2	Dual voltage power supply, UL listed, supervised, 2A, 12VDC/24VDC, w/battery charging circuit.	✓	✓	✓	✓	✓	✓
Alarm Controls NTB-3	No touch request to exit station with hand-waving motion to exit.	✓	✓	✓	✓	✓	✓
Securitron DPS	Used to monitor status of door opening.	✓	✓	✓	✓	✓	✓
<b>List Price</b>		\$1692	\$2162	\$2069	\$2069	\$1783	\$1450

# More Information

Information on the products that come in the Smart Reader Kits.

## HES 5000C



The 5000 series is a compact, high performance electric strike designed for low profile openings where there is limited space behind the jamb.

## HES 1500



The HES 1500 Series Electric Strike sets a new standard in the industry by offering dynamic integrated adjustability and field configurable options compatible with any cylindrical or mortise lock.

## Adams Rite 7400



Designed for use with Adams Rite deadlatches or cylindrical lock-sets with 1/2" [12.7 mm] to 5/8" [15.9 mm] latchbolt projection.

## HES 9400



The HES 9400 series is a slim-line, outdoor rated surface mounted electric strike designed to accommodate rim exit devices with a 1/2" Pullman latch.

## HES 9600



The 9600 Series is a windstorm rated, surface mounted electric strike designed to accommodate rim exit devices with a 3/4" throw latch.

## Alarm controls NTB-3



These surface mounted, request to exit solutions provide greater flexibility, without the need to make costly modifications, extending access control in an easy way.

## Securiton DPS



Used to monitor the status of a door. Includes a magnetic switch and a cylindrical permanent magnet.

## Securiton AQL2



The UL-listed Securiton AQL2 Series of dual voltage, field selectable switching power supplies provides 2 Amps at 12 VDC/24 VDC.

# Cylindrical Lock

CEB100/102

The Cylindrical Lock is designed specifically with business owners in mind. Engineered for speed of installation, ease of use, and mixed functionality, the Cylindrical Lock is perfect for front doors, back doors, storeroom doors, offices, or anywhere that has a 2 1/8" hole in the door!

## Features & Benefits

- ANSI/BHMA A156.2 Grade 1
- UL10C 3-hour fire rating
- IP67 weather resistance to allow full exposure to both sides of the door
- FCC/IC Certified
- ADA compliant
- Deadlocking latch
- -35°F to 140°F (-37°C to 60°C)
- Compatible with Centrios Cards & Fobs



Bluetooth mobile access via the Centrios mobile app. Privacy mode with included door position sensor installation. Full-time passage egress.



Operates up to one year on four AA batteries (included). Exterior emergency 9 VDC power backup.



Unique LED for lock events and alarms. Key in lever design for fixed core. Configurable auto relock. Wireless door position sensing (DPS).



Designed to be quick and easy to install - with in-field handing and patent pending automatic adjustability for door thicknesses between 1-3/8" to 2-1/4".



Black Suede  
BSP



Satin Chrome  
626




Bronze  
613E



Bright Brass  
605



Satin Nickel  
619



Taylor Bay  
(TB)



Pacific Beach  
(PB)



Monroe  
(MO)



Augusta  
(AU)

## How to order

Model	Description	Lever Styles	Lever Finish	CEB100 only			CEB100 only	
				Cylinder	Backset & Latch	Strike	Keying Options	List Price
CEB100	Cylindrical lock Key-in lever	TB <sup>1</sup>	BSP <i>Black Suede</i>	PARA <i>Para Fixed Core</i>	CE-234R <i>2 3/4" Round Corner Latch</i>	497 <i>ANSI 4 7/8"</i>	KR <i>(Keyed Random for fixed core cylinders)</i>	Starting at \$780
		—	—	—	—	—		
		AU	626 <i>Satin Chrome</i>	SC <sup>4</sup> <i>Schlage Fixed Core</i>	CE-234S <i>2 3/4" Square Corner Latch</i>	70S <i>Square Corner Full Lip Strike</i>		
CEB102	Cylindrical lock Key-free	—	605 <i>Bright Brass</i>	GA <i>GA Fixed Core</i>	—	—		
		PB	613E <sup>2</sup> <i>Bronze</i>	LC <sup>5</sup> <i>(-\$94) Less Cylinder</i>	CE-238R <i>2 3/8" Round Corner Latch</i>	71S <i>Round Corner Full Lip Strike</i>		
		—	619 <sup>3</sup> <i>Satin Nickel</i>	—	—	—		
—	MO	—	LFICLC <sup>6</sup>	CE-238S <i>2 3/8" Square Corner Latch</i>	371 <i>T-Strike</i>	—		
—	—	—	SFICLC <sup>6</sup>	—	—	—		

1 TB is not available in LFIC.

2 Products ordered with 613E levers include brass finish latches and strikes. If ordered with a fixed core cylinder, the cylinder includes a brass cylinder front.

3 Products ordered with 619 levers include 626 finish latches and strikes. If ordered with a fixed core cylinder, the cylinder includes a 626 cylinder front.

4 Products ordered in BSP finish with SC cylinders include brass cylinder front.

5 Specifying this option indicates you will receive a lever that supports a fixed core cylinder. Cylinder not included.

6 Specifying these options indicates you will receive a lever that supports these cylinder styles. Cylinder not included.

## Order string example

CEB100-AU-BSP-PARA-CE-234R-497-KR

## Need it in a hurry?

We know how important it is to keep your inventory stocked and your customers happy with fast delivery. That's why we've selected our most popular products that are ready to ship with shorter than standard lead times. Choose from the two different lever and finish styles below.

Model	Lever Style	Lever Finish	Cylinder	Backset & Latch	Strike	Keying Options	List Price
CEB100	TB	BSP	PARA <i>(Para Fixed Core)</i>	CE-234R <i>2 3/4" Round Corner Latch</i>	497 <i>ANSI 4 7/8"</i>	KR <i>(Keyed Random for fixed core cylinders)</i>	\$780
	AU	626					

## Need an extra latch?

Description	Model	Finish	List Price
2 3/4" Backset Square Corner Latch	CE-234S	BSP — 626	\$129
2 3/4" Backset Round Corner Latch	CE-234R		
2 3/8" Backset Square Corner Latch	CE-238S		
2 3/8" Backset Round Corner Latch	CE-238R		

## Order String Example


CE-234R-BSP

# Cylindrical Definitions & Dimensions

## Cylindrical Strikes

Centrios offers four strike styles to accommodate the most common applications. You must select a strike when placing your Centrios Cylindrical Lock order.


When planning your installation, review the existing strike and verify if the existing latch has a square or round corner so you can order accordingly.



## Cylindrical Latches

Centrios offers two different latch styles for the Cylindrical Lock. Square corner, and round corner.


When planning an installation, verify if the existing latch has a square or round cornered latch so that you can order accordingly.



## Cylindrical Backsets

A standard measurement is 2 3/4" or 2 3/8". Centrios Cylindrical latches only support backsets with these measurements. You must select a backset when placing your Centrios Cylindrical Lock order.

When planning your installation, review the existing backset so you can order accordingly.



# Mortise Lock

CEM100/102

The Mortise Lock is designed specifically with business owners in mind. Engineered for speed of installation, ease of use, and mixed functionality, the Mortise Lock is perfect for front doors, back doors, storeroom doors, offices, and more.

## Features & Benefits

- CEM100 key override model uses an ANSI/BHMA Grade 1 ASSA ABLOY ACCENTRA 8800 mortise lock for long life and durability. The CEM102 Key Free option is ANSI/BHMA A156.13 Certified Grade 1.
- UL10C 3-hour fire rating
- IP67 weather resistance to allow full exposure to both sides of the door
- FCC/IC Certified
- ADA compliant
- Deadlocking latch
- -35°F to 140°F (-37°C to 60°C)
- Compatible with Centrios Cards & Fobs



Bluetooth mobile access via the Centrios mobile app. Privacy mode with included wireless door position sensor installation. Full-time passage egress.



Operates up to one year on four AA batteries (included). Exterior emergency 9 VDC power backup.



Unique LED for lock events and alarms. Key in lever design for fixed core. Configurable auto rerelease. Wireless door position sensing (DPS).



Designed to be quick and easy to install - with in-field handing and automatic adjustability for door thicknesses between 1-3/4" to 2-1/4".



Black  
Suede  
BSP



Satin  
Chrome  
626




Bronze  
613E



Bright  
Brass  
605



Satin  
Nickel  
619



Taylor Bay  
(TB)



Pacific Beach  
(PB)



Monroe  
(MO)



Augusta  
(AU)

## How to order

				CEM100 only		
Model	Description	Lever Syles	Lever Finish	Cylinder	Keying Options	List Price
CEM100	Mortise lock Key-in lever	TB <sup>1</sup>	BSP <i>Black Suede</i>	PARA <i>Para Fixed Core</i>	KR <i>(Keyed Random for fixed core cylinders)</i>	Starting at \$1060
		—	—	—		
CEM102	Mortise lock Key-free	AU	626 <i>Satin Chrome</i>	SC <sup>4</sup> <i>Schlage Fixed Core</i>		
		—	—	—		
		605 <i>Bright Brass</i>	GA <i>GA Fixed Core</i>			
		PB	613E <sup>2</sup> <i>Bronze</i>	LC <sup>5</sup> <i>(-\$94) Less Cylinder</i>		
—	619 <sup>3</sup> <i>Satin Nickel</i>	LFICLC <sup>6</sup>	—			
MO	—	SFICLC <sup>6</sup>	—			

<sup>1</sup> TB is not available in LFICLC.

<sup>2</sup> Products ordered with 613E levers include brass finish latches and strikes. If ordered with a fixed core cylinder, the cylinder includes a brass cylinder front.

<sup>3</sup> Products ordered with 619 levers include 626 finish latches and strikes. If ordered with a fixed core cylinder, the cylinder includes a 626 cylinder front.

<sup>4</sup> Products ordered in BSP finish with SC cylinders include brass cylinder front.

<sup>5</sup> Specifying this option indicates you will receive a lever that supports a fixed core cylinder. Cylinder not included.

<sup>6</sup> Specifying these options indicates you will receive a lever that supports these cylinder styles. Cylinder not included.

## Order string example


CEM100-AU-BSP-PARA-KR

## Definitions & Dimensions

### Strike

Centrios offers a single strike style to accommodate most mortise lock applications. You will automatically receive this strike when placing your Centrios Mortise Lock order.

**Note:** A 2815 strike is always included with the Mortise Lock and this will match the finish of the levers.



# Exit Trim

CEE100/102

The Exit Trim is designed specifically for applications that require an exit device. Engineered for speed of installation, ease of use, and mixed functionality, the Exit Trim is perfect for front doors, back doors, emergency exits, stairwells, and more.

## Features & Benefits

- ANSI/BHMA A156.3 Grade 1
- UL10C 3-hour fire rating
- IP67 weather resistance to allow full exposure to both sides of the door
- FCC/IC Certified
- ADA compliant
- -35°F to 140°F (-37°C to 60°C)
- Deadlocking Rim exit device latches
- Compatible with Centrios Cards & Fobs
- Compatible with several makes and models of exit devices

### Retrofit Exit Device Compatibility:

Brand	Model
ASSA ABLOY ACCENTRA/Yale	2100, 2170, 6100, 6170, 7100, 7170
Corbin Russwin	ED5200
Von Duprin	98/99



Bluetooth mobile access via the Centrios mobile app. Privacy mode with included door position sensor installation. Full-time passage egress.



Operates up to one year on four AA batteries (included). Exterior emergency 9 VDC power backup.



Unique LED for lock events and alarms. Key in lever design for fixed core. Configurable auto relock. Wireless door position sensing (DPS).



Designed to be quick and easy to install — with in-field handing



Black  
Suede  
BSP



Satin  
Chrome  
626




Bronze  
613E



Bright  
Brass  
605



Satin  
Nickel  
619



Taylor Bay  
(TB)



Pacific Beach  
(PB)



Monroe  
(MO)



Augusta  
(AU)

# Exit Device

The Centrios Exit Trim pairs up with select ASSA ABLOY ACCENTRA® Exit devices and these can be ordered together.



Black  
Suede  
BSP



Satin  
Stainless Steel  
630

## Ordering Details (Read before ordering)

Centrios Exit Trim supports new installations or retrofits. If ordering Exit Trim only, determine if you need Push Bar Monitoring Switch functionality. If you also need an Exit Device, order both the Exit Trim and the corresponding Exit Device on the same order.

### Push Bar Monitoring Switch (PBMS)

A PBMS lets your Exit Trim know when someone pushes the bar to exit the door. When installed, it enables key features of your Centrios Exit Trim including privacy mode, escape return, and door ajar status reporting.

PBMS is not sold separately.

### New Installations (Exit Trim + Exit Device)

The Centrios Exit Trim can be ordered with the ASSA ABLOY ACCENTRA® 6100 series exit device. It's easy to do! Build your Exit Trim part number, and Build your Exit Device part number to suit the needs of your opening.

When ordering an Exit Trim and corresponding Exit Device on the same order, the ASSA ABLOY ACCENTRA® PBMS is factory installed in the Exit Device.

Exit Devices are only available on the same order as the Exit Trim.

### Retrofits (Exit Trim Only)

Centrios Exit Trim retrofits easily with multiple Exit Devices — for in-field upgrades without the complexity.

Exit Trim sold separately optionally includes both a ASSA ABLOY ACCENTRA® PBMS and Von Duprin PBMS harness as a part of the PBMS retrofit kit.

# How to order the Exit Trim

				CEE100 only		
Model	Description	Lever Styles	Lever Finish	Cylinder	Keying Options	List Price
CEE100	Exit Trim Key-in Lever <i>(includes PBMS)</i>	TB <sup>1</sup>	BSP <i>Black Suede</i>	PARA <i>Para Fixed Core</i>	KR <i>(Keyed Random for fixed core cylinders)</i>	Starting at \$1150
CEE102	Exit Trim Key-free <i>(includes PBMS)</i>	—	626 <i>Satin Chrome</i>	SC <sup>4</sup> <i>Schlage Fixed Core</i>		
CEE100TD*	Exit Trim Key-in Lever (-\$100) <i>No PBMS</i>	AU	605 <i>Bright Brass</i>	GA <i>GA Fixed Core</i>		
CEE102TD*	Exit Trim Key-free (-\$100) <i>No PBMS</i>	PB	613E <sup>2</sup> <i>Bronze</i>	LC <sup>5</sup> (-\$94) <i>Less Cylinder</i>		
		MO	619 <sup>3</sup> <i>Satin Nickel</i>	LFICLC <sup>6</sup>		
				SFICLC <sup>6</sup>		

\* Select TD options if you **do not** want PBMS or if ordering exit trim and exit device on the same order. If ordering together, PBMS will be factory installed in the exit device.

<sup>1</sup> TB is not available in LFIC.

<sup>2</sup> Products ordered with 613E levers and a Fixed Core cylinder will include a brass cylinder front.

<sup>3</sup> Products ordered with 619 levers and a Fixed Core cylinder will include a 626 cylinder front.

<sup>4</sup> Products ordered in BSP with SC cylinders include brass cylinder front.

<sup>5</sup> Specifying this option indicates you will receive a lever that supports a fixed core cylinder. Cylinder not included.

<sup>6</sup> Specifying these options indicates you will receive a lever that supports these cylinder styles. Cylinder not included.

## How to order the Exit Device (Push Bar Monitoring Switch pre-installed)

Exit Devices are only available on the same order as the Exit Trim.

Model	Description	Finish	Length	List Price
CEE6100ED	Rim Exit Device 6100, PBM	BSP	36"	\$1801
			48"	\$1882
CEE6100FED	Rim Exit Device 6100 Fire, PBM	630	36"	\$2076
			48"	\$2157

## Order string examples


<b>Exit Trim less PBMS:</b> CEE100TD-AU-BSP-PARA-KR List Price: <b>\$1050</b>	<b>Exit Trim Only:</b> CEE100-AU-BSP-PARA-KR List Price: <b>\$1150</b>	<b>Exit Trim Ordered with Exit Bar:</b> CEE100TD-AU-BSP-PARA-KR CEE6100ED-630-36 List Price: \$1050 + \$1801 = <b>\$2851</b>
---	--	---

## Definitions & Dimensions

### Strike

You will automatically receive a 757F strike with your order of Centrios Exit Trim + Exit Device.

**Note:** The strike will match the finish of the levers.



# Available for Purchase


## Sample Mounts

If you are interested in purchasing a sample mount for the Centrios Smart Reader or Cylindrical Lock, please contact [care@centrios.com](mailto:care@centrios.com).



## Cover Plates

Cover Plates are perfect for covering up old holes and paint lines from previous lock installs. This product always comes with (2) plates, one for each side of the door and supports both Centrios Cylindrical and Mortise Locks. Installs without the need for additional screws to affix the plate to the door.



## How to order

Model	Finish	List Price
CE-COVERP	BSP	\$80
	626	

## Order String Example

CE-COVERP-626


## Cylindrical Jig

The Centrios Drill Jig makes it easy to drill 5/16" holes at the 12 o'clock and 6 o'clock position to install the cylindrical lock on a 161 prep door.

Model	List Price
CE-DRILL-JIG	\$25



# Radically Simplified.



#### Contact us

Centrios

Address: 225 Episcopal Road

Berlin, CT 06037-4004

Phone: 888-425-1001

ASSA ABLOY DSS Canada

Phone: 905-532-6239

[www.centrios.com](http://www.centrios.com)

24/7 Support

[www.support.centrios.com](http://www.support.centrios.com)

Order Management

[orders@centrios.com](mailto:orders@centrios.com)

Technical Product Support

[tech@centrios.com](mailto:tech@centrios.com)

888-425-3404

Customer Experience

[care@centrios.com](mailto:care@centrios.com)

888-425-3403

Hours

Monday - Friday

8am - 8pm EST

Copyright © 2025

All rights reserved. Reproduction in whole or in part without the express written permission of Centrios is prohibited.

Patent pending and/or patent [www.assaabloydss.com/patents](http://www.assaabloydss.com/patents).

Part of ASSA ABLOY

#### FREIGHT TERMS

All Purchase Orders received with a minimum value of \$3,500 will qualify automatically for free standard freight within the continental United States.

This minimum amount applies per Purchase Order to qualify and does not include free expedited freight. Qualified orders may ship partial or ship complete at your preference. Qualified orders that ship partial will not incur freight charges. All shipments that do not qualify for free freight will be charged for freight based upon our terms in effect at the time of shipment.

Customers may provide their own UPS or approved LTL carrier account number for expedited freight methods or for any Purchase Order to be used to cover freight costs.

Minimum amounts are subject to change without notice.

#### RETURNS

There will be a 35% restocking fee for all returned product. For a return/restock, product must be in original, unmarked, undamaged, and re-sellable cartons, be valued in excess of \$250.00 net, have shipped and been invoiced within the past 120 days, not be custom, non-cataloged, or master keyed.

All orders sent back for restocking must be approved and are subject to inspection upon receipt. Restocking fees will be deducted from the value of the credit following inspection.

For full U.S. terms and conditions, please visit [www.centrios.com/en/freightterms](http://www.centrios.com/en/freightterms)

For full Canadian terms and conditions, please visit [www.centrios.com/en/freightterms/cafreightterms](http://www.centrios.com/en/freightterms/cafreightterms)

For full warranty terms, please visit [www.centrios.com/en/warranty](http://www.centrios.com/en/warranty)