


**SOSS**<sup>®</sup>  
Door Hardware

# Price book

Effective February 27, 2026



**United States Customer Care**

Our Customer Care Representatives are available for questions or assistance.

**877-671-7011**

**Customer service**

- 📞 Press **1**
- ✉ Support@allegion.com

**Technical support**

- 📞 Press **2**
- ✉ Accessories\_TechProdSupport@allegion.com

**For new projects or to locate an authorized distributor**

- 📞 Press **3**

**Sales support**

- ✉ Support@allegion.com

**United States Administrative Office**

11819 N. Pennsylvania Street  
Carmel, IN 46032  
[allegion.com/us](http://allegion.com/us)

**Canada Customer Care**

Our Customer Care Representatives are available for questions or assistance.

- 📞 800-900-4734
- ✉ Canada.CustomerService@allegion.com

**Technical product support**

- ✉ Canada.TechServices@allegion.com

**Placing orders**

You can place orders with Allegion via the fax number or email listed below:

- 📞 1-800-209-4734
- ✉ Canada.Orders.Service@allegion.com

**Canada Administrative Office**

1076 Lakeshore Road East  
East Mississauga, Ontario L5E 1E4  
[allegion.ca](http://allegion.ca)

**United States Request for quote**

**Carolinas**

(North Carolina, South Carolina, Virginia)  
[Carolinas.Quotes@allegion.com](mailto:Carolinas.Quotes@allegion.com)

**Central**

(Illinois, Iowa, Kansas, Missouri, Nebraska)  
[Central.Quotes@allegion.com](mailto:Central.Quotes@allegion.com)

**Chicago**

(Northern Illinois, Wisconsin)  
[Chicago.Quotes@allegion.com](mailto:Chicago.Quotes@allegion.com)

**Florida**

[Florida.Quotes@allegion.com](mailto:Florida.Quotes@allegion.com)

**Metro New York**

(Metro New York, Northern New Jersey)  
[Metro.Quotes@allegion.com](mailto:Metro.Quotes@allegion.com)

**Michigan**

[Michigan.Quotes@allegion.com](mailto:Michigan.Quotes@allegion.com)

**Mid Atlantic North**

(New York, Western Pennsylvania)  
[Mid.Atlantic.North.Quotes@allegion.com](mailto:Mid.Atlantic.North.Quotes@allegion.com)

**Mid Atlantic South**

(Delaware, Eastern Pennsylvania, Maryland, Northern Virginia, Southern New Jersey, Washington DC)  
[Mid.Atlantic.South.Quotes@allegion.com](mailto:Mid.Atlantic.South.Quotes@allegion.com)

**Midwest**

(Indiana, Kentucky, Ohio, West Virginia)  
[Midwest.Quotes@allegion.com](mailto:Midwest.Quotes@allegion.com)

**Mountain States**

(Colorado, Idaho, Montana, Nevada, Utah, Wyoming)  
[Mtn.States.Quotes@allegion.com](mailto:Mtn.States.Quotes@allegion.com)

**New England**

(Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont)  
[NewEngland.Quotes@allegion.com](mailto:NewEngland.Quotes@allegion.com)

**North Central**

(Minnesota, North Dakota, South Dakota)  
[NorthCentral.Quotes@allegion.com](mailto:NorthCentral.Quotes@allegion.com)

**Northern California**

[NoCal.Quotes@allegion.com](mailto:NoCal.Quotes@allegion.com)

**Northwest**

(Alaska, Oregon, Washington)  
[Northwest.Quotes@allegion.com](mailto:Northwest.Quotes@allegion.com)

**South**

(Alabama, Georgia, Louisiana, Mississippi, Tennessee)  
[South.Quotes@allegion.com](mailto:South.Quotes@allegion.com)

**Southern California**

(Southern California, Hawaii)  
[SoCal.Quotes@allegion.com](mailto:SoCal.Quotes@allegion.com)

**Southwest**


(Arizona, New Mexico)  
[Southwest.Quotes@allegion.com](mailto:Southwest.Quotes@allegion.com)

**Texas**

(Arkansas, Texas, Oklahoma)  
[Texas.Quotes@allegion.com](mailto:Texas.Quotes@allegion.com)

**Canada Request for quote**

(All Regions/Provinces)  
[Quote.Request.Canada@allegion.com](mailto:Quote.Request.Canada@allegion.com)



## Contents

<b>Doing business with Allegion</b> .....	<b>4</b>	<b>Heavy duty, large door invisible hinges</b>	
<b>Finish cross-reference guide</b> .....	<b>6</b>	20-minute Fire Rated, UL Listed invisible hinges .....	22
<b>Light duty, small door invisible hinges</b>		Extra heavy duty, invisible Hercules Hinges® .....	22
Invisible hinges .....	7	20-minute Fire Rated, UL Listed invisible closer hinges ..	23
Metal cabinet hinges .....	9	90/180-minute Fire Rated, UL Listed invisible hinges ....	23
Concealed surface mount invisible hinge.....	10	90/180-minute Fire Rated, UL Listed invisible	
<b>Medium duty, small door invisible hinges</b>		closer hinges .....	25
Invisible hinges .....	11	20-minute Fire Rated, UL Listed power transfer hinges	26
Invisible closer hinges.....	14	90/180-minute Fire Rated, UL Listed power	
Wrap-around invisible hinges .....	14	transfer hinges.....	27
<b>Heavy duty, standard door invisible hinges</b>		<b>Specialty invisible hinges</b>	
20-minute Fire Rated, UL Listed invisible hinges .....	15	Modified Light Duty invisible hinges .....	28
Extra heavy duty, invisible Hercules Hinges® .....	16	Modified Light Duty metal cabinet hinges .....	28
20-minute Fire Rated, UL Listed invisible closer hinges ..	17	Modified Light Duty concealed surface mount	
90/180-minute Fire Rated, UL Listed invisible hinges ....	18	invisible hinges .....	28
90/180-minute Fire Rated, UL Listed invisible		Modified Medium Duty invisible hinges .....	28
closer hinges .....	19	Modified Medium Duty invisible closer hinges.....	28
20-minute Fire Rated, UL Listed power transfer hinges	20	Quadrant hinges .....	29
90/180-minute Fire Rated, UL Listed power		Invisible barrel hinges.....	29
transfer hinges.....	21	<b>Miscellaneous</b>	
Wrap-around invisible hinges .....	21	Magnetic door holder & stops .....	30
		Router guide templates & template guide system.....	30
		Router bits .....	31
		Reinforcements for steel doors.....	31

## Policies and documents

The purchase of Allegion products is governed by the Allegion Authorized Seller Program. For program terms and conditions, and other program details, please visit:

USA [www.allegion.com/AuthorizedSeller](http://www.allegion.com/AuthorizedSeller)  
CAN [www.allegion.ca/policies](http://www.allegion.ca/policies)

- Goods can be returned only with our prior authorization and are subject to a restocking charge
- We are not responsible for errors on verbal orders that are not confirmed in writing
- If possible, all orders should be e-mailed to:  
[Orders\\_Allegion@allegion.com](mailto:Orders_Allegion@allegion.com)
- All orders subject to approval of our Credit Department
- All claims must be filed within 14 days of receipt of goods

For Warranty information, visit [us.allegion.com/warranty](http://us.allegion.com/warranty) or contact Customer Service at:

USA 877-671-7011  
CAN 800-900-4734

## Sustainability

Allegion can provide sustainability documentation for select products, ensuring transparency and adherence to environmental standards and building certification programs such as LEED and Living Building Challenge. This documentation includes detailed information on the sustainable practices and materials used, helping you make informed decisions that align with your sustainability goals.

To view the full list of products with declarations, please visit:  
<https://us.allegion.com/en/resources/sustainability.html>

## How to use this book

Information contained in the list price table:

**Product description:** Column contains minimum and/or maximum thickness, substrate, application, fire rating, and max wire rating (if applicable).

**Model number:** Column contains model number and additional suffix for other distinguishing features or packaging type.

### Packaging type suffixes:

- B = Bulk pack
- PB = 1 each to a polybag

**Unit Packaged:** Description of individual selling unit quantity and packaging.

**MOQ:** Contains the minimum order quantity for identified product, if required.

**Stocked (USA ONLY):** Column indicates whether the product is available to order through FastTrack.

LIGHT DUTY / SMALL DOOR

MEDIUM DUTY / SMALL DOOR

HEAVY DUTY / STANDARD DOOR

HEAVY DUTY / LARGE DOOR

SPECIALTY

MISCELLANEOUS



## SOSS FASTTRACK STOCKED OFFERING<sup>1</sup>

<sup>1</sup>FastTrack Stocked offering does not apply to Canada.

SOSS FastTrack stocked offering includes over 80 of our most popular accessories that will typically ship in 3 business days or less through our standard order process. Choose from our list of small to large concealed hinges, concealed closers hinges, concealed wrap around hinges, and installation templates. All FastTrack stocked items are noted throughout this price book. Simply view the Stocked column at the top of the page and a “.” denotation per item.

### To place an order for FastTrack

Order via the standard ordering process and submit only FastTrack items on your purchase order. Purchase orders that contain a mix of standard product and FastTrack items will continue to follow existing customer account preferences (ship complete or ship partial). Made-to-order products will continue to ship within standard lead times.

### For more information

Visit [www.soss.com](http://www.soss.com) for the list of offerings and frequently asked questions.



## SOSS STANDARD LEAD TIMES

Made-to-order products will have a standard lead time of 1–2 weeks unless otherwise noted. See product pages for special exceptions. Access the Allegion product lead time report for additional lead time information accessible in the 360 Portal at [360portal.allegion.com](http://360portal.allegion.com) or contact your local sales representative for additional information.



## Online ordering is available through Overtur™ Estimate and Order (OEO)

OEO offers much more than placing online orders including:

- Provides net price for direct customers and list price for indirect customers, integrator partners and end-users
- Online Ordering for direct customers
- Automated price updates
- Ability to export price lists and cross-reference guides in Excel
- Configuration and configuration reports, including e-lock configurations
- Request a quote or quote revision from an estimate
- Keying Guide
- Library pre-built hardware sets

How to get it:

1. Login or register at <http://360portal.allegion.com>
2. Find the Estimate and Order Icon and follow the instructions to request access
3. The Online Ordering team will begin working on your access with your Allegion Sales Representative

## Traditional ordering methods

### United States

- ✉ [Allegion\\_Orders@allegion.com](mailto:Allegion_Orders@allegion.com)
- ☎ 1-800-248-1460

### Canada

- ✉ [Canada.Orders.Service@allegion.com](mailto:Canada.Orders.Service@allegion.com)
- ☎ 1-800-209-4734

### Training and Troubleshooting



Scan the QR Code to access our resource center or visit <https://support.oeo.allegion.com/hc/en-us>

Questions or issues should be reported to [Online.Ordering.Support@allegion.com](mailto:Online.Ordering.Support@allegion.com) for escalation

## FINISH CROSS-REFERENCE GUIDE

Allegion now uses BHMA codes to identify finishes across all product lines.

BHMA CODE	US FINISH	NAME	SUBSTRATE
600	USP	Primed For Painting	Steel
631	US19	Black E-Coated	Steel
632	US3	Bright Brass	Steel
633	US4	Satin Brass	Steel
637	US9	Bright Bronze	Steel
638	US5	Antique Brass	Steel
639	US10	Satin Bronze	Steel
640	US10B	Oil Rubbed Bronze, Lacquered	Steel
645	US14	Bright Nickel	Steel
646	US15	Satin Nickel	Steel
651	US26	Bright Chrome	Steel
652	US26D	Satin Chrome	Steel
629	US32	Bright Stainless Steel	Stainless Steel
630	US32D	Satin Stainless Steel	Stainless Steel
674	USP	Primed For Painting	Zinc
675	-	Dichromate Sealed	Zinc
676	US19	Black E-Coated	Zinc
677	US3	Bright Brass	Zinc
678	US4	Satin Brass	Zinc
679	US9	Bright Bronze	Zinc
-	US5	Antique Brass	Zinc
680	US10	Satin Bronze	Zinc
	US14	Bright Nickel	Zinc
-	US15	Satin Nickel	Zinc
681	US26	Bright Chrome	Zinc
682	US26D	Satin Chrome	Zinc
704	US10B	Oil Rubbed Bronze, Lacquered	Zinc
-	UNP	Unplated	Any
-	WH	White E-Coated	Any
689	US28	Aluminum Painted	Any
690	US20	Dark Bronze Painted	Any
691	US10	Light Bronze Painted	Any
693	-	Black Painted	Any
696	US4	Satin Bronze Painted	Any
-	BRS	Raw Brass	Brass

## LIGHT DUTY, SMALL DOOR INVISIBLE HINGES

### Invisible hinges

- All hinges are shipped with the proper size wood screws unless ordered without.
- Machine screws available upon request for an additional charge.

MODEL #100								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1/2" Substrate: Zinc Application: Wood or Metal Fire Rated: No	100CUS26D	682	2/bag=1 pair	-	1 pair	\$25.10	▪
		100US26DPB	682	1 each bagged	Yes	10 each	\$125.50	
		100US26DB	682	1 each	Yes	250 each	\$3,137.50	
		100CUS4	678	2/bag=1 pair	-	1 pair	\$25.10	▪
		100US4PB	678	1 each bagged	Yes	10 each	\$125.50	
		100US4B	678	1 each	Yes	250 each	\$3,137.50	

MODEL #101								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1/2" Substrate: Zinc Application: Wood or Metal Fire Rated: No	101CUS10BL	704	2/bag=1 pair	-	1 pair	\$74.64	
		101US10BLB	704	1 each	Yes	150 each	\$5,598.00	
		101CUS14	-	2/bag=1 pair	-	1 pair	\$70.52	
		101US14B	-	1 each	Yes	150 each	\$5,289.00	
		101CUS15	-	2/bag=1 pair	-	1 pair	\$41.90	▪
		101US15B	-	1 each	Yes	150 each	\$3,142.50	
		101CUS19	676	2/bag=1 pair	-	1 pair	\$36.24	▪
		101US19PB	676	1/bag=1 each	Yes	10 each	\$181.20	
		101US19B	676	1 each	Yes	150 each	\$2,718.00	
		101CUS26	681	2/bag=1 pair	-	1 pair	\$61.32	
		101US26B	681	1 each	Yes	150 each	\$4,599.00	
		101CUS26D	682	2/bag=1 pair	-	1 pair	\$33.52	▪
		101US26DPB	682	1/bag=1 each	Yes	10 each	\$167.60	
		101US26DB	682	1 each	Yes	150 each	\$2,514.00	
		101CUS3	677	2/bag=1 pair	-	1 pair	\$66.22	
		101US3B	677	1 each	Yes	150 each	\$4,966.50	
		101CUS4	678	2/bag=1 pair	-	1 pair	\$33.52	▪
		101US4PB	678	1/bag=1 each	Yes	10 each	\$167.60	
		101US4B	678	1 each	Yes	150 each	\$2,514.00	
		101CUS5	-	2/bag=1 pair	-	1 pair	\$74.64	
		101US5B	-	1 each	Yes	150 each	\$5,598.00	
101CWH	-	2/bag=1 pair	-	1 pair	\$36.24			
101WHB	-	1 each	Yes	150 each	\$2,718.00			

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

Invisible hinges

- All hinges are shipped with the proper size wood screws unless ordered without.
- Machine screws available upon request for an additional charge.

MODEL #101SS								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1/2" Substrate: Grade 316 Stainless Steel Application: Wood or Metal Fire Rated: No	101SSUS32PB	629	1/bag=1 each	-	1 each	\$189.08	
		101SSUS32B	629	1 each	Yes	150 each	\$28,362.00	
		101SSUS32DPB	630	1/bag=1 each	-	1 each	\$122.12	
		101SSUS32DB	630	1 each	Yes	150 each	\$18,318.00	

MODEL #103								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 3/4" Substrate: Zinc Application: Wood or Metal Fire Rated: No	103CUS19	676	2/bag=1 pair	-	1 pair	\$35.26	▪
		103US19PB	676	1/bag=1 each	Yes	10 each	\$176.30	
		103US19B	676	1 each	Yes	200 each	\$3,526.00	
		103CUS26D	682	2/bag = 1 pair	-	1 pair	\$31.50	▪
		103US26DPB	682	1/bag=1 each	Yes	10 each	\$157.50	
		103US26DB	682	1 each	Yes	200 each	\$3,150.00	
		103CUS4	678	2/bag=1 pair	-	1 pair	\$31.50	▪
		103US4PB	678	1/bag=1 each	Yes	10 each	\$157.50	
		103US4B	678	1 each	Yes	200 each	\$3,150.00	

MODEL #203								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 3/4" Substrate: Zinc Application: Wood or Metal Fire Rated: No	203CUNP	-	2/bag=1 pair	-	1 pair	\$26.88	
		203UNPB	-	1 each	Yes	150 each	\$2,688.00	
		203CUS10BL	704	2/bag=1 pair	-	1 pair	\$79.56	
		203US10BLB	704	1 each	Yes	150 each	\$7,956.00	
		203CUS14	-	2/bag=1 pair	-	1 pair	\$75.14	
		203US14B	-	1 each	Yes	150 each	\$7,514.00	
		203CUS15	-	2/bag=1 pair	-	1 pair	\$43.96	▪
		203US15B	-	1 each	Yes	150 each	\$4,396.00	
		203CUS19	676	2/bag=1 pair	-	1 pair	\$39.22	▪
		203US19PB	676	1/bag=1 each	Yes	10 each	\$196.10	
		203US19B	676	1 each	Yes	150 each	\$3,922.00	
		203CUS26	681	2/bag=1 pair	-	1 pair	\$39.22	
		203US26B	681	1 each	Yes	150 each	\$3,922.00	
		203CUS26D	682	2/bag=1 pair	-	1 pair	\$37.06	▪
		203US26DPB	682	1/bag=1 each	Yes	10 each	\$185.30	
		203US26DB	682	1 each	Yes	150 each	\$3,706.00	
		203CUS3	677	2/bag=1 pair	-	1 pair	\$70.20	
		203US3B	677	1 each	Yes	150 each	\$7,020.00	

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

### Invisible hinges

- All hinges are shipped with the proper size wood screws unless ordered without.
- Machine screws available upon request for an additional charge.

MODEL #203								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 3/4" Substrate: Zinc Application: Wood or Metal Fire Rated: No	203CUS4	678	2/bag=1 pair	-	1 pair	\$37.06	▪
		203US4PB	678	1/bag=1 each	Yes	10 each	\$185.30	
		203US4B	678	1 each	Yes	150 each	\$3,706.00	
		203CUS5	-	2/bag=1 pair	-	1 pair	\$79.56	
		203US5B	-	1 each	Yes	150 each	\$7,956.00	
		203CWH	-	2/bag=1 pair	-	1 pair	\$39.22	
		203WHB	-	1 each	Yes	150 each	\$3,922.00	

MODEL #203SS								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 3/4" Substrate: Grade 316 Stainless Steel Application: Wood or Metal Fire Rated: No	203SSUS32PB	629	1/bag=1 each	-	1 each	\$206.59	
		203SSUS32B	629	1 each	Yes	150 each	\$41,318.00	
		203SSUS32DPB	630	1/bag=1 each	-	1 each	\$130.84	
		203SSUS32DB	630	1 each	Yes	150 each	\$26,168.00	

MODEL #303								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 11/16" Substrate: Steel Application: Wood or Metal Fire Rated: No	303CUS19	631	2/bag=1 pair	-	1 pair	\$24.74	▪
		303US19PB	631	1/bag=1 each	-	1 each	\$12.37	
		303US19B	631	1 each	Yes	200 each	\$2,474.00	
		303CUS26D	652	2/bag=1 pair	-	1 pair	\$26.36	▪
		303US26DPB	652	1/bag=1 each	-	1 each	\$13.18	
		303US26DB	652	1 each	Yes	200 each	\$2,636.00	
		303CUS4	633	2/bag=1 pair	-	1 pair	\$26.36	▪
		303US4PB	633	1/bag=1 each	-	1 each	\$13.18	
		303US4B	633	1 each	Yes	200 each	\$2,636.00	

### Metal cabinet hinges

- All metal cabinet hinges are shipped without screws unless otherwise specified.

MODEL #114								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Maximum thickness: 1/8" Substrate: Zinc Application: Metal Fire Rated: No	114UNP	-	2/bag=1 pair	-	1 pair	\$27.70	

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

Metal cabinet hinges

- All metal cabinet hinges are shipped without screws unless otherwise specified.

MODEL #114								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Maximum thickness: 1/8" Substrate: Zinc Application: Metal Fire Rated: No	114UNPB	-	1 each	Yes	200 each	\$2,770.00	
		114US26D	682	2/bag=1 pair	-	1 pair	\$31.50	
		114US26DB	682	1 each	Yes	200 each	\$3,150.00	▪
		114US4	678	2/bag=1 pair	-	1 pair	\$31.50	
		114US4B	678	1 each	Yes	200 each	\$3,150.00	

MODEL #205								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Maximum thickness: 3/64" Substrate: Zinc Application: Metal Fire Rated: No	205UNP	-	2/bag=1 pair	-	1 pair	\$38.32	
		205UNPB	-	1 each	Yes	50 each	\$958.00	
		205US26D	682	2/bag=1 pair	-	1 pair	\$42.06	
		205US26DPB	682	1/bag=1 each	-	1 each	\$21.03	
		205US26DB	682	1 each	Yes	50 each	\$1,051.50	▪
		205US4	678	2/bag=1 pair	-	1 pair	\$42.06	
		205US4PB	678	1/bag=1 each	-	1 each	\$21.03	
		205US4B	678	1 each	Yes	50 each	\$1,051.50	

MODEL #314								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Maximum thickness: 1/8" Substrate: Steel Application: Metal Fire Rated: No	314US19	631	2/bag=1 pair	-	1 pair	\$25.88	
		314US19B	631	1 each	Yes	200 each	\$2,588.00	
		314US26D	652	2/bag=1 pair	-	1 pair	\$24.94	
		314US26DPB	652	1/bag=1 each	-	1 each	\$12.47	
		314US26DB	652	1 each	Yes	200 each	\$2,494.00	▪
		314US4	633	2/bag=1 pair	-	1 pair	\$24.94	
		314US4PB	633	1/bag=1 each	-	1 each	\$12.47	
		314US4B	633	1 each	Yes	200 each	\$2,494.00	

Concealed surface mount invisible hinge

- Screws are not included.

MODEL #106								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Maximum thickness: 5/64" Substrate: Zinc Application: Metal Fire Rated: No	106UNP	-	2/bag=1 pair	-	1 pair	\$45.78	

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

LIGHT DUTY / SMALL DOOR

MEDIUM DUTY / SMALL DOOR

HEAVY DUTY / STANDARD DOOR

HEAVY DUTY / LARGE DOOR

SPECIALTY

MISCELLANEOUS

Concealed surface mount invisible hinge

- Screws are not included.

MODEL #106								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Maximum thickness: 5/64" Substrate: Zinc Application: Metal Fire Rated: No	106UNPPB	-	1/bag=1 each	-	1 each	\$22.89	
		106UNPB	-	1 each	Yes	125 each	\$2,861.25	
		106US26D	682	2/bag=1 pair	-	1 pair	\$50.90	
		106US26DPB	682	1/bag=1 each	-	1 each	\$25.45	
		106US26DB	682	1 each	Yes	125 each	\$3,181.25	▪
		106US4	678	2/bag=1 pair	-	1 pair	\$50.90	
		106US4PB	678	1/bag=1 each	-	1 each	\$25.45	
		106US4B	678	1 each	Yes	125 each	\$3,181.25	

**MEDIUM DUTY, SMALL DOOR INVISIBLE HINGES**

Invisible hinges

- All hinges are shipped with the proper size wood screws unless ordered without.
- Machine screws available upon request for an additional charge.

MODEL #204								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 3/4" Substrate: Zinc Application: Wood or Metal Fire Rated: No	204CUNP	-	2/bag=1 pair	-	1 pair	\$36.64	
		204UNPB	-	1 each	Yes	100 each	\$1,832.00	
		204CUS10BL	704	2/bag=1 pair	-	1 pair	\$91.74	
		204US10BLB	704	1 each	Yes	100 each	\$4,587.00	
		204CUS14	-	2/bag=1 pair	-	1 pair	\$84.96	
		204US14B	-	1 each	Yes	100 each	\$4,248.00	
		204CUS15	-	2/bag=1 pair	-	1 pair	\$51.08	▪
		204US15B	-	1 each	Yes	100 each	\$2,554.00	
		204CUS19	676	2/bag=1 pair	-	1 pair	\$45.08	▪
		204US19PB	676	1/bag=1 each	-	10 each	\$225.40	
		204US19B	676	1 each	Yes	100 each	\$2,254.00	
		204CUS26	681	2/bag=1 pair	-	1 pair	\$78.10	
		204US26B	681	1 each	Yes	100 each	\$3,905.00	
		204CUS26D	682	2/bag=1 pair	-	1 pair	\$41.24	▪
		204US26DPB	682	1/bag=1 each	-	10 each	\$206.20	
		204US26DB	682	1 each	Yes	100 each	\$2,062.00	
		204CUS3	677	2/bag=1 pair	-	1 pair	\$79.68	
		204US3B	677	1 each	Yes	100 each	\$3,984.00	
		204CUS4	678	2/bag=1 pair	-	1 pair	\$41.24	▪
		204US4PB	678	1/bag=1 each	-	10 each	\$206.20	
204US4B	678	1 each	Yes	100 each	\$2,062.00			

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

Invisible hinges

- All hinges are shipped with the proper size wood screws unless ordered without.
- Machine screws available upon request for an additional charge.

MODEL #204								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 3/4" Substrate: Zinc Application: Wood or Metal Fire Rated: No	204CUS5	-	2/bag=1 pair	-	1 pair	\$91.74	
		204US5B	-	1 each	Yes	100 each	\$4,587.00	
		204CWH	-	2/bag=1 pair	-	1 pair	\$45.08	
		204WHB	-	1 each	Yes	100 each	\$2,254.00	

MODEL #204SS								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 3/4" Substrate: Grade 316 Stainless Steel Application: Wood or Metal Fire Rated: No	204SSUS32PB	629	1/bag=1 each	-	1 each	\$220.57	
		204SSUS32B	629	1 each	Yes	100 each	\$22,057.00	
		204SSUS32DPB	630	1/bag=1 each	-	1 each	\$176.85	
		204SSUS32DB	630	1 each	Yes	100 each	\$17,685.00	

MODEL #208								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1" Substrate: Zinc Application: Wood or Metal Fire Rated: No	208UNP	-	1/box=1 each	-	1 each	\$24.51	
		208UNPB	-	1 each	Yes	30 each	\$735.30	
		208US10BL	704	1/box=1 each	-	1 each	\$63.25	
		208US10BLB	704	1 each	Yes	30 each	\$1,897.50	
		208US14	-	1/box=1 each	-	1 each	\$59.91	
		208US14B	-	1 each	Yes	30 each	\$1,797.30	
		208US15	-	1/box=1 each	-	1 each	\$30.78	▪
		208US15B	-	1 each	Yes	30 each	\$923.40	
		208US19	676	1/box=1 each	-	1 each	\$28.67	▪
		208US19B	676	1 each	Yes	30 each	\$860.10	
		208US26	681	1/box=1 each	-	1 each	\$52.05	
		208US26B	681	1 each	Yes	30 each	\$1,561.50	
		208US26D	682	1/box=1 each	-	1 each	\$25.41	▪
		208US26DB	682	1 each	Yes	30 each	\$762.30	
		208US3	677	1/box=1 each	-	1 each	\$53.09	
		208US3B	677	1 each	Yes	30 each	\$1,592.70	
		208US4	678	1/box=1 each	-	1 each	\$25.41	▪
		208US4B	678	1 each	Yes	30 each	\$762.30	
		208US5	-	1/box=1 each	-	1 each	\$63.25	
		208US5B	-	1 each	Yes	30 each	\$1,897.50	
208WH	-	1/box=1 each	-	1 each	\$28.67			
208WHB	-	1 each	Yes	30 each	\$860.10			

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

LIGHT DUTY / SMALL DOOR

MEDIUM DUTY / SMALL DOOR

HEAVY DUTY / STANDARD DOOR

HEAVY DUTY / LARGE DOOR

SPECIALTY

MISCELLANEOUS

Invisible hinges

- All hinges are shipped with the proper size wood screws unless ordered without.
- Machine screws available upon request for an additional charge.

MODEL #208SS								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1" Substrate: Grade 316 Stainless Steel Application: Wood or Metal Fire Rated: No	208SSUS32	629	1/box=1 each	-	1 each	\$303.73	
		208SSUS32B	629	1 each	Yes	30 each	\$9,111.90	
		208SSUS32D	630	1/box=1 each	-	1 each	\$263.35	
		208SSUS32DB	630	1 each	Yes	30 each	\$7,900.50	

MODEL #212								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-1/8" Substrate: Zinc Application: Wood or Metal Fire Rated: No	212UNP	-	1/box=1 each	-	1 each	\$41.76	
		212UNPB	-	1 each	Yes	30 each	\$1,252.80	
		212US10BL	640	1/box=1 each	-	1 each	\$93.00	
		212US10BLB	640	1 each	Yes	30 each	\$2,790.00	
		212US14	-	1/box=1 each	-	1 each	\$100.43	
		212US14B	-	1 each	Yes	30 each	\$3,012.90	
		212US15	-	1/box=1 each	-	1 each	\$51.70	▪
		212US15B	-	1 each	Yes	30 each	\$1,551.00	
		212US19	676	1/box=1 each	-	1 each	\$49.62	▪
		212US19B	676	1 each	Yes	30 each	\$1,488.60	
		212US26	681	1/box=1 each	-	1 each	\$82.02	
		212US26B	681	1 each	Yes	30 each	\$2,460.60	
		212US26D	682	1/box=1 each	-	1 each	\$47.11	▪
		212US26DB	682	1 each	Yes	30 each	\$1,413.30	
		212US3	677	1/box=1 each	-	1 each	\$83.64	
		212US3B	677	1 each	Yes	30 each	\$2,509.20	
		212US4	678	1/box=1 each	-	1 each	\$47.11	▪
		212US4B	678	1 each	Yes	30 each	\$1,413.30	
		212US5	-	1/box=1 each	-	1 each	\$93.00	
		212US5B	-	1 each	Yes	30 each	\$2,790.00	
212WH	-	1/box=1 each	-	1 each	\$49.62			
212WHB	-	1 each	Yes	30 each	\$1,488.60			

MODEL #212SS								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-1/8" Substrate: Grade 316 Stainless Steel Application: Wood or Metal Fire Rated: No	212SSUS32	629	1/box=1 each	-	1 each	\$484.26	
		212SSUS32B	629	1 each	Yes	30 each	\$14,527.80	
		212SSUS32D	630	1/box=1 each	-	1 each	\$316.17	
		212SSUS32DB	630	1 each	Yes	30 each	\$9,485.10	

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

### Invisible closer hinges

- Wood and machine screws are included.
- Allow one #212IC invisible closer for every 28 lbs. of door weight or portion thereof.
- Recommended spacing for use of one spring closer is half of the distance from the center line of the door to the center line of the top hinge.

MODEL #212IC								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-1/8" Substrate: Zinc Application: Wood or Metal Fire Rated: No	212ICUNP	-	1/box=1 each	-	1 each	\$176.78	
		212ICUS10BL	704	1/box=1 each	-	1 each	\$241.06	
		212ICUS14	-	1/box=1 each	-	1 each	\$241.06	
		212ICUS15	-	1/box=1 each	-	1 each	\$211.83	
		212ICUS19	676	1/box=1 each	-	1 each	\$200.55	
		212ICUS26	681	1/box=1 each	-	1 each	\$229.48	
		212ICUS26D	682	1/box=1 each	-	1 each	\$192.83	
		212ICUS3	677	1/box=1 each	-	1 each	\$229.48	
		212ICUS4	678	1/box=1 each	-	1 each	\$192.83	
		212ICUS5	-	1/box=1 each	-	1 each	\$241.06	
		212ICWH	-	1/box=1 each	-	1 each	\$200.55	

MODEL #212SSIC								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-1/8" Substrate: Grade 316 Stainless Steel Application: Wood or Metal Fire Rated: No	212SSICUS32	629	1/box=1 each	-	1 each	\$635.05	
		212SSICUS32D	630	1/box=1 each	-	1 each	\$470.40	

### Wrap-around invisible hinges

- Hinge model #504 is supplied with wood screws only.

MODEL #504								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 3/4" Substrate: Zinc Application: Wood or Metal Fire Rated: No	504US15	-	2/box=1 pair	-	1 pair	\$379.06	
		504US15B	-	1 each	Yes	125 each	\$23,691.25	
		504US19	676	2/box=1 pair	-	1 pair	\$383.50	
		504US19B	676	1 each	Yes	125 each	\$23,968.75	
		504US26D	682	2/box=1 pair	-	1 pair	\$323.10	
		504US26DB	682	1 each	Yes	125 each	\$20,193.75	
		504US4	678	2/box=1 pair	-	1 pair	\$323.10	
		504US4B	678	1 each	Yes	125 each	\$20,193.75	

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

## HEAVY DUTY, STANDARD DOOR INVISIBLE HINGES

20-minute Fire Rated, UL Listed invisible hinges

- All fire rated hinges are shipped with the proper size wood and machine screws unless ordered without.
- Allow one fire rated hinge for every 60 lbs. of door weight or portion thereof. Fire rated applications also require one fire rated hinge for every 20" of door height or fraction thereof. The calculation that requires more hinges is the total number of hinges required.

MODEL #216								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-3/8" Substrate: Zinc Application: Wood or Metal Fire Rated: 20 Minutes	216UNP	-	1/box=1 each	-	1 each	\$60.57	
		216UNPB	-	1 each	Yes	15 each	\$908.55	
		216US10BL	704	1/box=1 each	-	1 each	\$124.10	▪
		216US10BLB	704	1 each	Yes	15 each	\$1,861.50	
		216US14	-	1/box=1 each	-	1 each	\$124.10	
		216US14B	-	1 each	Yes	15 each	\$1,861.50	
		216US15	-	1/box=1 each	-	1 each	\$85.98	▪
		216US15B	-	1 each	Yes	15 each	\$1,289.70	
		216US19	676	1/box=1 each	-	1 each	\$74.79	▪
		216US19B	676	1 each	Yes	15 each	\$1,121.85	
		216US26	681	1/box=1 each	-	1 each	\$116.09	
		216US26B	681	1 each	Yes	15 each	\$1,741.35	
		216US26D	682	1/box=1 each	-	1 each	\$72.99	▪
		216US26DB	682	1 each	Yes	15 each	\$1,094.85	
		216US3	677	1/box=1 each	-	1 each	\$122.91	
		216US3B	677	1 each	Yes	15 each	\$1,843.65	
		216US4	678	1/box=1 each	-	1 each	\$72.99	▪
		216US4B	678	1 each	Yes	15 each	\$1,094.85	
		216US5	-	1/box=1 each	-	1 each	\$124.10	
		216US5B	-	1 each	Yes	15 each	\$1,861.50	
216WH	-	1/box=1 each	-	1 each	\$74.79			
216WHB	-	1 each	Yes	15 each	\$1,121.85			

MODEL #218								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-3/4" Substrate: Zinc Application: Wood or Metal Fire Rated: 20 Minutes	218UNP	-	1/box=1 each	-	1 each	\$70.73	
		218UNPB	-	1 each	Yes	10 each	\$707.30	
		218US10BL	704	1/box=1 each	-	1 each	\$137.84	▪
		218US10BLB	704	1 each	Yes	10 each	\$1,378.40	
		218US14	-	1/box=1 each	-	1 each	\$137.84	
		218US14B	-	1 each	Yes	10 each	\$1,378.40	
		218US15	-	1/box=1 each	-	1 each	\$94.25	▪
		218US15B	-	1 each	Yes	10 each	\$942.50	
		218US19	676	1/box=1 each	-	1 each	\$84.65	▪
		218US19B	676	1 each	Yes	10 each	\$846.50	
		218US26	681	1/box=1 each	-	1 each	\$131.57	

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

20-minute Fire Rated, UL Listed invisible hinges

- All fire rated hinges are shipped with the proper size wood and machine screws unless ordered without.
- Allow one fire rated hinge for every 60 lbs. of door weight or portion thereof. Fire rated applications also require one fire rated hinge for every 20" of door height or fraction thereof. The calculation that requires more hinges is the total number of hinges required.

MODEL #218								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-3/4" Substrate: Zinc Application: Wood or Metal Fire Rated: 20 Minutes	218US26B	681	1 each	Yes	10 each	\$1,315.70	
		218US26D	682	1/box=1 each	-	1 each	\$78.65	▪
		218US26DB	682	1 each	Yes	10 each	\$786.50	
		218US3	677	1/box=1 each	-	1 each	\$138.86	
		218US3B	677	1 each	Yes	10 each	\$1,388.60	
		218US4	678	1/box=1 each	-	1 each	\$78.65	▪
		218US4B	678	1 each	Yes	10 each	\$786.50	
		218US5	-	1/box=1 each	-	1 each	\$137.84	
		218US5B	-	1 each	Yes	10 each	\$1,378.40	
		218WH	-	1/box=1 each	-	1 each	\$84.65	
		218WHB	-	1 each	Yes	10 each	\$846.50	

Extra heavy duty, invisible Hercules Hinges®

- All SOSS Hercules Hinges® are shipped with the proper size wood and machine screws unless ordered without.

MODEL #216H								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-3/8" Substrate: Alloy Steel Application: Wood or Metal Fire Rated: No	216HUS15	-	1/box=1 each	-	1 each	\$406.13	
		216HUS15B	-	1 each	Yes	12 each	\$4,873.56	
		216HUS19	631	1/box=1 each	-	1 each	\$389.61	
		216HUS19B	631	1 each	Yes	12 each	\$4,675.32	
		216HUS26D	652	1/box=1 each	-	1 each	\$376.90	
		216HUS26DB	652	1 each	Yes	12 each	\$4,522.80	
		216HUS4	633	1/box=1 each	-	1 each	\$376.90	
		216HUS4B	633	1 each	Yes	12 each	\$4,522.80	

MODEL #218H								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-3/4" Substrate: Alloy Steel Application: Wood or Metal Fire Rated: No	218HUS15	-	1/box=1 each	-	1 each	\$525.92	
		218HUS15B	-	1 each	Yes	12 each	\$6,311.04	
		218HUS19	631	1/box=1 each	-	1 each	\$488.79	
		218HUS19B	631	1 each	Yes	12 each	\$5,865.48	
		218HUS26D	652	1/box=1 each	-	1 each	\$482.61	
		218HUS26DB	652	1 each	Yes	12 each	\$5,791.32	
		218HUS4	633	1/box=1 each	-	1 each	\$482.61	
		218HUS4B	633	1 each	Yes	12 each	\$5,791.32	

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

LIGHT DUTY / SMALL DOOR

MEDIUM DUTY / SMALL DOOR

HEAVY DUTY / STANDARD DOOR

HEAVY DUTY / LARGE DOOR

SPECIALTY

MISCELLANEOUS

20-minute Fire Rated, UL Listed invisible closer hinges

- All fire rated hinges are shipped with the proper size wood and machine screws unless ordered without.
- Allow one closer for every 55 lbs. of door weight or portion thereof. Fire rated applications also require one fire rated hinge for every 20" of door height or fraction thereof. The calculation that requires more hinges is the total number of hinges required.
- Recommended spacing for use of one spring closer is half of the distance from the center line of the door to the center line of the top hinge. Please reference hinge spacing drawings.

MODEL #216IC								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-3/8" Substrate: Zinc Application: Wood or Metal Fire Rated: 20 Minutes	216ICUNP	-	1/box=1 each	-	1 each	\$216.26	
		216ICUS10BL	704	1/box=1 each	-	1 each	\$288.22	▪
		216ICUS14	-	1/box=1 each	-	1 each	\$288.22	
		216ICUS15	-	1/box=1 each	-	1 each	\$269.73	▪
		216ICUS19	676	1/box=1 each	-	1 each	\$237.31	▪
		216ICUS26	681	1/box=1 each	-	1 each	\$282.65	
		216ICUS26D	682	1/box=1 each	-	1 each	\$232.78	▪
		216ICUS3	677	1/box=1 each	-	1 each	\$282.65	
		216ICUS4	678	1/box=1 each	-	1 each	\$232.78	▪
		216ICUS5	-	1/box=1 each	-	1 each	\$288.22	
		216ICWH	-	1/box=1 each	-	1 each	\$237.31	

MODEL #218IC								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-3/4" Substrate: Zinc Application: Wood or Metal Fire Rated: 20 Minutes	218ICUNP	-	1/box=1 each	-	1 each	\$226.48	
		218ICUS10BL	704	1/box=1 each	-	1 each	\$300.12	▪
		218ICUS14	-	1/box=1 each	-	1 each	\$300.12	
		218ICUS15	-	1/box=1 each	-	1 each	\$261.73	▪
		218ICUS19	676	1/box=1 each	-	1 each	\$247.75	▪
		218ICUS26	681	1/box=1 each	-	1 each	\$286.15	
		218ICUS26D	682	1/box=1 each	-	1 each	\$240.80	▪
		218ICUS3	677	1/box=1 each	-	1 each	\$286.15	
		218ICUS4	678	1/box=1 each	-	1 each	\$240.80	▪
		218ICUS5	-	1/box=1 each	-	1 each	\$300.12	
		218ICWH	-	1/box=1 each	-	1 each	\$247.75	

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

90/180-minute Fire Rated, UL Listed invisible hinges

- All fire rated hinges are shipped with the proper size wood and machine screws unless ordered without.
- Allow one fire rated hinge for every 60 lbs. of door weight or portion thereof. Fire rated applications also require one fire rated hinge for every 20" of door height or fraction thereof. The calculation that requires more hinges is the total number of hinges required.

MODEL #416								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-3/8" Substrate: Alloy Steel Application: Wood or Metal Fire Rated: 90/180 Minutes	416UNP	-	1/box=1 each	-	1 each	\$318.89	
		416UNPB	-	1 each	Yes	10 each	\$3,188.90	
		416US15	646	1/box=1 each	-	1 each	\$356.80	
		416US15B	646	1 each	Yes	10 each	\$3,568.00	
		416US19	631	1/box=1 each	-	1 each	\$345.41	
		416US19B	631	1 each	Yes	10 each	\$3,454.10	
		416US26D	652	1/box=1 each	-	1 each	\$332.22	
		416US26DB	652	1 each	Yes	10 each	\$3,322.20	
		416US4	633	1/box=1 each	-	1 each	\$332.22	
		416US4B	633	1 each	Yes	10 each	\$3,322.20	

MODEL #416SS								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-3/8" Substrate: Grade 316 Stainless Steel Application: Wood or Metal Fire Rated: 90/180 Minutes	416SSUS32	629	1/box=1 each	-	1 each	\$530.56	
		416SSUS32B	629	1 each	Yes	10 each	\$5,305.60	
		416SSUS32D	630	1/box=1 each	-	1 each	\$351.10	
		416SSUS32DB	630	1 each	Yes	10 each	\$3,511.00	

MODEL #418								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-3/4" Substrate: Alloy Steel Application: Wood or Metal Fire Rated: 90/180 Minutes	418UNP	-	1/box=1 each	-	1 each	\$319.95	
		418UNPB	-	1 each	Yes	12 each	\$3,839.40	
		418US15	646	1/box=1 each	-	1 each	\$393.47	▪
		418US15B	646	1 each	Yes	12 each	\$4,721.64	
		418US19	631	1/box=1 each	-	1 each	\$379.40	▪
		418US19B	631	1 each	Yes	12 each	\$4,552.80	
		418US26D	652	1/box=1 each	-	1 each	\$342.19	▪
		418US26DB	652	1 each	Yes	12 each	\$4,106.28	
		418US4	633	1/box=1 each	-	1 each	\$342.19	▪
		418US4B	633	1 each	Yes	12 each	\$4,106.28	

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

LIGHT DUTY / SMALL DOOR

MEDIUM DUTY / SMALL DOOR

HEAVY DUTY / STANDARD DOOR

HEAVY DUTY / LARGE DOOR

SPECIALTY

MISCELLANEOUS

90/180-minute Fire Rated, UL Listed invisible hinges

- All fire rated hinges are shipped with the proper size wood and machine screws unless ordered without.
- Allow one fire rated hinge for every 60 lbs. of door weight or portion thereof. Fire rated applications also require one fire rated hinge for every 20" of door height or fraction thereof. The calculation that requires more hinges is the total number of hinges required.

MODEL #418SS								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-3/4" Substrate: Grade 316 Stainless Steel Application: Wood or Metal Fire Rated: 90/180 Minutes	418SSUS32	629	1/box=1 each	-	1 each	\$586.97	
		418SSUS32B	629	1 each	Yes	12 each	\$7,043.64	
		418SSUS32D	630	1/box=1 each	-	1 each	\$403.37	
		418SSUS32DB	630	1 each	Yes	12 each	\$4,840.44	

90/180-minute Fire Rated, UL Listed invisible closer hinges

- All fire rated hinges are shipped with the proper size wood and machine screws unless ordered without.
- Allow one closer for every 55 lbs. of door weight or portion thereof. Fire rated applications also require one fire rated hinge for every 20" of door height or fraction thereof. The calculation that requires more hinges is the total number of hinges required.
- Recommended spacing for use of one spring closer is half of the distance from the center line of the door to the center line of the top hinge. Please reference hinge spacing drawings.

MODEL #416IC								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-3/8" Substrate: Alloy Steel Application: Wood or Metal Fire Rated: 90/180 Minutes	416ICUNP	-	1/box=1 each	-	1 each	\$462.15	
		416ICUS15	646	1/box=1 each	-	1 each	\$515.97	
		416ICUS19	631	1/box=1 each	-	1 each	\$506.46	
		416ICUS26D	652	1/box=1 each	-	1 each	\$493.79	
		416ICUS4	633	1/box=1 each	-	1 each	\$493.79	

MODEL #416SSIC								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-3/8" Substrate: Grade 316 Stainless Steel Application: Wood or Metal Fire Rated: 90/180 Minutes	416SSICUS32	629	1/box=1 each	-	1 each	\$864.68	
		416SSICUS32D	630	1/box=1 each	-	1 each	\$595.09	

MODEL #418IC								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-3/4" Substrate: Alloy Steel Application: Wood or Metal Fire Rated: 90/180 Minutes	418ICUNP	-	1/box=1 each	-	1 each	\$546.02	
		418ICUS15	646	1/box=1 each	-	1 each	\$609.32	▪
		418ICUS19	631	1/box=1 each	-	1 each	\$599.82	▪
		418ICUS26D	652	1/box=1 each	-	1 each	\$593.51	▪
		418ICUS4	633	1/box=1 each	-	1 each	\$593.51	▪

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

90/180-minute Fire Rated, UL Listed invisible hinges

- All fire rated hinges are shipped with the proper size wood and machine screws unless ordered without.
- Allow one closer for every 55 lbs. of door weight or portion thereof. Fire rated applications also require one fire rated hinge for every 20" of door height or fraction thereof. The calculation that requires more hinges is the total number of hinges required.
- Recommended spacing for use of one spring closer is half of the distance from the center line of the door to the center line of the top hinge. Please reference hinge spacing drawings.

MODEL #418SSIC								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-3/4" Substrate: Grade 316 Stainless Steel Application: Wood or Metal Fire Rated: 90/180 Minutes	418SSICUS32	629	1/box=1 each	-	1 each	\$943.27	
		418SSICUS32D	630	1/box=1 each	-	1 each	\$734.36	

20-minute Fire Rated, UL Listed power transfer hinges

- All fire rated hinges are shipped with the proper size wood and machine screws unless ordered without.
- Use at least one fire rated hinge for every 20" of door height or portion thereof, or one hinge for every 60 lbs. or fraction thereof. The calculation that requires more hinges is the total number of hinges required.
- The SOSS Power Transfer Hinges are for use with four or six wire applications. Maximum wire rating is 2.5 ampere at 24 volts of direct current. For devices requiring more than 2.5 AMP, do not use SOSS Power Transfer Hinge.

MODEL #218PT								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-3/4" Substrate: Zinc Application: Wood or Metal Fire Rated: 20 Minutes Max wire rating: 2.5 amp at 24 VDC	218PTUS10BL	704	1/box=1 each	-	1 each	\$776.46	
		218PTUS10BLB	704	1 each	Yes	6 each	\$4,658.76	
		218PTUS14	-	1/box=1 each	-	1 each	\$767.93	
		218PTUS14B	-	1 each	Yes	6 each	\$4,607.58	
		218PTUS15	-	1/box=1 each	-	1 each	\$746.60	
		218PTUS15B	-	1 each	Yes	6 each	\$4,479.60	
		218PTUS19	676	1/box=1 each	-	1 each	\$748.02	
		218PTUS19B	676	1 each	Yes	6 each	\$4,488.12	
		218PTUS26	681	1/box=1 each	-	1 each	\$803.48	
		218PTUS26B	681	1 each	Yes	6 each	\$4,820.88	
		218PTUS26D	682	1/box=1 each	-	1 each	\$733.82	
		218PTUS26DB	682	1 each	Yes	6 each	\$4,402.92	
		218PTUS3	677	1/box=1 each	-	1 each	\$803.48	
		218PTUS3B	677	1 each	Yes	6 each	\$4,820.88	
		218PTUS4	678	1/box=1 each	-	1 each	\$733.82	
		218PTUS4B	678	1 each	Yes	6 each	\$4,402.92	
		218PTUS5	-	1/box=1 each	-	1 each	\$776.46	
		218PTUS5B	-	1 each	Yes	6 each	\$4,658.76	
218PTWH	-	1/box=1 each	-	1 each	\$748.02			
218PTWHB	-	1 each	Yes	6 each	\$4,488.12			

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

LIGHT DUTY / SMALL DOOR  
MEDIUM DUTY / SMALL DOOR  
HEAVY DUTY / STANDARD DOOR  
HEAVY DUTY / LARGE DOOR  
SPECIALTY  
MISCELLANEOUS

90/180-minute Fire Rated, UL Listed power transfer hinges

- All fire rated hinges are shipped with the proper size wood and machine screws unless ordered without.
- Use at least one fire rated hinge for every 20" of door height or portion thereof, or one hinge for every 60 lbs. or fraction thereof. The calculation that requires more hinges is the total number of hinges required.
- The SOSS Power Transfer Hinges are for use with four or six wire applications. Maximum wire rating is 2.5 ampere at 24 volts of direct current. For devices requiring more than 2.5 AMP, do not use SOSS Power Transfer Hinge.

MODEL #418PT								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-3/4" Substrate: Alloy Steel Application: Wood or Metal Fire Rated: 90/180 Minutes Max wire rating: 2.5 amp at 24 VDC	418PTUNP	-	1/box=1 each	-	1 each	\$876.48	
		418PTUS15	646	1/box=1 each	-	1 each	\$929.11	
		418PTUS19	631	1/box=1 each	-	1 each	\$923.29	
		418PTUS26D	652	1/box=1 each	-	1 each	\$920.36	
		418PTUS4	633	1/box=1 each	-	1 each	\$920.36	

MODEL #418SSPT								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-3/4" Substrate: Grade 316 Stainless Steel Application: Wood or Metal Fire Rated: 90/180 Minutes Max wire rating: 2.5 amp at 24 VDC	418SSPTUS32	629	1/box=1 each	-	1 each	\$1,446.27	
		418SSPTUS32D	630	1/box=1 each	-	1 each	\$1,132.19	

Wrap-around invisible hinges

- Hinge model #518 is supplied with wood screws only.

MODEL #518								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 1-3/4" Substrate: Alloy Steel Application: Wood or Metal Fire Rated: No	518US15	-	1/box=1 each	-	1 each	\$390.34	▪
		518US15B	-	1 each	Yes	12 each	\$4,684.08	
		518US19	631	1/box=1 each	-	1 each	\$383.48	▪
		518US19B	631	1 each	Yes	12 each	\$4,601.76	
		518US26D	652	1/box=1 each	-	1 each	\$377.50	▪
		518US26DB	652	1 each	Yes	12 each	\$4,530.00	
		518US4	633	1/box=1 each	-	1 each	\$377.50	▪
		518US4B	633	1 each	Yes	12 each	\$4,530.00	

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

## HEAVY DUTY, LARGE DOOR INVISIBLE HINGES

20-minute Fire Rated, UL Listed invisible hinges

- All fire rated hinges are shipped with the proper size wood and machine screws unless ordered without.
- Allow one fire rated hinge for every 60 lbs. of door weight or portion thereof. Fire rated applications also require one fire rated hinge for every 20" of door height or fraction thereof. The calculation that requires more hinges is the total number of hinges required.

MODEL #220								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 2" Substrate: Zinc Application: Wood or Metal Fire Rated: 20 Minutes	220UNP	-	1/box=1 each	-	1 each	\$106.35	
		220UNPB	-	1 each	Yes	6 each	\$638.10	
		220US10BL	704	1/box=1 each	-	1 each	\$187.76	
		220US10BLB	704	1 each	Yes	6 each	\$1,126.56	
		220US14	-	1/box=1 each	-	1 each	\$187.76	
		220US14B	-	1 each	Yes	6 each	\$1,126.56	
		220US15	-	1/box=1 each	-	1 each	\$150.46	▪
		220US15B	-	1 each	Yes	6 each	\$902.76	
		220US19	676	1/box=1 each	-	1 each	\$126.93	▪
		220US19B	676	1 each	Yes	6 each	\$761.58	
		220US26	681	1/box=1 each	-	1 each	\$186.81	
		220US26B	681	1 each	Yes	6 each	\$1,120.86	
		220US26D	682	1/box=1 each	-	1 each	\$125.35	▪
		220US26DB	682	1 each	Yes	6 each	\$752.10	
		220US3	677	1/box=1 each	-	1 each	\$190.56	
		220US3B	677	1 each	Yes	6 each	\$1,143.36	
		220US4	678	1/box=1 each	-	1 each	\$125.35	▪
		220US4B	678	1 each	Yes	6 each	\$752.10	
		220US5	-	1/box=1 each	-	1 each	\$187.76	
		220US5B	-	1 each	Yes	6 each	\$1,126.56	
220WH	-	1/box=1 each	-	1 each	\$126.93			
220WHB	-	1 each	Yes	6 each	\$761.58			

## Extra heavy duty, invisible Hercules Hinges®


- All SOSS Hercules Hinges® are shipped with the proper size wood and machine screws unless ordered without.

MODEL #220H								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 2" Substrate: Alloy Steel Application: Wood or Metal Fire Rated: No	220HUS15	-	1/box=1 each	-	1 each	\$555.32	
		220HUS15B	-	1 each	Yes	6 each	\$3,331.92	
		220HUS19	631	1/box=1 each	-	1 each	\$539.18	
		220HUS19B	631	1 each	Yes	6 each	\$3,235.08	
		220HUS26D	652	1/box=1 each	-	1 each	\$510.46	
		220HUS26DB	652	1 each	Yes	6 each	\$3,062.76	
		220HUS4	633	1/box=1 each	-	1 each	\$510.46	
		220HUS4B	633	1 each	Yes	6 each	\$3,062.76	

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

20-minute Fire Rated, UL Listed invisible closer hinges

- All fire rated hinges are shipped with the proper size wood and machine screws unless ordered without.
- Allow one closer for every 55 lbs. of door weight or portion thereof. Fire rated applications also require one fire rated hinge for every 20" of door height or fraction thereof. The calculation that requires more hinges is the total number of hinges required.
- Recommended spacing for use of one spring closer is half of the distance from the center line of the door to the center line of the top hinge. Please reference hinge spacing drawings.

MODEL #220IC								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 2" Substrate: Zinc Application: Wood or Metal Fire Rated: 20 Minutes	220ICUNP	-	1/box=1 each	-	1 each	\$265.57	
		220ICUS10BL	704	1/box=1 each	-	1 each	\$348.80	
		220ICUS14	-	1/box=1 each	-	1 each	\$348.80	
		220ICUS15	-	1/box=1 each	-	1 each	\$321.05	▪
		220ICUS19	676	1/box=1 each	-	1 each	\$296.63	▪
		220ICUS26	681	1/box=1 each	-	1 each	\$344.64	
		220ICUS26D	682	1/box=1 each	-	1 each	\$308.51	▪
		220ICUS3	677	1/box=1 each	-	1 each	\$344.64	
		220ICUS4	678	1/box=1 each	-	1 each	\$308.51	▪
		220ICUS5	-	1/box=1 each	-	1 each	\$348.80	
		220ICWH	-	1/box=1 each	-	1 each	\$296.61	

90/180-minute Fire Rated, UL Listed invisible hinges

- All fire rated hinges are shipped with the proper size wood and machine screws unless ordered without.
- The hinge side door style for 90-minute wood faced doors must be a minimum of 2-1/4" wide.
- Use at least one fire rated hinge for every 20" of door height or portion thereof, or one hinge for every 60 lbs. or fraction thereof. The calculation that requires more hinges is the total number of hinges required.

MODEL #220AS								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 2" Substrate: Alloy Steel Application: Wood or Metal Fire Rated: 90/180 Minutes	220ASUNP	-	1/box=1 each	-	1 each	\$369.50	
		220ASUNPB	-	1 each	Yes	6 each	\$2,217.00	
		220ASUS15	646	1/box=1 each	-	1 each	\$452.23	
		220ASUS15B	646	1 each	Yes	6 each	\$2,713.38	
		220ASUS19	631	1/box=1 each	-	1 each	\$432.67	
		220ASUS19B	631	1 each	Yes	6 each	\$2,596.02	
		220ASUS26D	652	1/box=1 each	-	1 each	\$414.81	
		220ASUS26DB	652	1 each	Yes	6 each	\$2,488.86	
		220ASUS4	633	1/box=1 each	-	1 each	\$414.81	
		220ASUS4B	633	1 each	Yes	6 each	\$2,488.86	

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

90/180-minute Fire Rated, UL Listed invisible hinges

- All fire rated hinges are shipped with the proper size wood and machine screws unless ordered without.
- The hinge side door style for 90-minute wood faced doors must be a minimum of 2-1/4" wide.
- Use at least one fire rated hinge for every 20" of door height or portion thereof, or one hinge for every 60 lbs. or fraction thereof. The calculation that requires more hinges is the total number of hinges required.

MODEL #220SS								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 2" Substrate: Grade 316 Stainless Steel Application: Wood or Metal Fire Rated: 90/180 Minutes	220SSUS32	629	1/box=1 each	-	1 each	\$733.29	
		220SSUS32B	629	1 each	Yes	6 each	\$4,399.74	
		220SSUS32D	630	1/box=1 each	-	1 each	\$606.91	
		220SSUS32DB	630	1 each	Yes	6 each	\$3,641.46	

MODEL #420								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 2" Substrate: Alloy Steel Application: Metal Fire Rated: 90/180 Minutes	420UNP	-	1/box=1 each	-	1 each	\$368.72	
		420UNPB	-	1 each	Yes	6 each	\$2,212.32	
		420US15	646	1/box=1 each	-	1 each	\$436.22	
		420US15B	646	1 each	Yes	6 each	\$2,617.32	
		420US19	631	1/box=1 each	-	1 each	\$388.18	
		420US19B	631	1 each	Yes	6 each	\$2,329.08	
		420US26D	652	1/box=1 each	-	1 each	\$379.58	
		420US26DB	652	1 each	Yes	6 each	\$2,277.48	
		420US4	633	1/box=1 each	-	1 each	\$379.58	
		420US4B	633	1 each	Yes	6 each	\$2,277.48	

Hinge model #420 is for metal doors only and will be only supplied with machine screws.

MODEL #420SS								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 2" Substrate: Grade 316 Stainless Steel Application: Metal Fire Rated: 90/180 Minutes	420SSUS32	629	1/box=1 each	-	1 each	\$745.41	
		420SSUS32B	629	1 each	Yes	6 each	\$4,472.46	
		420SSUS32D	630	1/box=1 each	-	1 each	\$522.70	
		420SSUS32DB	630	1 each	Yes	6 each	\$3,136.20	

Hinge model #420SS is for metal doors only and will be only supplied with machine screws.

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

LIGHT DUTY / SMALL DOOR

MEDIUM DUTY / SMALL DOOR

HEAVY DUTY / STANDARD DOOR


HEAVY DUTY / LARGE DOOR

SPECIALTY

MISCELLANEOUS

90/180-minute Fire Rated, UL Listed invisible closer hinges

- All fire rated hinges are shipped with the proper size wood and machine screws unless ordered without.
- Allow one closer for every 55 lbs. of door weight or portion thereof. Fire rated applications also require one fire rated hinge for every 20" of door height or fraction thereof. The calculation that requires more hinges is the total number of hinges required.
- Recommended spacing for use of one spring closer is half of the distance from the center line of the door to the center line of the top hinge. Please reference hinge spacing drawings.

MODEL #220ASIC								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 2" Substrate: Alloy Steel Application: Wood or Metal Fire Rated: 90/180 Minutes	220ASICUNP	-	1/box=1 each	-	1 each	\$661.56	
		220ASICUS15	646	1/box=1 each	-	1 each	\$715.38	
		220ASICUS19	631	1/box=1 each	-	1 each	\$709.02	
		220ASICUS26D	652	1/box=1 each	-	1 each	\$699.57	
		220ASICUS4	633	1/box=1 each	-	1 each	\$699.57	

MODEL #220SSIC								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 2" Substrate: Grade 316 Stainless Steel Application: Wood or Metal Fire Rated: 90/180 Minutes	220SSICUS32	629	1/box=1 each	-	1 each	\$1,214.92	
		220SSICUS32D	630	1/box=1 each	-	1 each	\$884.68	

MODEL #420IC								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 2" Substrate: Alloy Steel Application: Metal Fire Rated: 90/180 Minutes	420ICUNP	-	1/box=1 each	-	1 each	\$544.44	
		420ICUS15	646	1/box=1 each	-	1 each	\$614.09	
		420ICUS19	631	1/box=1 each	-	1 each	\$601.43	
		420ICUS26D	652	1/box=1 each	-	1 each	\$590.31	
		420ICUS4	633	1/box=1 each	-	1 each	\$590.31	


Invisible closer hinge model #420IC is for metal doors only and will be only supplied with machine screws.

MODEL #420SSIC								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 2" Substrate: Grade 316 Stainless Steel Application: Metal Fire Rated: 90/180 Minutes	420SSICUS32	629	1/box=1 each	-	1 each	\$1,060.36	
		420SSICUS32D	630	1/box=1 each	-	1 each	\$796.08	

Invisible closer hinge model #420SSIC is for metal doors only and will be only supplied with machine screws.

20-minute Fire Rated, UL Listed power transfer hinges

- All fire rated hinges are shipped with the proper size wood and machine screws unless ordered without.
- Use at least one fire rated hinge for every 20" of door height or portion thereof, or one hinge for every 60 lbs. or fraction thereof. The calculation that requires more hinges is the total number of hinges required.
- The SOSS Power Transfer Hinges are for use with four or six wire applications. Maximum wire rating is 2.5 ampere at 24 volts of direct current. For devices requiring more than 2.5 AMP, do not use SOSS Power Transfer Hinge.


MODEL #220PT								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 2" Substrate: Zinc Application: Wood or Metal Fire Rated: 20 Minutes Max wire rating: 2.5 amp at 24 VDC	220PTUS10BL	704	1/box=1 each	-	1 each	\$867.47	
		220PTUS10BLB	704	1 each	Yes	6 each	\$5,204.82	
		220PTUS14	-	1/box=1 each	-	1 each	\$890.22	
		220PTUS14B	-	1 each	Yes	6 each	\$5,341.32	
		220PTUS15	-	1/box=1 each	-	1 each	\$853.25	
		220PTUS15B	-	1 each	Yes	6 each	\$5,119.50	
		220PTUS19	676	1/box=1 each	-	1 each	\$858.96	
		220PTUS19B	676	1 each	Yes	6 each	\$5,153.76	
		220PTUS26	681	1/box=1 each	-	1 each	\$881.72	
		220PTUS26B	681	1 each	Yes	6 each	\$5,290.32	
		220PTUS26D	682	1/box=1 each	-	1 each	\$839.05	
		220PTUS26DB	682	1 each	Yes	6 each	\$5,034.30	
		220PTUS3	677	1/box=1 each	-	1 each	\$881.72	
		220PTUS3B	677	1 each	Yes	6 each	\$5,290.32	
		220PTUS4	678	1/box=1 each	-	1 each	\$839.05	
		220PTUS4B	678	1 each	Yes	6 each	\$5,034.30	
		220PTUS5	-	1/box=1 each	-	1 each	\$867.47	
		220PTUS5B	-	1 each	Yes	6 each	\$5,204.82	
220PTWH	-	1/box=1 each	-	1 each	\$858.96			
220PTWHB	-	1 each	Yes	6 each	\$5,153.76			

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

90/180-minute Fire Rated, UL Listed power transfer hinges

- All fire rated hinges are shipped with the proper size wood and machine screws unless ordered without.
- The hinge side door style for 90-minute wood faced doors must be a minimum of 2-1/4" wide.
- Use at least one fire rated hinge for every 20" of door height or portion thereof, or one hinge for every 60 lbs. or fraction thereof. The calculation that requires more hinges is the total number of hinges required.
- The SOSS Power Transfer Hinges are for use with four or six wire applications. Maximum wire rating is 2.5 ampere at 24 volts of direct current. For devices requiring more than 2.5 AMP, do not use SOSS Power Transfer Hinge.

MODEL #220ASPT								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 2" Substrate: Alloy Steel Application: Wood or Metal Fire Rated: 90/180 Minutes Max wire rating: 2.5 amp at 24 VDC	220ASPTUNP	-	1/box=1 each	-	1 each	\$964.19	
		220ASPTUS15	646	1/box=1 each	-	1 each	\$1,022.61	
		220ASPTUS19	631	1/box=1 each	-	1 each	\$1,016.78	
		220ASPTUS26D	652	1/box=1 each	-	1 each	\$1,010.93	
		220ASPTUS4	633	1/box=1 each	-	1 each	\$1,010.93	

MODEL #220SSPT								
Product Image	Product description	Model number	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
	Minimum thickness: 2" Substrate: Grade 316 Stainless Steel Application: Wood or Metal Fire Rated: 90/180 Minutes Max wire rating: 2.5 amp at 24 VDC	220SSPTUS32	629	1/box=1 each	-	1 each	\$1,533.92	
		220SSPTUS32D	630	1/box=1 each	-	1 each	\$1,256.35	

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

## SPECIALTY INVISIBLE HINGES

- Modified hinges are not supplied with screws.
- Counterboring available by special request.
- For special applications, unusual sizes and weights, engineering and design assistance is available free of charge. Please consult the SOSS Home Office.

### MODIFIED LIGHT DUTY INVISIBLE HINGES

Model number	Description	Substrate	Maximum thickness	BHMA Finish	Application	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ
101500WE	Model #101, cavity 3 specific	Zinc	1/2"	646	Wood or Metal	1 each	Yes	200 ea.	\$4,656.00
101MUS26DB	Model #101, modified mounting holes	Zinc	1/2"	682	Wood or Metal	1 each	Yes	150 ea.	\$3,093.00
103AUS26DB	Model #103, modified slot mounting holes	Zinc	3/4"	682	Wood or Metal	1 each	Yes	200 ea.	\$9,720.00
103MUS19B	Model #103, modified mounting holes	Zinc	3/4"	676	Wood or Metal	1 each	Yes	200 ea.	\$5,022.00
203MUNPB	Model #203, modified mounting holes	Zinc	3/4"	-	Wood or Metal	1 each	Yes	150 ea.	\$3,151.50

### MODIFIED LIGHT DUTY METAL CABINET HINGES

Model number	Description	Substrate	Maximum thickness	BHMA Finish	Application	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ
114MUS4B	Model #114, modified mounting holes	Zinc	3/64"	677	Cabinet, Metal	1 each	Yes	200 ea.	\$3,516.00
205MUNPB	Model #205, modified hinge bodies	Zinc	3/64"	-	Cabinet, Metal	1 each	Yes	50 ea.	\$1,271.50

### MODIFIED LIGHT DUTY CONCEALED SURFACE MOUNT INVISIBLE HINGES

Model number	Description	Substrate	Maximum thickness	BHMA Finish	Application	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ
106MUNPB	Model #106, modified mounting holes	Zinc	5/64"	-	Cabinet, Metal	1 each	Yes	125 ea.	\$3,098.75
106MTUS26DB	Model #106, modified mounting holes	Zinc	5/64"	682	Cabinet, Metal	1 each	Yes	125 ea.	\$3,622.50

### MODIFIED MEDIUM DUTY INVISIBLE HINGES

Model number	Description	Substrate	Minimum thickness	BHMA Finish	Application	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ
204DTUS15B	Model #204, modified 110° detent	Zinc	3/4"	646	Wood or Metal	1 each	Yes	100 ea.	\$5,593.00
204MCLRB	Model #204, modified hinge bodies	Zinc	3/4"	-	Wood or Metal	1 each	Yes	100 ea.	\$2,392.00
208AUS26DB	Model #208, modified slot mounting holes	Zinc	1"	652	Wood or Metal	1 each	Yes	30 ea.	\$1,557.00
208MDTUS26DB	Model #208, modified 110°	Zinc	1"	652	Wood or Metal	1 each	Yes	30 ea.	\$4,670.10

### MODIFIED MEDIUM DUTY INVISIBLE CLOSER HINGES

Model number	Description	Substrate	Minimum thickness	BHMA Finish	Application	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ
212ICMUS26DB	Model #212, modified spring	Zinc	1-1/8"	652	Wood or Metal	1 each	Yes	20 ea.	\$3,856.60

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

**SPECIALTY INVISIBLE HINGES**



**QUADRANT HINGES**

▪ This product is being discontinued.

Model number	Description	Substrate	Application	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
QH7	Bright Brass plating on stainless steel	Stainless steel	Craft, Wood	2/bag=1 pair	Yes	10 pair	\$102.50	
QH7B	Bright Brass plating on stainless steel, bulk			1 each	Yes	200 each	\$1,024.00	

Not for load bearing applications. Packaged two per bag, #2 x 3/8" flat head Phillips wood screws included.



**INVISIBLE BARREL HINGES**

▪ Barrel hinges are not supplied with screws.

Product description	Model number	Drill bit (mm)	Screw size	Minimum thickness	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
									Stocked
Substrate: Solid Brass Application: Craft, Wood Finish: BRS (Brass)	BH085PB	8.2mm	#2	7/16"	1/bag=1 each	-	1 each	\$3.41	
	BH085	8.2mm	#2	7/16"	Bagged	Yes	24 each	\$81.84	
	BH085B	8.2mm	#2	7/16"	1 each	Yes	250 each	\$852.50	
	BH104PB	10mm	#3	1/2"	1/bag=1 each	-	1 each	\$3.41	
	BH104	10mm	#3	1/2"	Bagged	Yes	24 each	\$81.84	
	BH104B	10mm	#3	1/2"	1 each	Yes	250 each	\$852.50	
	BH124PB	12mm	#4	5/8"	Bagged	Yes	24 each	\$3.41	
	BH124	12mm	#4	5/8"	1/bag=1 each	-	1 each	\$81.84	
	BH124B	12mm	#4	5/8"	1 each	Yes	250 each	\$852.50	
	BH144PB	14mm	#6	3/4"	1/bag=1 each	-	1 each	\$4.12	
	BH144	14mm	#6	3/4"	Bagged	Yes	24 each	\$98.88	
	BH144B	14mm	#6	3/4"	1 each	Yes	200 each	\$824.00	
	BH164PB	16mm	#6	7/8"	1/bag=1 each	-	1 each	\$5.19	
	BH164	16mm	#6	7/8"	Bagged	Yes	24 each	\$124.56	
	BH164B	16mm	#6	7/8"	1 each	Yes	200 each	\$1,038.00	
	BH184PB	18mm	#6	1-1/8"	1/bag=1 each	-	1 each	\$6.73	
	BH184	18mm	#6	1-1/8"	Bagged	Yes	24 each	\$161.52	
	BH184B	18mm	#6	1-1/8"	1 each	Yes	150 each	\$1,009.50	
	BH244PB	24mm	#10	1-1/4"	1/bag=1 each	-	1 each	\$12.42	
	BH244	24mm	#10	1-1/4"	Bagged	Yes	12 each	\$149.04	
BH244B	24mm	#10	1-1/4"	1 each	Yes	100 each	\$1,242.00		

Templates are not available for barrel hinges. Not recommended for vertical or load bearing applications. No load recommendations available, for light applications only. If desired, a customer supplied secondary screw may be installed in the groove that is 180 degrees from the tensioning screw; this is optional (not available for BH085).

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

**MISCELLANEOUS**



MDHB-HS

MAGNETIC DOOR HOLDER & STOPS								
Model number	Description	Substrate	BHMA Finish	Unit packaged	Must be ordered in Multiple Qty	MOQ	List price per MOQ	USA ONLY
								Stocked
MDHBUS10B-HS	Oil Rubbed Bronze	Zamac, Steel	704	1/box=1 each	Yes	10 each	\$116.10	
MDHBUS10-HS	Antique Bronze	Zamac, Steel	680	1/box=1 each	Yes	10 each	\$102.50	
MDHBUS15-HS	Satin Nickel	Zamac, Steel	-	1/box=1 each	Yes	10 each	\$102.50	
MDHBUS19-HS	Black	Zamac, Steel	676	1/box=1 each	Yes	10 each	\$109.30	
MDHBUS26-HS	Bright Chrome	Zamac, Steel	681	1/box=1 each	Yes	10 each	\$102.50	
MDHBUS26D-HS	Satin Chrome	Zamac, Steel	682	1/box=1 each	Yes	10 each	\$106.30	
MDHBUS3-HS	Bright Gold	Zamac, Steel	677	1/box=1 each	Yes	10 each	\$102.50	
MDHBWH-HS	White	Zamac, Steel	-	1/box=1 each	Yes	10 each	\$109.30	

Three plastic anchors, five #7-1" screws and one 1/4" x 20 x 1 13/16" concrete anchor are included. SOSS Magnetic Door Holders have a magnetic holding power of 9 lbs. when installed properly.



IT

ROUTER GUIDE TEMPLATES & TEMPLATE GUIDE SYSTEM					
Part number	Description	Unit packaged	MOQ	List price per MOQ	USA ONLY
					Stocked
101IT	For the #101 SOSS Invisible Hinge	1/box=1 each	1 each	\$43.40	▪
103IT	For the #103 SOSS Invisible Hinge	1/box=1 each	1 each	\$43.40	▪
203IT	For the #203 SOSS Invisible Hinge	1/box=1 each	1 each	\$43.40	▪
204IT	For the #204 SOSS Invisible Hinge	1/box=1 each	1 each	\$43.40	▪
208IT	For the #208 SOSS Invisible Hinge	1/box=1 each	1 each	\$43.40	▪
212IT	For the #212 SOSS Invisible Hinge	1/box=1 each	1 each	\$43.40	▪
216IT	For the #216 and #416 SOSS Invisible Hinge	1/box=1 each	1 each	\$43.40	▪
218IT	For the #218 and #418 SOSS Invisible Hinge	1/box=1 each	1 each	\$43.40	▪
220IT	For the #220 SOSS Invisible Hinge	1/box=1 each	1 each	\$43.40	▪
504IT	For the #504 SOSS Invisible Hinge	1/box=1 each	1 each	\$43.40	▪
518IT	For the #518 SOSS Invisible Hinge	1/box=1 each	1 each	\$43.40	▪
RGS	Router Guide System (RGS) kit, up to 4 templates, hinge models #212-#220	Boxed	1 set	\$89.93	
RGB100	Router Guide Bushing (RGB) #42024 and lock nut #42237. Fits most routers.	Bagged	1 set	\$38.31	

Router Guide Systems (RGS) are not for use on doors taller than 10' tall.

Router Guide Templates must be purchased separately from Router Guide Rail System RGS.

For complete instructions for installation with a Router Guide System, please visit [www.soss.com](http://www.soss.com) or contact the SOSS office. Complete instructions are supplied with each Router Guide System.

USA stocked products will typically ship in 3 business days. Stocked does not apply to Canada.

**MISCELLANEOUS**

ROUTER BITS					
Part number	Description	Unit packaged	MOQ	List price per MOQ	USA ONLY
					Stocked
43828	Amana Tool® Router bit for #101IT	Bagged	1 each	\$53.32	
51304	Amana Tool® Router bit for #103IT, #203IT, #204IT, #208IT, #212IT, #504IT	Bagged	1 each	\$62.99	
51310	Amana Tool® Router bit for #216IT, #218IT, #220IT, #418IT, #518IT	Bagged	1 each	\$84.24	

CAUTION: Do not use resharpened bits.

REINFORCEMENTS FOR STEEL DOORS					
Part number	Description	Unit packaged	MOQ	List price per MOQ	USA ONLY
					Stocked
216SDB	For #216 and #416 - Two piece: upper and lower	Bagged	1 pair	\$38.31	
218SDB	For #218 and #418 - single piece insert	Bagged	1 each	\$38.31	

Two pieces/pair of SDB reinforcements needed per hinge: 1 for door, 1 for jamb.

## About Allegion

At Allegion (NYSE: ALLE), we design and manufacture innovative security and access solutions that help keep people safe where they live, learn, work and connect. We're pioneering safety with our strong legacy of brands like CISA®, Interflex®, LCN®, Schlage®, SimonsVoss® and Von Duprin®. Our comprehensive portfolio of hardware, software and electronic solutions is sold around the world and spans residential and commercial locks, door closer and exit devices, steel doors and frames, access control and workforce productivity systems.

For more, visit [www.allegion.com](http://www.allegion.com)

KRYPTONITE ■ LCN ■  ■ STEELCRAFT ■ VON DUPRIN